

```
[
{
  "archetype": "Top / Dominant (Dom)",
  "safety_metadata": {
    "mandatory_protocols": [
      "Pre-scene baseline verification (physical and mental health check)",
      "Continuous verbal and non-verbal check-ins",
      "Clear demarcation of active safewords"
    ],
    "primary_risks": [
      "Dom Drop (post-scene chemical crash)",
      "Tunnel vision / losing situational awareness",
      "Overestimating a partner's physical limits"
    ],
    "specific_aftercare": [
      "Physical decompression (rehydration, quiet rest)",
      "Emotional grounding and validation from the submissive",
      "Post-scene debriefing to discuss boundary limits"
    ]
  }
},
{
  "archetype": "Master / Mistress",
  "safety_metadata": {
    "mandatory_protocols": [
      "Formal contract negotiation with explicit escape clauses",
```

```
    "Scheduled, non-scene operational reviews",
    "External support network tracking for both partners"
  ],
  "primary_risks": [
    "Codependency and emotional isolation",
    "Burnout from continuous responsibility",
    "Boundary creep over extended timeframes"
  ],
  "specific_aftercare": [
    "Scheduled intervals of ordinary, non-dynamic interaction",
    "Deliberate tracking of long-term psychological wellbeing",
    "Re-evaluation ceremonies for ongoing consent verification"
  ]
}
},
{
  "archetype": "Owner",
  "safety_metadata": {
    "mandatory_protocols": [
      "Strict definition of symbolic vs. legal rights",
      "Mandatory veto protocols for high-stakes real-world life choices",
      "Third-party emergency contact systems"
    ],
    "primary_risks": [
      "Loss of individual identity and agency",
      "Severe psychological distress if the dynamic terminates abruptly",
```

```
    "Social and professional isolation"
  ],
  "specific_aftercare": [
    "Structured personal time for the submissive to foster self-governance",
    "Regular long-term sanity checks with community peers",
    "Formal check-ins focused on identity retention"
  ]
}
},
{
  "archetype": "Sadist",
  "safety_metadata": {
    "mandatory_protocols": [
      "Strict anatomy knowledge and target area mapping",
      "Sterilization and tool hygiene standards",
      "Visual monitoring of skin color, bruising patterns, and respiration"
    ],
    "primary_risks": [
      "Tissue damage or unintended permanent scarring",
      "Nerve compression from prolonged impact",
      "Misinterpreting trauma responses as regular masochistic endurance"
    ],
    "specific_aftercare": [
      "Wound care, ice application, and topical arnica protocols",
      "Physical rewarming (blankets) to combat post-impact shock",
      "Cozy environment creation to transition out of intense sensory focus"
```

```
]
}
},
{
  "archetype": "Degrader",
  "safety_metadata": {
    "mandatory_protocols": [
      "Pre-negotiated blacklist of off-limit personal topics, traumas, and words",
      "Aftercare exit phrase that firmly signals the end of degradation",
      "Strict separation of the role from actual relationship value"
    ],
    "primary_risks": [
      "Triggering latent trauma or deep psychological distress",
      "Erosion of long-term self-esteem",
      "Subconscious bleed of degradation into vanilla life"
    ],
    "specific_aftercare": [
      "Explicit verbal reaffirmation of the submissive's value, beauty, and safety",
      "Extended eye contact and physical touch to restore psychological safety",
      "Verbal separation statement ('The scene is over; you are safe and loved')"
    ]
  }
},
{
  "archetype": "Caregiver / Daddy / Mommy",
  "safety_metadata": {
```

```
“mandatory_protocols”: [  
  “Clear boundaries regarding age regression spaces and vanilla environments”,  
  “Explicit protocols for managing actual adult responsibilities during a dynamic”,  
  “Strict adherence to legal and safety parameters during ageplay”  
],  
“primary_risks”: [  
  “Infantilization bleeding into critical real-life choices”,  
  “Emotional codependency”,  
  “Caregiver burnout from managing another adult’s emotional baseline”  
],  
“specific_aftercare”: [  
  “Gentle transitions out of the younger headspace”,  
  “Re-grounding the partner into adult reality with soothing reassurance”,  
  “Ensuring the caregiver receives independent emotional support”  
]  
}  
,  
{  
  “archetype”: “Brat Tamer”,  
  “safety_metadata”: {  
    “mandatory_protocols”: [  
      “Pre-negotiated escalation caps for disciplinary measures”,  
      “Differentiating genuine distress signals from playful ‘bratty’ defiance”,  
      “Establishing clear, non-negotiable boundaries for safety protocols”  
    ],  
    “primary_risks”: [  
      “Clear boundaries regarding age regression spaces and vanilla environments”,  
      “Explicit protocols for managing actual adult responsibilities during a dynamic”,  
      “Strict adherence to legal and safety parameters during ageplay”  
    ],  
    “specific_aftercare”: [  
      “Gentle transitions out of the younger headspace”,  
      “Re-grounding the partner into adult reality with soothing reassurance”,  
      “Ensuring the caregiver receives independent emotional support”  
    ]  
  }  
}
```

```
    "Escalating intensity past safe physical or psychological thresholds",
    "Frustration or loss of emotional control by the tamer",
    "Miscommunication regarding when a rule breach is a real emergency"
  ],
  "specific_aftercare": [
    "Holding and physical grounding to affirm that the conflict was play",
    "Verbal reinforcement that the connection is secure despite the defiance",
    "Clear validation of the submissive's performance during the scene"
  ]
}
},
{
  "archetype": "Rigging Master / Rigger",
  "safety_metadata": {
    "mandatory_protocols": [
      "Safety shears kept on person and immediately accessible at all times",
      "Continuous nerve checks (pulse, finger temperature, tingling sensations)",
      "Strict tracking of suspension time limits to prevent suspension trauma"
    ],
    "primary_risks": [
      "Nerve damage (radial, ulnar, peroneal nerves)",
      "Circulatory restriction or compartment syndrome",
      "Positional asphyxiation or falling hazards"
    ],
    "specific_aftercare": [
      "Slow, supported removal from rope to allow gradual blood flow return",
```

```
    "Massaging bound areas gently to restore standard circulation",
    "Monitoring limbs for delayed swelling, numbness, or loss of mobility"
  ]
}
},
{
  "archetype": "Primal Hunter",
  "safety_metadata": {
    "mandatory_protocols": [
      "Non-verbal safeword signals (such as a squeaker or specific tap cadence)",
      "Environmental safety sweep (removing sharp corners, hard obstacles)",
      "Strict weight-bearing and choking mechanism restrictions"
    ],
    "primary_risks": [
      "Concussions, joint dislocations, or soft tissue injuries from wrestling",
      "Adrenaline blinding that causes participants to ignore physical pain",
      "Triggering an unnegotiated panic response or fight-or-flight freeze"
    ],
    "specific_aftercare": [
      "Immediate physical containment (wrapping tightly in blankets to simulate safety)",
      "Slow breathing tracking to down-regulate the sympathetic nervous system",
      "Physical injury assessment check once adrenaline levels drop"
    ]
  }
},
{
```

```
“archetype”: “Bottom / Submissive (Sub)”,
“safety_metadata”: {
  “mandatory_protocols”: [
    “Honest disclosure of physical limits, previous injuries, and medical status”,
    “Active commitment to using safewords when internal thresholds are crossed”,
    “Self-monitoring for over-compliance or people-pleasing tendencies”
  ],
  “primary_risks”: [
    “Sub Drop (profound post-scene depression/exhaustion)”,
    “Silent endurance of unsafe play out of a desire to please”,
    “Dissociation that prevents accurate self-assessment”
  ],
  “specific_aftercare”: [
    “Physical restoration (sugar intake, warm fluids, heavy blankets)”,
    “Validating physical proximity and quiet presence from the Dominant”,
    “Emotional re-grounding through light, comforting conversation”
  ]
}
},
{
  “archetype”: “Slave”,
  “safety_metadata”: {
    “mandatory_protocols”: [
      “Mandatory 24-hour cool-off periods before executing major lifestyle shifts”,
      “Pre-arranged safety check-in days where the dynamic is paused for evaluation”,
      “Retention of independent financial control and personal identification documents”
```

```
],
"primary_risks": [
  "Total systemic psychological vulnerability",
  "Loss of capacity for independent adult problem-solving",
  "Exploitation or lack of resources if the relationship collapses"
],
"specific_aftercare": [
  "Comprehensive health, hygiene, and mental wellbeing assessments",
  "Deep affirmation of devotion and continuous long-term care tracking",
  "Private journaling space to maintain an independent internal voice"
]
}
},
{
  "archetype": "Masochist",
  "safety_metadata": {
    "mandatory_protocols": [
      "Use of the color-coded safeword protocol (Red/Yellow/Green) for precise pacing",
      "Pre-scene hydration and blood sugar stabilization",
      "Strict isolation of physical pain from psychological abuse unless explicitly planned"
    ],
    "primary_risks": [
      "Delayed shock or severe post-scene physical exhaustion",
      "Masking internal tissue injuries due to elevated endorphin levels",
      "Addictive escalation loops chasing increasingly dangerous thresholds"
    ],
```

```

    "specific_aftercare": [
        "High-protein/sugar recovery nutrition to counteract glucose depletion",
        "Warm baths or clothing to regulate body temperature drops",
        "Thorough physical inspections for surface-level tissue damage"
    ]
}
},
{
    "archetype": "Degradee",
    "safety_metadata": {
        "mandatory_protocols": [
            "Use of a specific, non-degrading safeword protocol",
[
{
    "archetype": "Top / Dominant (Dom)",
    "safety_metadata": {
        "mandatory_protocols": [
            "Pre-scene baseline verification (physical and mental health check)",
            "Continuous verbal and non-verbal check-ins",
            "Clear demarcation of active safewords"
        ],
        "primary_risks": [
            "Dom Drop (post-scene chemical crash)",
            "Tunnel vision / losing situational awareness",
            "Overestimating a partner's physical limits"
        ],

```

```
"specific_aftercare": [  
  "Physical decompression (rehydration, quiet rest)",  
  "Emotional grounding and validation from the submissive",  
  "Post-scene debriefing to discuss boundary limits"  
]  
}  
,  
{  
  "archetype": "Master / Mistress",  
  "safety_metadata": {  
    "mandatory_protocols": [  
      "Formal contract negotiation with explicit escape clauses",  
      "Scheduled, non-scene operational reviews",  
      "External support network tracking for both partners"  
    ],  
    "primary_risks": [  
      "Codependency and emotional isolation",  
      "Burnout from continuous responsibility",  
      "Boundary creep over extended timeframes"  
    ],  
    "specific_aftercare": [  
      "Scheduled intervals of ordinary, non-dynamic interaction",  
      "Deliberate tracking of long-term psychological wellbeing",  
      "Re-evaluation ceremonies for ongoing consent verification"  
    ]  
  }  
}
```

```
},
{
  "archetype": "Owner",
  "safety_metadata": {
    "mandatory_protocols": [
      "Strict definition of symbolic vs. legal rights",
      "Mandatory veto protocols for high-stakes real-world life choices",
      "Third-party emergency contact systems"
    ],
    "primary_risks": [
      "Loss of individual identity and agency",
      "Severe psychological distress if the dynamic terminates abruptly",
      "Social and professional isolation"
    ],
    "specific_aftercare": [
      "Structured personal time for the submissive to foster self-governance",
      "Regular long-term sanity checks with community peers",
      "Formal check-ins focused on identity retention"
    ]
  }
},
{
  "archetype": "Sadist",
  "safety_metadata": {
    "mandatory_protocols": [
      "Strict anatomy knowledge and target area mapping",
```

```
"Sterilization and tool hygiene standards",
"Visual monitoring of skin color, bruising patterns, and respiration"
],
"primary_risks": [
  "Tissue damage or unintended permanent scarring",
  "Nerve compression from prolonged impact",
  "Misinterpreting trauma responses as regular masochistic endurance"
],
"specific_aftercare": [
  "Wound care, ice application, and topical arnica protocols",
  "Physical rewarming (blankets) to combat post-impact shock",
  "Cozy environment creation to transition out of intense sensory focus"
]
}
},
{
  "archetype": "Degrader",
  "safety_metadata": {
    "mandatory_protocols": [
      "Pre-negotiated blacklist of off-limit personal topics, traumas, and words",
      "Aftercare exit phrase that firmly signals the end of degradation",
      "Strict separation of the role from actual relationship value"
    ],
    "primary_risks": [
      "Triggering latent trauma or deep psychological distress",
      "Erosion of long-term self-esteem",
```

```
"Subconscious bleed of degradation into vanilla life"

],
"specific_aftercare": [
  "Explicit verbal reaffirmation of the submissive's value, beauty, and safety",
  "Extended eye contact and physical touch to restore psychological safety",
  "Verbal separation statement ('The scene is over; you are safe and loved')"
]
}
},
{
  "archetype": "Caregiver / Daddy / Mommy",
  "safety_metadata": {
    "mandatory_protocols": [
      "Clear boundaries regarding age regression spaces and vanilla environments",
      "Explicit protocols for managing actual adult responsibilities during a dynamic",
      "Strict adherence to legal and safety parameters during ageplay"
    ],
    "primary_risks": [
      "Infantilization bleeding into critical real-life choices",
      "Emotional codependency",
      "Caregiver burnout from managing another adult's emotional baseline"
    ],
    "specific_aftercare": [
      "Gentle transitions out of the younger headspace",
      "Re-grounding the partner into adult reality with soothing reassurance",
      "Ensuring the caregiver receives independent emotional support"
```

```
]
}
},
{
  "archetype": "Brat Tamer",
  "safety_metadata": {
    "mandatory_protocols": [
      "Pre-negotiated escalation caps for disciplinary measures",
      "Differentiating genuine distress signals from playful 'bratty' defiance",
      "Establishing clear, non-negotiable boundaries for safety protocols"
    ],
    "primary_risks": [
      "Escalating intensity past safe physical or psychological thresholds",
      "Frustration or loss of emotional control by the tamer",
      "Miscommunication regarding when a rule breach is a real emergency"
    ],
    "specific_aftercare": [
      "Holding and physical grounding to affirm that the conflict was play",
      "Verbal reinforcement that the connection is secure despite the defiance",
      "Clear validation of the submissive's performance during the scene"
    ]
  }
},
{
  "archetype": "Rigging Master / Rigger",
  "safety_metadata": {
```

```
"mandatory_protocols": [  
  "Safety shears kept on person and immediately accessible at all times",  
  "Continuous nerve checks (pulse, finger temperature, tingling sensations)",  
  "Strict tracking of suspension time limits to prevent suspension trauma"  
],  
"primary_risks": [  
  "Nerve damage (radial, ulnar, peroneal nerves)",  
  "Circulatory restriction or compartment syndrome",  
  "Positional asphyxiation or falling hazards"  
],  
"specific_aftercare": [  
  "Slow, supported removal from rope to allow gradual blood flow return",  
  "Massaging bound areas gently to restore standard circulation",  
  "Monitoring limbs for delayed swelling, numbness, or loss of mobility"  
]  
}  
},  
{  
  "archetype": "Primal Hunter",  
  "safety_metadata": {  
    "mandatory_protocols": [  
      "Non-verbal safeword signals (such as a squeaker or specific tap cadence)",  
      "Environmental safety sweep (removing sharp corners, hard obstacles)",  
      "Strict weight-bearing and choking mechanism restrictions"  
    ],  
    "primary_risks": [  

```

```
"Concussions, joint dislocations, or soft tissue injuries from wrestling",
"Adrenaline blinding that causes participants to ignore physical pain",
"Triggering an unnegotiated panic response or fight-or-flight freeze"
],
"specific_aftercare": [
  "Immediate physical containment (wrapping tightly in blankets to simulate safety)",
  "Slow breathing tracking to down-regulate the sympathetic nervous system",
  "Physical injury assessment check once adrenaline levels drop"
]
}
},
{
  "archetype": "Bottom / Submissive (Sub)",
  "safety_metadata": {
    "mandatory_protocols": [
      "Honest disclosure of physical limits, previous injuries, and medical status",
      "Active commitment to using safewords when internal thresholds are crossed",
      "Self-monitoring for over-compliance or people-pleasing tendencies"
    ],
    "primary_risks": [
      "Sub Drop (profound post-scene depression/exhaustion)",
      "Silent endurance of unsafe play out of a desire to please",
      "Dissociation that prevents accurate self-assessment"
    ],
    "specific_aftercare": [
      "Physical restoration (sugar intake, warm fluids, heavy blankets)",
```

```
"Validating physical proximity and quiet presence from the Dominant",
"Emotional re-grounding through light, comforting conversation"
]
}
},
{
  "archetype": "Slave",
  "safety_metadata": {
    "mandatory_protocols": [
      "Mandatory 24-hour cool-off periods before executing major lifestyle shifts",
      "Pre-arranged safety check-in days where the dynamic is paused for evaluation",
      "Retention of independent financial control and personal identification documents"
    ],
    "primary_risks": [
      "Total systemic psychological vulnerability",
      "Loss of capacity for independent adult problem-solving",
      "Exploitation or lack of resources if the relationship collapses"
    ],
    "specific_aftercare": [
      "Comprehensive health, hygiene, and mental wellbeing assessments",
      "Deep affirmation of devotion and continuous long-term care tracking",
      "Private journaling space to maintain an independent internal voice"
    ]
  }
},
{
```

```
"archetype": "Masochist",
"safety_metadata": {
  "mandatory_protocols": [
    "Use of the color-coded safeword protocol (Red/Yellow/Green) for precise pacing",
    "Pre-scene hydration and blood sugar stabilization",
    "Strict isolation of physical pain from psychological abuse unless explicitly planned"
  ],
  "primary_risks": [
    "Delayed shock or severe post-scene physical exhaustion",
    "Masking internal tissue injuries due to elevated endorphin levels",
    "Addictive escalation loops chasing increasingly dangerous thresholds"
  ],
  "specific_aftercare": [
    "High-protein/sugar recovery nutrition to counteract glucose depletion",
    "Warm baths or clothing to regulate body temperature drops",
    "Thorough physical inspections for surface-level tissue damage"
  ]
},
{
  "archetype": "Degradee",
  "safety_metadata": {
    "mandatory_protocols": [
      "Use of a specific, non-degrading safeword protocol",
```