SmartBiz

Application Feature Documentation

Official product reference, user guide, and functional specification covering every module, page, workflow, and UI control.

Document type	Functional + User Guide
Application	SmartBiz Inventory, Orders & POS
UI framework	Laravel modular admin (TailAdmin)
Audience	Administrators, supervisors, cashiers, implementers
Screenshot set	45 full-page desktop captures
Version date	1 November 2026
Demo login	admin@smartbiz.test / password (Super Admin)
Base URL	http://127.0.0.1:8000

Table of Contents

1. Application Overview
2. Global Shell, Navigation & Cross-Cutting Features
3. Authentication & Session Security
4. Dashboard (Overview)
5. Product Management — Categories
6. Product Management — Brands
7. Product Management — Tax Classes
8. Product Management — Products
9. Product Management — Inventory
10. Sales & Customers — Orders
11. Sales & Customers — Point of Sale (POS)
12. Sales & Customers — Customers
13. Marketing — Offers
14. Analytics — Reports
15. System Management — Users & Roles
16. System Management — Settings
17. Account — Profile
18. Step-by-Step End-to-End Workflows
19. Full-Page Desktop Screenshot Atlas
20. Important Notes & Dependencies
21. Final Feature Coverage Checklist

1. Application Overview

SmartBiz is a modular Laravel administration application for retail and wholesale operations. It combines catalog management, stock control, order processing, barcode-capable Point of Sale, promotional offers, analytics reports, user/role administration, and store settings in a single permission-aware desktop web UI.

Primary capabilities

- Maintain hierarchical product categories, brands, GST-style tax classes, and SKU/UPC products with images and pricing.
- Adjust inventory quantities with mandatory reasons and low-stock visibility.
- Create draft or confirmed orders, record partial/full payments, cancel with stock reversal messaging, and print/download invoices.
- Operate a dedicated POS screen with UPC scan, product search, coupons, cash/card/UPI checkout, and invoice redirect.
- Manage customers (including a seeded Walk-in customer), offers/coupons by product/category/order scope, and nine analytics reports with CSV/XLSX (and sales PDF) export.
- Administer users with Spatie roles/permissions, theme/currency settings, and personal profile/password/login history.

Module map (sidebar)

Menu group	Modules	Typical permission gate
Overview	Dashboard	Authenticated user
Product Management	Categories, Brands, Tax Classes, Products, Inventory	categories.*, brands.*, tax-classes.*, products.*, inventory.*
Sales & Customers	Orders, POS, Customers	orders.*, pos.access, customers.manage
Marketing	Offers	offers.manage
Analytics	Reports (9 report types)	reports.view
System Management	Users, Settings	users.*, settings.manage
Account	Profile	Authenticated user

Roles shipped with the application

Role	Access summary
Super Admin	All permissions
Admin	Full operational permission set
Inventory Manager	Catalog view/create/update, inventory view+adjust, reports
Supervisor	Catalog view; orders; customers; offers; reports; POS
Cashier	Catalog view; inventory view; orders view+create; customers; POS

2. Global Shell, Navigation & Cross-Cutting Features

Every authenticated page uses the shared app layout: left sidebar, top header, main content. Menu groups are filtered by the signed-in user's permissions; empty groups are hidden. Active routes highlight the current sidebar item.

Header controls

- Sidebar collapse / expand (hamburger).
- Global search field labeled "Search or type command…" with ⌘K hint (command palette UI).
- Dark mode toggle (moon/sun) persisted via Alpine theme store / localStorage.
- Notifications bell (UI affordance).
- User dropdown showing display name (e.g. Super Admin) with access to language/direction options and logout.

RTL / language menu behavior (Free edition)

Selecting Arabic switches document direction to RTL; other language picks keep LTR. UI strings remain English. Direction is stored in localStorage key `dir`.

Shared list-page patterns

- Search / filter toolbar on index pages; Clear resets query parameters.
- Pagination on large collections.
- Create buttons gated by create permissions.
- Row actions: Edit / View / Delete (delete uses confirm dialog + AJAX DELETE).
- Forms posting with `data-ajax="true"` expect JSON success (toast + optional redirect) instead of a full page reload.
- Active / inactive badges and status chips where applicable.

3. Authentication & Session Security

3.1 Sign-in page

Overview & purpose. Provides the only supported authentication entry for SmartBiz. Guests who request protected URLs are redirected here. Successful login opens the Dashboard.

Step-by-step workflow

1. Open `/login` (alias `/signin` redirects here).
2. Enter email and password. Optionally tick “Keep me logged in”.
3. Click **Sign In**. On success the session regenerates and the browser redirects to Dashboard.
4. Use the eye icon to show/hide the password while typing.

Available actions

- AJAX form post to `login.store`; validation errors return inline/JSON messages.
- Failed attempts are rate-limited (5 attempts per email|IP) and recorded via login logging.
- Successful login bumps `user.session_version` and invalidates other DB sessions when the session driver is database (single-device policy).
- Google / X buttons are present in the TailAdmin sign-in layout but have **no OAuth backend wired**; only email/password authentication is functional.
- No self-registration or forgot-password routes exist in this application.

Input fields, controls & validation

Field / Control	Rules & notes
Email *	Required; valid email format
Password *	Required; reveal toggle available
Keep me logged in	Optional remember flag
Sign In	Submits credentials
Back to dashboard	Navigates toward app root (auth redirect)
Dark mode FAB	Toggles light/dark on the branded panel

Expected system behavior


- Valid credentials → Dashboard.
- Invalid credentials → error; attempt counted toward rate limit.
- After 5 failures → temporary lockout for that email/IP key.

Related screenshots: SCR-001

3.2 Logout

Authenticated users post to `/logout` (middleware: auth + single.device). The session is invalidated and the user returns to the sign-in page.

SCR-001 Sign-in page — email/password authentication



1. Left: credentials form with Keep me logged in
2. Right: TailAdmin branding panel for SmartBiz
3. Social buttons are decorative only in this build

4. Dashboard (Overview)

4.1 SmartBiz Dashboard

Overview & purpose. Landing page after login. Shows live aggregates from products, customers, orders, and inventory without requiring the reports.view permission.

Step-by-step workflow

1. Sign in or click Dashboard in the sidebar.
2. Review KPI cards and the 7-day sales chart.
3. Inspect best sellers and recent orders tables.
4. Optionally click **Open reports** to jump to the Reports catalog (requires reports.view).

Available actions

- View KPI cards: Products, Customers, Orders (non-cancelled), Low stock, Today’s sales, Monthly sales, Inventory value (stock × MRP).
- Inspect ApexCharts bar series for the last 7 days of confirmed sales.
- Open a recent order from the recent-orders list when linked.

Input fields, controls & validation


Field / Control	Rules & notes
Open reports	Navigates to /reports if permitted
KPI cards	Read-only live counts and currency totals
Sales chart	Last 7 days; theme-aware
Best-selling products	Top products by quantity/revenue
Recent orders	Latest orders with status and total

Expected system behavior

- Values refresh on page load from ReportService dashboard widgets.
- Currency formatting follows Settings (symbol, position, decimals).

Related screenshots: SCR-002

SCR-002 Dashboard — KPIs, chart, best sellers, recent orders



1. KPI strip across the top
2. 7-day sales chart (left) and best sellers (right)
3. Recent orders table at bottom

5. Product Management — Categories

5.1 Category list, create, edit, delete

Overview & purpose. Organizes products into a hierarchy. Categories can have an optional parent, description, and active flag. Used as filters across Products, Inventory, POS, and Reports.

Step-by-step workflow

1. Open Categories from Product Management.
2. Use Search to filter by name; clear filters as needed.
3. Click Add/Create to open the form; set Name, optional Parent, Description, Active.
4. Save — AJAX create returns success and redirects to the list.
5. From a row, Edit to change fields, or Delete (confirm) to remove.

Available actions

- Search categories
- Create category (permission categories.create)
- Edit category (categories.update)
- Delete category (categories.delete) with confirmation
- Quick-add category modal from the Product form posts to the same store endpoint

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required; unique per parent among non-deleted rows
Parent	Optional; must exist; cannot select self on edit
Description	Optional text
Is active	Checkbox / boolean

Expected system behavior


- Successful save persists category and shows success feedback.
- Validation failures highlight fields without leaving the form (AJAX).
- Delete removes the record via service (soft-delete aware uniqueness).

Related screenshots: SCR-003, SCR-004, SCR-005


SCR-003 Categories index — list & search



SCR-004 Create category form



SCR-005 Edit category form



6. Product Management — Brands

6.1 Brand CRUD with optional logo

Overview & purpose. Brands label products for merchandising and filtering in catalog, POS, and reports.

Step-by-step workflow

1. Open Brands → review searchable list.
2. Create Brand: enter Name, Description, optional Logo image, Active.
3. Edit to replace logo or change metadata; Delete with confirmation.

Available actions

- List / search
- Create / edit / delete (permission-gated)
- Logo upload on create/update
- Quick-add brand modal from Product form

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required, unique among non-deleted brands, max 255
Description	Optional
Logo	Optional image jpg/jpeg/png/webp ≤ 2048 KB
Is active	Boolean

Expected system behavior


- Logo is stored and displayed on edit forms when present.
- Delete confirmation prevents accidental removal.

Related screenshots: SCR-006, SCR-007, SCR-008


SCR-006 Brands index



SCR-007 Create brand



SCR-008 Edit brand



7. Product Management — Tax Classes

7.1 Tax class maintenance

Overview & purpose. Defines named tax rates (0–100%) applied to products. Deleting a tax class archives it (soft delete) with success message “Tax class archived successfully”.

Step-by-step workflow

1. Open Tax Classes → search/list.
2. Create with Name, Rate (%), Description, Active.
3. Edit rates as regulations change; Archive via Delete.

Available actions

- List/search
- Create
- Edit
- Archive/delete with confirm

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required unique (soft-delete aware)
Rate *	Required numeric 0–100
Description	Optional
Is active	Boolean

Expected system behavior


- Products can reference a tax class; archived classes remain historically linked as constrained by the data layer.
- Rate changes affect future pricing/tax calculations for products using the class.

Related screenshots: SCR-009, SCR-010, SCR-011


SCR-009 Tax classes index



SCR-010 Create tax class



SCR-011 Edit tax class



8. Product Management — Products

8.1 Product catalog

Overview & purpose. Central SKU master. Each product requires UPC and SKU (never auto-generated for UPC), category, MRP, selling price, optional brand/tax/image/unit/min stock, and active flag. Index page includes stats cards and filters.

Step-by-step workflow

1. Open Products; filter by search, category, brand, active status.
2. Click Create; fill UPC, SKU (or Suggest SKU from name), Name, Category, prices, etc.
3. Optionally open Add Category / Add Brand dialogs to create related masters inline.
4. Upload image if needed; save via AJAX multipart form.
5. Edit or delete from the list.

Available actions

- Filter + clear
- Create / edit / delete
- Suggest SKU (GET product.suggest-sku?name=…)
- Check UPC uniqueness endpoint (GET product.check-upc)
- Quick-add Category / Brand modals

Input fields, controls & validation


Field / Control	Rules & notes
UPC *	Required, max 64, unique (normalized); manual entry
SKU *	Required, max 64, unique; Suggest SKU available
Name *	Required, max 255
Description	Optional
Category *	Required exists
Brand	Optional exists
Tax class	Optional exists
MRP * / Selling price *	Required numeric ≥ 0
Min stock level	Optional numeric ≥ 0
Unit	Optional max 32 (UI default pcs)
Image	Optional jpg/png/webp ≤ 2 MB
Is active	Boolean

Expected system behavior

- Create is audited.
- Inactive products can be filtered out of day-to-day selling flows depending on query filters.
- Unique UPC/SKU violations return validation errors.


Related screenshots: SCR-012, SCR-013, SCR-014, SCR-044

SCR-012 Products index with filters and stats




1. Filter toolbar: search, category, brand, active
2. Product table with pricing and actions


SCR-013 Create product form



SCR-014 Edit product form



SCR-044 Product create — Add Category quick-add dialog



1. Modal overlays the product form
2. Posts to category.store then selects the new category

9. Product Management — Inventory

9.1 Stock overview & adjustment

Overview & purpose. Shows on-hand quantities with stats for total / OK / low / out-of-stock. Users with inventory.adjust open an edit screen to set stock quantity, minimum level, and a mandatory reason. Adjustments create stock movements via StockMovementService and write audit logs.

Step-by-step workflow

1. Open Inventory; optionally enable Low stock filter (SCR-045).
2. Click Adjust/Edit on a product.
3. Enter Stock quantity, Min stock level, and Reason → Save.

Available actions

- Search and low-stock filter
- View stock stats cards
- Adjust stock (AJAX update)

Input fields, controls & validation


Field / Control	Rules & notes
Stock quantity *	Required numeric ≥ 0
Min stock level *	Required numeric ≥ 0
Reason *	Required string max 255 — recorded with the movement

Expected system behavior


- Update sets quantity and min level; movement type adjustment is recorded.
- Dashboard low-stock KPI uses these thresholds.
- No product create/delete from Inventory — catalog remains in Products.

Related screenshots: SCR-015, SCR-016, SCR-045


SCR-015 Inventory index



SCR-016 Inventory adjustment form



SCR-045 Inventory filtered to low stock



10. Sales & Customers — Orders

10.1 Order list, create, detail, payments, invoice

Overview & purpose. Back-office order management with Alpine line-item builder on create. Statuses: draft | confirmed | cancelled. Payments: cash | card | upi with payment statuses such as unpaid / partial / paid. Server recalculates money; client totals are not trusted.

Step-by-step workflow

1. Open Orders; filter by status, payment status, customer, date range, search.
2. Create Order: select customer, add product lines with quantities, optional discount/notes/payment, choose draft or confirmed.
3. On Show: confirm draft, cancel (stock reversal note), record additional payments, open invoice HTML or PDF.

Available actions

- Filterable index with stats (total/confirmed/draft/cancelled)
- Create order with line builder
- Update status / confirm draft
- Cancel order
- Store payment (partial allowed)
- Invoice HTML + DomPDF download

Input fields, controls & validation


Field / Control	Rules & notes
Customer *	Required
Status	draft or confirmed on create
Items[] *	Min 1 line; product_id + quantity > 0
Discount amount / notes	Optional
Payment block	Optional method/amount/reference/amount_received
Payment method	cash | card | upi
Payment amount	Must be > 0 when recording payment

Expected system behavior


- Confirmed sales affect dashboard and reports.
- Cancel path restores/reverses stock per OrderService messaging.
- Invoice routes: /orders/{id}/invoice and /orders/{id}/invoice/pdf.
- No order edit or destroy routes are registered (orders.delete permission exists in seeder but unused).

Related screenshots: SCR-017, SCR-018, SCR-019, SCR-020


SCR-017 Orders index with filters and stats



SCR-018 Create order — line item builder




SCR-019 Order detail — status, payments, actions



1. Confirm / Cancel controls when applicable
2. Payment recording form
3. Links to invoice print and PDF

SCR-020 Order invoice (HTML print view)



11. Sales & Customers — Point of Sale (POS)

11.1 POS terminal screen

Overview & purpose. Single-page Alpine POS for rapid checkout. Scanner stays focused for barcode guns. Checkout creates a confirmed sale with payment and returns a print_url to the invoice. Idempotency uses a checkout_token UUID. Server recalculates all totals.

Step-by-step workflow

1. Open POS (permission pos.access).
2. Scan UPC and press Enter, or search by name/SKU/UPC and click Add; filter by category/brand.
3. Select customer (defaults to Walk-in).
4. Optionally enter coupon code → Apply (validates via POS offers endpoint).
5. Adjust quantities in cart; review subtotal/discount/tax/total (display only).
6. Choose payment method; for cash provide amount received; for card/UPI provide reference.
7. Checkout → confirmed order + redirect/open invoice.

Available actions

- UPC scan (GET /pos/scan?upc=)
- Debounced product search (GET /pos/products/search)
- Validate offer/coupon (POST /pos/offers/validate)
- Clear cart
- Checkout (POST /pos/checkout)

Input fields, controls & validation


Field / Control	Rules & notes
Scanner / UPC	Enter submits scan
Search / Category / Brand	Filters product results
Customer	Required; walk-in seeded for anonymous sales
Coupon code / offer	Optional; validated before checkout
Cart qty controls	Per-line quantity updates
Payment method *	cash | card | upi
Amount received	Required for cash
Reference	Required for card/UPI
checkout_token	Required UUID for idempotent checkout

Expected system behavior

- Empty cart blocks checkout.
- Stock and pricing are enforced server-side.
- Successful checkout yields invoice print URL.
- Coupon validation respects offer scope, dates, limits, and min purchase.

Related screenshots: SCR-021

SCR-021 POS — scanner, catalog, cart, checkout



1. Left: scanner + search + product list
2. Right: customer, coupon, cart totals, Checkout

12. Sales & Customers — Customers

12.1 Customer CRM

Overview & purpose. Manage buyers used by Orders and POS. A special Walk-in customer is seeded and cannot be deactivated in the UI. Show page displays purchase summary: orders, outstanding balance, count, total spent.

Step-by-step workflow

1. Open Customers; filter by search / active.
2. Create with name and optional contact/address fields.
3. View show page for purchase summary and order links.
4. Edit details; Delete with confirmation (AJAX).

Available actions

- List/filter
- Create
- Show
- Edit
- Delete

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required max 255
Email	Optional email
Phone	Optional max 50
Billing / shipping address	Optional
Is active	Boolean; disabled for walk-in

Expected system behavior


- Walk-in remains available for POS defaults.
- Show page links into order history where present.

Related screenshots: SCR-022, SCR-023, SCR-024, SCR-025


SCR-022 Customers index




SCR-023 Create customer



SCR-024 Customer show — purchase summary



SCR-025 Edit customer



13. Marketing — Offers

13.1 Promotions & coupons

Overview & purpose. Configure percentage or fixed discounts scoped to product, category, or entire order. Supports coupon codes, min purchase, max discount, usage limits, schedule windows, and activate/deactivate actions.

Step-by-step workflow

1. Open Offers → Create.
2. Choose type (percentage|fixed), value, scope; select products or categories when required.
3. Set optional coupon code, limits, and date range; save.
4. From list: Activate, Deactivate, Edit, or Delete.

Available actions

- CRUD
- Activate
- Deactivate
- Scope-driven multi-selects

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required
Coupon code	Optional unique max 64
Type *	percentage or fixed
Value *	≥ 0.01; ≤ 100 if percentage
Min purchase / max discount	Optional ≥ 0
Usage / per-customer limits	Optional integers ≥ 1
Starts at / ends at	Optional; ends ≥ starts
Scope *	product | category | order
product_ids[] / category_ids[]	Required when scope matches
Is active	Boolean

Expected system behavior


- POS and checkout validate offers against cart contents and customer.
- Inactive or expired offers are rejected at validation time.

Related screenshots: SCR-026, SCR-027, SCR-028


SCR-026 Offers index



SCR-027 Create offer



SCR-028 Edit offer



14. Analytics — Reports


Reports require **reports.view**. The catalog page lists nine reports. Each detail page shares a filter partial and export buttons (CSV/XLSX; Sales also PDF).

Report	Route	Key filters	Exports
Sales	/reports/sales	date, customer, product, category, brand, payment method, order status	CSV, XLSX, PDF
Stock movements	/reports/stock-movements	date, product, category, brand, movement type	CSV, XLSX
Inventory	/reports/inventory	product, category, brand	CSV, XLSX
Low stock	/reports/low-stock	product, category, brand	CSV, XLSX
Product performance	/reports/product-performance	date, product, category, brand, customer	CSV, XLSX
Customer purchases	/reports/customer-purchases	date, customer, order status	CSV, XLSX
Payment methods	/reports/payment-methods	date, customer, payment method, order status	CSV, XLSX
Offer usage	/reports/offer-usage	date, customer, offer	CSV, XLSX
Profitability	/reports/profitability	date, product, category, brand, customer	CSV, XLSX


Workflow: Open Reports → choose a report → set filters → Apply → review table → Export in the needed format. Movement types include in, out, adjustment, sale, sale_reversal.

Related screenshots: SCR-029 through SCR-038


SCR-029 Reports catalog




SCR-030 Sales report




SCR-031 Stock movements report




SCR-032 Inventory report




SCR-033 Low stock report




SCR-034 Product performance report




SCR-035 Customer purchases report




SCR-036 Payment methods report



SCR-037 Offer usage report



SCR-038 Profitability report



15. System Management — Users & Roles

15.1 User administration

Overview & purpose. Create and maintain staff accounts. Each user is assigned exactly one role from: Super Admin, Admin, Inventory Manager, Supervisor, Cashier. Permissions are enforced via Spatie on every module route.

Step-by-step workflow

1. Open Users (users.view).
2. Create user with name, email, password + confirmation, role.
3. Edit to change profile/role; password optional on update.
4. Delete user (cannot delete self).

Available actions

- Search list
- Create
- Edit
- Delete

Input fields, controls & validation


Field / Control	Rules & notes
Name *	Required
Email *	Required unique
Password	Required min 8 + confirmed on create; optional on update
Confirm password	Must match password when provided
Role *	Must exist in roles table

Expected system behavior


- New users inherit sidebar visibility from role permissions immediately after login.
- Self-delete is blocked in the service layer.

Related screenshots: SCR-039, SCR-040, SCR-041


SCR-039 Users index



SCR-040 Create user



SCR-041 Edit user



16. System Management — Settings

16.1 Store settings

Overview & purpose. Global currency presentation and theme accent color. Changes apply across dashboard, POS, invoices, and reports. Saves via AJAX with audit logging.

Step-by-step workflow

1. Open Settings (settings.manage).
2. Update currency code, symbol, position, decimals, and theme color.
3. Save — success toast confirms persistence.

Available actions

- Edit settings
- Color picker synced with hex text field

Input fields, controls & validation


Field / Control	Rules & notes
Currency code *	Required max 10 (default INR)
Currency symbol *	Required max 10 (default ■)
Currency position	before | after
Currency decimals	Integer 0–6 (default 2)
Theme color	Hex #RGB or #RRGGBB (default #0F766E)

Expected system behavior

- Invalid hex or out-of-range decimals fail validation.
- Symbol/position immediately affect formatted money on subsequent page loads.

Related screenshots: SCR-042

SCR-042 Settings — currency & theme



17. Account — Profile

17.1 Profile, password & login history

Overview & purpose. Personal account page available to every authenticated user. Contains two AJAX forms (profile details and password change) plus the last login records. JSON endpoint profile.login-records supports paginated history.

Step-by-step workflow

1. Open Profile from Account menu or user dropdown.
2. Update name/email → Save profile.
3. Enter current password + new password/confirmation → Update password.
4. Review login history table (success/failure context as recorded).

Available actions

- Update profile
- Change password
- View login records

Input fields, controls & validation


Field / Control	Rules & notes
Name / Email	Email unique ignoring self
Current password *	Required for password change
New password *	Confirmed; must satisfy Password::defaults()

Expected system behavior

- Password change does not require re-login immediately but other sessions may be constrained by single-device middleware.
- Profile is not permission-gated beyond authentication.

Related screenshots: SCR-043

SCR-043 Profile — details, password, login history



18. Step-by-Step End-to-End Workflows

18.1 Launch a new SKU to shelf

1. Ensure Tax Class exists (or create) — SCR-009/010.
2. Ensure Brand/Category exist — SCR-003–008.
3. Create Product with UPC, SKU, prices — SCR-013 (optional quick-add modals SCR-044).
4. Adjust opening stock on Inventory — SCR-016.
5. Verify product appears in POS search — SCR-021.

18.2 POS cash sale with coupon

1. Create/activate Offer with coupon code — SCR-027.
2. Open POS; scan/add items; select customer.
3. Apply coupon; confirm discount preview.
4. Select Cash; enter amount received; Checkout.
5. Review invoice print view — SCR-020; confirm order on Orders show — SCR-019.

18.3 Back-office order with partial payment

1. Create Order as draft or confirmed — SCR-018.
2. On Show, record a partial payment — SCR-019.
3. Later record remaining payment until status paid.
4. Download invoice PDF from order actions.

18.4 Monthly sales review

1. Open Reports catalog — SCR-029.
2. Open Sales report; set date_from/date_to — SCR-030.
3. Export CSV/XLSX/PDF as needed.
4. Cross-check Product performance and Profitability — SCR-034/038.

18.5 Onboard a cashier

1. Users → Create with role Cashier — SCR-040.
2. Cashier signs in — SCR-001; sees only permitted sidebar items.
3. Cashier uses POS and Customers; cannot open Settings/Users.

19. Full-Page Desktop Screenshot Atlas

All screenshots were captured at 1440×900 desktop viewport as full-page PNGs (entire scrollable document, not cropped). Use the IDs below when referencing UI in training or tickets.

Screenshot ID	Name	Path	Type
SCR-001	login	/login	Full-page desktop PNG
SCR-002	dashboard	/dashboard	Full-page desktop PNG
SCR-003	categories-index	/categories	Full-page desktop PNG
SCR-004	categories-create	/categories/create	Full-page desktop PNG
SCR-005	categories-edit	/categories/1/edit	Full-page desktop PNG
SCR-006	brands-index	/brands	Full-page desktop PNG
SCR-007	brands-create	/brands/create	Full-page desktop PNG
SCR-008	brands-edit	/brands/1/edit	Full-page desktop PNG
SCR-009	tax-classes-index	/tax-classes	Full-page desktop PNG
SCR-010	tax-classes-create	/tax-classes/create	Full-page desktop PNG
SCR-011	tax-classes-edit	/tax-classes/1/edit	Full-page desktop PNG
SCR-012	products-index	/products	Full-page desktop PNG
SCR-013	products-create	/products/create	Full-page desktop PNG
SCR-014	products-edit	/products/1/edit	Full-page desktop PNG
SCR-015	inventory-index	/inventory	Full-page desktop PNG
SCR-016	inventory-edit	/inventory/1/edit	Full-page desktop PNG
SCR-017	orders-index	/orders	Full-page desktop PNG
SCR-018	orders-create	/orders/create	Full-page desktop PNG
SCR-019	orders-show	/orders/1	Full-page desktop PNG
SCR-020	orders-invoice	/orders/1/invoice	Full-page desktop PNG
SCR-021	pos	/pos	Full-page desktop PNG
SCR-022	customers-index	/customers	Full-page desktop PNG
SCR-023	customers-create	/customers/create	Full-page desktop PNG
SCR-024	customers-show	/customers/1	Full-page desktop PNG
SCR-025	customers-edit	/customers/1/edit	Full-page desktop PNG
SCR-026	offers-index	/offers	Full-page desktop PNG
SCR-027	offers-create	/offers/create	Full-page desktop PNG
SCR-028	offers-edit	/offers/1/edit	Full-page desktop PNG
SCR-029	reports-index	/reports	Full-page desktop PNG
SCR-030	reports-sales	/reports/sales	Full-page desktop PNG
SCR-031	reports-stock-movements	/reports/stock-movements	Full-page desktop PNG
SCR-032	reports-inventory	/reports/inventory	Full-page desktop PNG
SCR-033	reports-low-stock	/reports/low-stock	Full-page desktop PNG
SCR-034	reports-product-performance	/reports/product-performance	Full-page desktop PNG

Screenshot ID	Name	Path	Type
SCR-035	reports-customer-purchases	/reports/customer-purchases	Full-page desktop PNG
SCR-036	reports-payment-methods	/reports/payment-methods	Full-page desktop PNG
SCR-037	reports-offer-usage	/reports/offer-usage	Full-page desktop PNG
SCR-038	reports-profitability	/reports/profitability	Full-page desktop PNG
SCR-039	users-index	/users	Full-page desktop PNG
SCR-040	users-create	/users/create	Full-page desktop PNG
SCR-041	users-edit	/users/1/edit	Full-page desktop PNG
SCR-042	settings	/settings	Full-page desktop PNG
SCR-043	profile	/profile	Full-page desktop PNG
SCR-044	products-create-category-modal	/products/create	Full-page desktop PNG
SCR-045	inventory-low-stock	/inventory?low_stock=1	Full-page desktop PNG

Atlas gallery (one screenshot per page follows for large review pages already shown above; index is complete).

20. Important Notes & Dependencies

Technical stack

- Laravel modular architecture (nwidart/laravel-modules) with Spatie Permission.
- Blade + Alpine.js + Tailwind CSS v4 + Vite; ApexCharts on dashboard.
- DomPDF for invoice/sales PDF exports; Tom Select on many dropdowns.
- MySQL database; session single-device enforcement via session_version + EnsureSingleDeviceSession.

Security & access

- All business modules sit behind auth middleware; most also require explicit permissions.
- AJAX mutations still enforce server-side FormRequest validation and policies/permissions.
- Money totals on POS/Orders are recalculated server-side — client display values are informational.

Known limitations / documentation caveats

- Sign-in Google/X buttons are UI-only; no social OAuth providers are configured.
- No public registration or password-reset flows.
- orders.delete permission is seeded but no HTTP destroy route exists for orders.
- Core module routes were removed (not product-facing).
- Free edition: language menu toggles RTL/LTR only; strings stay English.
- Demo data may include Indian catalog seeders and Walk-in customer.

Operational dependencies

- PHP ≥ 8.4 (project platform), Composer dependencies, Node/Vite build assets under public/build.
- Writable storage for uploads (brand/product images) and logs.
- Queue/mail not required for core POS/order flows documented here.

21. Final Feature Coverage Checklist

Verification that each product-facing capability is documented and paired with screenshots.

Feature area	Covered	Screenshot IDs
Authentication — login/logout/single-device	Yes	SCR-001
Dashboard widgets & chart	Yes	SCR-002
Categories CRUD + hierarchy	Yes	SCR-003–005
Brands CRUD + logo	Yes	SCR-006–008
Tax classes CRUD + archive	Yes	SCR-009–011
Products CRUD + filters + Suggest SKU + quick-add	Yes	SCR-012–014, 044
UPC check / SKU suggest APIs	Yes	Documented with Products
Inventory list, low stock, adjust + reason	Yes	SCR-015–016, 045
Orders list/create/show/status/cancel/payments	Yes	SCR-017–019
Invoice HTML + PDF	Yes	SCR-020
POS scan/search/coupon/checkout	Yes	SCR-021
Customers CRUD + show summary + walk-in rules	Yes	SCR-022–025
Offers CRUD + activate/deactivate + scopes	Yes	SCR-026–028
Reports catalog (9) + filters + exports	Yes	SCR-029–038
Users CRUD + roles	Yes	SCR-039–041
Settings currency/theme	Yes	SCR-042
Profile + password + login history	Yes	SCR-043
Dark mode / RTL direction toggle	Yes	Global shell section
Permission-filtered sidebar	Yes	Overview + Users/Roles
Core module (non-product)	N/A — empty routes	—

Coverage result: 45 full-page desktop screenshots captured and indexed. All sidebar modules and their create/edit/show/report variants are documented with purpose, workflows, actions, validation, expected behavior, and screenshot references.

— End of SmartBiz Application Feature Documentation —