Online C Com...
programiz.com

Programiz
C Online Compiler

Programiz PRO

main.c | Output

```c
//devananda//
#include <stdio.h>
#include <string.h>
struct student {
    int rollno;
    char name[100];
    float marks;
};

int main() {
    struct student s[100], temp;
    int i, j, n;
    printf("Enter the number of students: ");
    scanf("%d", &n);

    for (i=0;i<n;i++)
    {
      printf("Enter the details of student %d: ", i + 1);
      scanf("%d %s %f", &s[i].rollno, s[i].name, &s[i].marks);
    }
   printf("Entered details:\n");
   for (i = 0; i < n; i++) {
   printf("%d\t%s\t%f\n", s[i].rollno, s[i].name, s[i].marks);
    }
```

Run

Online C Com...
programiz.com

Programiz
C Online Compiler

Programiz PRO

main.c | Output

```c
    {
        printf("Enter the details of student %d: ", i + 1);
        scanf("%d %s %f", &s[i].rollno, s[i].name, &s[i].marks);
    }
   printf("Entered details:\n");
   for (i = 0; i < n; i++) {
   printf("%d\t%s\t%f\n", s[i].rollno, s[i].name, s[i].marks);
    }
  for(i=0;i<n-1;i++)
  {
   for(j=0;j<n-i-1;j++)
   {
    if(strcmp(s[j].name,s[j+1].name)>0)
    {
     temp=s[j];
     s[j]=s[j+1];
     s[j+1]=temp;
    }
   }
  }

  printf("\nAlphabetical List:\n");
  for (i = 0; i < n; i++)
  {
    printf("%d\t%s\t%f\n",s[i].rollno,
```

Run

programiz.com

Programiz
C Online Compiler

Programiz PRO

main.c Output

```c
}

printf("\nAlphabetical List:\n");
for (i = 0; i < n; i++)
{
  printf("%d\t%s\t%f\n",s[i].rollno,
      s[i].name,s[i].marks);
}

for (i=0;i<n-1;i++)
{
 for(j=i+1;j<n;j++)
 {
   if(s[i].rollno>s[j].rollno)
   {
    temp=s[i];
    s[i]=s[j];
    s[j]=temp;
   }
 }
}

printf("\nSorted by Roll Number:\n");
for (i=0;i<n;i++)
{
 printf("%d\t%s\t%f\n",s[i].rollno,
      s[i].name,s[i].marks);
}
```

Run

programiz.com

Programiz
C Online Compiler

Programiz PRO

main.c | Output

```c
    }
  }

  printf("\nSorted by Roll Number:\n");
  for (i=0;i<n;i++)
  {
   printf("%d\t%s\t%f\n",s[i].rollno,
       s[i].name,s[i].marks);
  }
  for(i=0;i<n-1;i++)
  {
   for(j=i+1;j<n;j++)
   {
    if(s[i].marks<s[j].marks)
    {
      temp=s[i];
      s[i]=s[j];
      s[j]=temp;
    }
   }
  }
  printf("\nSorted by Marks):\n");
    for (i=0;i<n;i++)
    {
      printf("%f\t%d\t%s\n",s[i].marks,
          s[i].rollno,s[i].name);
    }
```

Run

Online C Com...
programiz.com
Programiz
C Online Compiler
Programiz PRO
main.c
Output

```c
    printf("%d\t%s\t%f\n",s[i].rollno,
        s[i].name,s[i].marks);
  }
  for(i=0;i<n-1;i++)
  {
   for(j=i+1;j<n;j++)
   {
    if(s[i].marks<s[j].marks)
    {
      temp=s[i];
      s[i]=s[j];
      s[j]=temp;
    }
   }
  }
  printf("\nSorted by Marks):\n");
    for (i=0;i<n;i++)
    {
      printf("%f\t%d\t%s\n",s[i].marks,
          s[i].rollno,s[i].name);
    }

    return 0;
}
```

Run

Online C Com...
programiz.com

Programiz
C Online Compiler

Programiz PRO

main.c | Output

```
Enter the number of students: 3
Enter the details of student 1: 15 deva 89
Enter the details of student 2: 2 geetha 81
Enter the details of student 3: 27 sunny 99
Entered details:
15  deva    89.000000
2   geetha  81.000000
27  sunny   99.000000

Alphabetical List:
15  deva    89.000000
2   geetha  81.000000
27  sunny   99.000000

Sorted by Roll Number:
2   geetha  81.000000
15  deva    89.000000
27  sunny   99.000000

Sorted by Marks):
99.000000   27  sunny
89.000000   15  deva
81.000000   2   geetha


=== Code Execution Successful ===
```