ASSIGNMENT 07

Question 01

select Count(Onum) from ORDERS

   -> where Odate ='1990-10-03';

```
W2_93064_Devanandkarad>select Count(Onum) from ORDERS
    -> where Odate ='1990-10-03';
+-------------+
| Count(Onum) |
+-------------+
|           5 |
+-------------+
1 row in set (0.02 sec)

W2_93064_Devanandkarad>
```

Question 02

select Count(City)from CUSTOMERS

   -> where City is not null;

```
W2_93064_Devanandkarad>select Count(City)from CUSTOMERS
    -> where City is not null;
+-------------+
| Count(City) |
+-------------+
|           7 |
+-------------+
1 row in set (0.01 sec)

W2_93064_Devanandkarad>
```

Question 03

```
W2_93064_Devanandkarad>select Cnum,min(Amt) from ORDERS
    -> group by Cnum;
+-------+-----------+
| Cnum  | min(Amt)  |
+-------+-----------+
| 2008  |     18.69 |
| 2001  |    767.19 |
| 2007  |   1900.10 |
| 2003  |   5160.45 |
| 2002  |   1713.23 |
| 2004  |     75.75 |
| 2006  |   4723.00 |
+-------+-----------+
7 rows in set (0.01 sec)

W2_93064_Devanandkarad>
```

Question 04

select min(Cname) from CUSTOMERS

-> where Cname like'g%';

```
W2_93064_Devanandkarad>select min(Cname) from CUSTOMERS
    -> where Cname like 'G%';
+------------+
| min(Cname) |
+------------+
| Giovanni   |
+------------+
1 row in set (0.01 sec)

W2_93064_Devanandkarad>
```

Question 05

```
W2_93064_Devanandkarad>select max(City) from CUSTOMERS
    -> group by City;
+-----------+
| max(City) |
+-----------+
| London    |
| Rome      |
| SanJose   |
| Berlin    |
| San Jose  |
+-----------+
5 rows in set (0.00 sec)

W2_93064_Devanandkarad>
```