SQL ASSIGNMENT - 01

Question no.01

```
→create table SALESPEOPLES
(Snum int(4), Sname varchar(10), City varchar(10), Comm float(3,2));

→insert into SALESPEOPLES values
(1001,'Peel','Londen','.12'),
(1002,'Serres','SanJose','.13'),
(1004,'Motika','Londen','.11'),
(1007,'Rifkin','Barcelona','.15');
```

```
W2_93064_Devanandkarad>select*from SALESPEOPLES;
                   City
  Snum
         Sname
                                Comm
  1001
         Peel
                   Londen
                                0.12
                                0.13
  1002
         Serres
                   San Jose
                                0.11
                   Londen
  1004
         Motika
                   Barcelona
                                0.15
  1007
         Rifkin
4 rows in set (0.00 sec)
```

Question no.02

→ create table CUSTOMERS

(Cnum int(4), Cname varchar(10), City varchar(10), Rating int(4), Snum int(4));

```
→insert into CUSTOMERS values
(2001,',Hoffman','London',100,1001),
(2002,',Giovanni','Rome',200,1003),
(2003,',Liu','SanJose',200,1002),
(2004,',Grass','Berlin',300,1002),
(2006,',Clemens','London',100,1001),
(2008,',Cisneros','San Jose',300,1007),
(2007,',Pereira','Rome',100,1004);
```

W2_93064_Devanandkarad>select*from CUSTOMERS;							
Cnum	Cname	City	Rating	Snum			
2001 2002 2003 2004 2006 2008 2007	,Hoffman ,Giovanni ,Liu ,Grass ,Clemens ,Cisneros ,Pereira	London Rome San Jose Berlin London San Jose Rome	100 200 200 200 300 100 300 100	1001 1003 1002 1002 1001 1007 1004			
+++							

Question no.03

→ create table ORDERS

(Onum int(4), Amt float(7,2), Odate date, Cnum int(4), Snum int(4));

```
→insert into ORDERS values
(3001,'18.69','1990-10-3',2008,1007),
(3003,'767.19','1990-10-03',2001,1001),
(3002,'1900.10','1990-10-03',2007,1004),
(3005,'5160.45','1990-10-03',2003,1002),
(3006,'1098.16','1990-10-03',2008,1007),
(3009,'1713.23','1990-10-04',2002,1003),
(3007,'75.75','1990-10-04',2004,1002),
(3008,'4723.00','1990-10-05',2006,1001),
(3011,'9891.88','1990-10-06',2004,1002),
```

N2_93064 + Onum		<pre><arad>select*+ Odate</arad></pre>	from ORI + Cnum	DERS; + Snum		
			CIIUIII 	311um +		
3001	18.69	1990-10-03	2008	1007		
3003	767.19	1990-10-03	2001	1001		
3002	1900.10	1990-10-03	2007	1004		
3005	5160.45	1990-10-03	2003	1002		
3006	1098.16	1990-10-03	2008	1007		
3009	1713.23	1990-10-04	2002	1003		
3007	75.75	1990-10-04	2004	1002		
3008	4723.00	1990-10-05	2006	1001		
3010	1309.95	1990-10-06	2004	1002		
3011	9891.88	1990-10-06	2006	1001		
+ -						
10 rows in set (0.00 sec)						
N2_93064_Devanandkarad>						