

NAME: DEVANAND P C

REG.NO.: 25EC433

EXPERIMENT-9- Schedule background jobs using Linux cron and batch scripting

AIM:To Schedule background jobs using Linux cron and batch scripting

PROCEDURE:

1. Open the Linux terminal.
2. Add the command line crontab -e
3. Then add the command sudo service cron start to start the GNU nano 7.2
4. * * * * * /bin/echo "content ">>/tmp/output.txt to display the content as per time format.
5. Save the code and exit
6. Then add the command cat /tmp/output.txt to view the output required.
7. Use the command at regular intervals to display content at various times.

PROGRAM CODE:

```
* * * * * /bin/echo "hii from cron" >>tmp/output.txt
```

OUTPUT:

```

devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\windows\system32> wsl
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ crontab -e
no crontab for devan - using an empty one
crontab: installing new crontab
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ sudo service cron start
[sudo] password for devan:
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ cat /tmp/output.txt
hii from cron
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ cat /tmp/output.txt
hii from cron
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ cat /tmp/output.txt
hii from cron
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$ cat /tmp/output.txt
hii from cron
devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32$

```



```

devan@LAPTOP-0TH9NLG9570: /mnt/c/windows/system32
GNU nano 7.2 /tmp/crontab.thm35k/crontab
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow   command
* * * * * /bin/echo "hii from cron">>/tmp/output.txt

```

RESULT: Scheduling of background jobs using Linux cron and batch scripting was successfully implemented using linux via wsl.