

NAME: DEVANAND P C

REG.NO.: 25EC433

EXPERIMENT 10,11,12- GIT OPERATION and GIT HUB

AIM : To perform GIT version control operation using GIT BASH and GITHUB.

PROCEDURE:

1. Open git bash.
2. Add the command `git config -- global user.name & user.email` to configure the user detail.
3. Add the command `git clone` to clone the repository.
4. Next, open the repository using command `cd repository name`
5. To check the status command `git status`
6. To add the files to the repository use command `git add <folder_name>/`, the use the command `git add .`
7. Then to add description to file use the command `git commit -m "text"`
8. To push file to github use the command `git push origin main`
9. Open Github to check the files pushed on github.

PROGRAM CODE:

```
git config - - global user.name "name"
git config - - global user.email "email"
git clone "repository link"
Cd repository name
git status
git add <folder_name>/
git add .
git command -m "text"
git push origin main
```

OUTPUT:

```

MINGW64/C:/Users/devan/ADP25EC433
devan@LAPTOP-DTHNLAG9570 MINGW64 ~
$ git config --global user.name "devanandpc25ec433"
devan@LAPTOP-DTHNLAG9570 MINGW64 ~
$ git config --global user.email "25ec433@kscet.ac.in"
devan@LAPTOP-DTHNLAG9570 MINGW64 ~
$ git clone https://github.com/devanandpc25ec433/ADP25EC433.git
Cloning into 'ADP25EC433'...
warning: You appear to have cloned an empty repository.
devan@LAPTOP-DTHNLAG9570 MINGW64 ~
$ cd ADP25EC433
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    EXPT- 25EC433/
nothing added to commit but untracked files present (use "git add" to track)
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add <EXPT- 25EC433>/
bash: EXPT-: No such file or directory
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    EXPT-25EC433/
nothing added to commit but untracked files present (use "git add" to track)
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add <EXPT-25EC433>/
bash: /: Is a directory
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add .
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git commit -m "ADDED EXPT 01-09 TO GIT"
[main (root-commit) 679ad0f] ADDED EXPT 01-09 TO GIT
9 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 EXPT-25EC433/EXPT_01_433.pdf
create mode 100644 EXPT-25EC433/EXPT_02_433.pdf
create mode 100644 EXPT-25EC433/EXPT_03_433.pdf
create mode 100644 EXPT-25EC433/EXPT_04_433.pdf
create mode 100644 EXPT-25EC433/EXPT_05_433.pdf
create mode 100644 EXPT-25EC433/EXPT_06_433.pdf
create mode 100644 EXPT-25EC433/EXPT_07_433.pdf
create mode 100644 EXPT-25EC433/EXPT_08_433.pdf
create mode 100644 EXPT-25EC433/EXPT_09_433.pdf
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)

devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git status
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    EXPT- 25EC433/
nothing added to commit but untracked files present (use "git add" to track)
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add <EXPT- 25EC433>/
bash: EXPT-: No such file or directory
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    EXPT-25EC433/
nothing added to commit but untracked files present (use "git add" to track)
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add <EXPT-25EC433>/
bash: /: Is a directory
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git add .
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git commit -m "ADDED EXPT 01-09 TO GIT"
[main (root-commit) 679ad0f] ADDED EXPT 01-09 TO GIT
9 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 EXPT-25EC433/EXPT_01_433.pdf
create mode 100644 EXPT-25EC433/EXPT_02_433.pdf
create mode 100644 EXPT-25EC433/EXPT_03_433.pdf
create mode 100644 EXPT-25EC433/EXPT_04_433.pdf
create mode 100644 EXPT-25EC433/EXPT_05_433.pdf
create mode 100644 EXPT-25EC433/EXPT_06_433.pdf
create mode 100644 EXPT-25EC433/EXPT_07_433.pdf
create mode 100644 EXPT-25EC433/EXPT_08_433.pdf
create mode 100644 EXPT-25EC433/EXPT_09_433.pdf
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git push origin main
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 12 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (12/12), 2.33 MiB | 124.00 KiB/s, done.
Total 12 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/devanandpc25ec433/ADP25EC433.git
   [new branch]   main -> main
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
devan@LAPTOP-DTHNLAG9570 MINGW64 ~/ADP25EC433 (main)
$

```

RESULT:

GIT version control operation using GIT BASH and GITHUB was successfully implemented.