tidyTouch: An interactive visualization tool for data science education

Jonah DeVaney 1 & Matthew $McBee^1$

 1 East Tennesse State University

Abstract

One or two sentences providing a basic introduction to the field, comprehensible to a

scientist in any discipline.

Two to three sentences of more detailed background, comprehensible to scientists in

related disciplines.

One sentence clearly stating the **general problem** being addressed by this particular study.

One sentence summarizing the main result (with the words "here we show" or their

equivalent).

Two or three sentences explaining what the main result reveals in direct comparison to

what was thought to be the case previously, or how the main result adds to previous

knowledge.

One or two sentences to put the results into a more **general context**.

Two or three sentences to provide a **broader perspective**, readily comprehensible to a

scientist in any discipline.

Keywords:

Word count:

tidyTouch: An interactive visualization tool for data science education

Introduction

intro to FOSS, R, data science education, * Data Visualization

------Break

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

Material

Procedure

Data analysis

Results

Discussion

R Packages and Session Info

To recognize those that contribute to R, tools used by members of the R community, and a continually developing field of data science, the software used in creating the

tidyTouch app is listed: R (Version 3.6.3; R Core Team, 2020) and the R-packages dplyr (Version 0.8.5; Wickham et al., 2020), ggplot2 (Version 3.2.1; Wickham, 2016), haven (Version 2.1.1; Wickham & Miller, 2019), papaja (Version 0.1.0.9942; Aust & Barth, 2020), reactable (Version 0.1.0; Lin, 2019), readr (Version 1.3.1; Wickham, Hester, & Francois, 2018), readxl (Version 1.3.1; Wickham & Bryan, 2019), shiny (Version 1.4.0.9000; Chang, Cheng, Allaire, Xie, & McPherson, 2019; Chang, 2018; Sievert, 2019), shinymeta (Version 0.2.0; Sievert, 2019), shinythemes (Version 1.1.2; Chang, 2018), and tidyr (Version 1.0.2; Wickham & Henry, 2020). The session info for this project in its current state - containing the R version used for development and additional loaded packages - is listed below.

```
## R version 3.6.3 (2020-02-29)
## Platform: x86 64-pc-linux-gnu (64-bit)
## Running under: Ubuntu 18.04.4 LTS
##
## Matrix products: default
           /usr/lib/x86 64-linux-gnu/blas/libblas.so.3.7.1
## BLAS:
## LAPACK: /usr/lib/x86 64-linux-gnu/lapack/liblapack.so.3.7.1
##
## locale:
    [1] LC CTYPE=en US.UTF-8
                                   LC NUMERIC=C
##
    [3] LC TIME=en US.UTF-8
                                   LC COLLATE=en US.UTF-8
##
##
    [5] LC MONETARY=en US.UTF-8
                                   LC MESSAGES=en US.UTF-8
##
    [7] LC PAPER=en US.UTF-8
                                   LC NAME=C
    [9] LC ADDRESS=C
                                   LC TELEPHONE=C
##
   [11] LC MEASUREMENT=en US.UTF-8 LC IDENTIFICATION=C
##
##
## attached base packages:
## [1] stats
                 graphics grDevices utils
                                                          methods
                                                datasets
                                                                    base
```

other attached packages: [1] reactable 0.1.0 haven 2.1.1 tidyr 1.0.2 readxl 1.3.1 [5] readr 1.3.1 shinythemes 1.1.2 shinymeta 0.2.0 shiny 1.4.0.9000 ## [9] dplyr 0.8.5 ggplot2_3.2.1 papaja_0.1.0.9942 ## ## ## loaded via a namespace (and not attached): [1] styler 1.2.0 tidyselect 1.0.0 xfun_0.13 purrr_0.3.4 [5] colorspace 1.4-1 vctrs_0.2.4 sourcetools_0.1.7 htmltools_0.4.0 ## [9] yaml 2.2.1 rlang 0.4.5 pillar 1.4.3 later 1.0.0 ## [13] glue 1.4.0 withr 2.1.2 lifecycle 0.2.0 stringr 1.4.0 [17] munsell 0.5.0 gtable 0.3.0 cellranger 1.1.0 htmlwidgets 1.5.1 ## [21] evaluate 0.14 forcats 0.4.0 knitr_1.28 fastmap 1.0.1 [25] httpuv_1.5.2 $fansi_0.4.1$ Rcpp_1.0.4.6 xtable_1.8-4 [29] scales 1.0.0 promises 1.1.0 backports 1.1.6 mime 0.9 [33] hms 0.5.1 digest 0.6.25 stringi 1.4.6 bookdown 0.18 ## [37] grid 3.6.3 cli 2.0.2 tools 3.6.3 magrittr_1.5 [41] lazyeval 0.2.2 tibble 3.0.0 pkgconfig 2.0.3 crayon 1.3.4 [45] ellipsis 0.3.0 assertthat 0.2.1 rmarkdown 2.1 R6 2.4.1

[49] compiler 3.6.3

References

- Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown.

 Retrieved from https://github.com/crsh/papaja
- Chang, W. (2018). Shinythemes: Themes for shiny. Retrieved from https://CRAN.R-project.org/package=shinythemes
- Chang, W., Cheng, J., Allaire, J., Xie, Y., & McPherson, J. (2019). Shiny: Web application framework for r. Retrieved from http://shiny.rstudio.com
- Lin, G. (2019). Reactable: Interactive data tables based on 'react table'. Retrieved from https://CRAN.R-project.org/package=reactable
- R Core Team. (2020). R: A language and environment for statistical computing. Vienna,

 Austria: R Foundation for Statistical Computing. Retrieved from

 https://www.R-project.org/
- Sievert, C. (2019). Shinymeta: Record and expose shiny app logic using metaprogramming.
- Wickham, H. (2016). *Ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from https://ggplot2.tidyverse.org
- Wickham, H., & Bryan, J. (2019). Readxl: Read excel files. Retrieved from https://CRAN.R-project.org/package=readxl
- Wickham, H., François, R., Henry, L., & Müller, K. (2020). *Dplyr: A grammar of data manipulation*. Retrieved from https://CRAN.R-project.org/package=dplyr
- Wickham, H., & Henry, L. (2020). *Tidyr: Tidy messy data*. Retrieved from https://CRAN.R-project.org/package=tidyr

Wickham, H., Hester, J., & Francois, R. (2018). Readr: Read rectangular text data.

Retrieved from https://CRAN.R-project.org/package=readr

Wickham, H., & Miller, E. (2019). Haven: Import and export 'spss', 'stata' and 'sas' files.

Retrieved from https://CRAN.R-project.org/package=haven