



diose and is then sent through the connectory that connect the broadboard to the motors, This is reported for both from wheel a signal of an is sent to the MOSFET. The signal is then sent from the Mosfet through a Spinno and plunger since both are equal to one and men they are an



1

[Camera] - D Matlab /

When you set the spinner of the phonger to I it tells the unbed to "turn them on" by sending the voltage to those components




infox (imuse) Herson Nate

the code looks at different objects in the image and company then to the Jelined area controlly accountricity to get a target or no tarset


when stinner and plumer equal 1, the motors controlling those will be set to on, stinning the spinner and plugge or the gam. When allows the signal to run from the scurce to the motes

· Mayor take about 0 0 300 board

 \sim



Quiz:



The user inputs code into MATIAB, defining what the commerce is looking forglise color, size, shape, etc.) then the webcome sends the image date to the display and back to the computer to calculate the desired images.

User - Computer | Moded - Circuit | Spinner |
more Plan than specific circuit (maybe be nowfed) | plunger |
The user defines the desired voltage in coole in "C" on the computer for this example the voltage is 3.3V.
This sends the voltage to the nobed, which controls the voltage and in turn sends it to the spinner and the plunger of no feedback.

Spin=1

plyn=1

Digat d=1

Digat d=1


The on Mostet gate for both


Voltat gun i ron Won gun pin

Voltat t gun i ron Won gun pin

Voltat t ecch motors.

George Gilliam






Graham Snothers

dusting conversed > traight fre cognition > Young

2) rubed sends volt from 33V source out to plunger & dual, spinner motors, bullets are pashed by plunger into spinners & shot out.



2. It both are 1 the loading and tiring mechanism for the gun will run My do get a diagram

	8		
8			