

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Valentine?</title>
<style>
body{
height: 100vh;
display: flex;
justify-content: center;
align-items: center;
background: #ffe6eb;
font-family: Arial, sans-serif;
}
.box{
text-align: center;
}
h1{
color: #e6005c;
}
button {
```

```
padding: 10px 20px;  
font-size: 18px;  
margin: 15px;  
border: none;  
border-radius: 8px;  
cursor: pointer;  
}
```

```
#yes {  
background-color: #ff4d79;  
color: white;  
}
```

```
#no {  
background-color: #999;  
color: white;  
position: absolute;  
}
```

```
#gif {  
display: none;  
margin-top: 20px;  
}  
img {
```

```
width: 250px;  
border-radius: 10px;  
}  
</style>  
</head>  
<body>  
<div class="box">  
<h1>Will you be my Valentine?❤ </h1>  
<button id="yes">Yes</button>  
<button id="no">No</button>  
<div id="gif">  
<h2>You had no choice 😂💕</h2>  
  
</div>  
</div>  
<script>  
const noButton =  
document.getElementById("no");  
const yesButton =
```

```
document.getElementById("yes");
const gifDiv = document.getElementById("gif");
noButton.addEventListener("mouseover", (=>(
  const x = Math.random() * (window.innerWidth-
  100);
  const y = Math.random() * (window.innerHeight-
  50);
  noButton.style.left =x+"px";
  noButton.style.top =y + "px";
  yesButton.addEventListener("click", ()=>{
    gifDiv.style.display = "block";
  });
</script>
</body>
</html>
```