



IFS TEST AUTOMATION WORKSHOP

Table of Contents

REQUIREMENTS: GENERAL	2
REQUIREMENTS OUTLINE – BASIC SCRIPTS	3
CREATE A BASIC DATA TEST SCRIPT TO CREATE AN NEW COUNTRY RECORD	3
EXERCISE 01 – Insert a new instance of TrnCountry	3
EXERCISE 02 – Modify the name of the country instance being added	3
EXERCISE 03 – Remove the TrnCountry instance being added	4
Exercise 04 – Usage of variables	4
REQUIREMENTS OUTLINE – TEST CATEGORY TYPES & JSON MANIPULATION	5
EXERCISE 06 – Test Move Inventory Products business functionality	5



REQUIREMENTS: GENERAL

You are required to write Test Automation Scripts (.md files) that can be executed using Test-A-Rest tool based on a specification.

You will be working with two components throughout the workshop, which are Training Enterprise (**TRNENT**) and Training Inventory (**TRNINV**).

REQUIREMENTS OUTLINE – BASIC SCRIPTS

Copy the provided application *base code* for the Inventory component (TRNINV) into the workspace folder.

CREATE A BASIC DATA TEST SCRIPT TO CREATE AN NEW COUNTRY RECORD

REQUIREMENT: Create a test script to insert a new country to TRN_COUNTRY_TAB table

EXERCISE 01 – Insert a new instance of TrnCountry

1. Create a test script named **TrnCountryCreate.md** and write a basic data script to insert a new country.
 - Use the EnterpriseHandling.svc/TrnCountrySet entity set
2. Execute the script using TestARest.exe tool.
 - TestARest.exe ServerUrl=<Application Access Point>
Username=<Username> Password=<Password>
FileToRead=<Path>\TrnCountryCreate.md ResultFilePath=C:\\TAR_logs
3. Verify whether the new country was added successfully by login into Aurena client or querying the database table.

EXERCISE 02 – Modify the name of the country instance being added

1. Create a test script named **TrnCountryModify.md** and write a script to change the name of the country being added via the TrnCountryCreate.md script.
 - Use the following Rest endpoint
EnterpriseHandling.svc/TrnCountrySet(CountryId='<ID>')
2. Modify the **TrnCountryModify.md** script by providing an assert statement to check whether the country name got modified successfully.
 - Use a variable to assign the modified record
 - Incorporate an Assert statement to verify whether the name of the country got modified successfully
3. Execute the script using TestARest.exe tool and check whether the Assert is successful.

EXERCISE 03 – Remove the TrnCountry instance being added

1. Create a test script named **TrnCountryRemove.md** and write a script to remove the country instance being added previously.
 - Use the following REST endpoint
`EnterpriseHandling.svc/TrnCountrySet(CountryId='<ID>')`
2. Execute the script using TestARest.exe tool.
3. Verify whether the country was removed successfully by login into Aurena client or querying the database table.

Exercise 04 – Usage of variables


1. Create a test script named **TrnCountryVariables.md** to create a new country, modify the country name and perform an assertion.
 - Use the Eval keyword to declare following three variables and assign values to them
 - i. countryId
 - ii. traditionalName
 - iii. internationalName
 - Create a new country instance by using countryId and traditionalName variables
 - Modify the country name of the created instance with internationalName
 - Perform an assertion to verify whether the name of the country has been changed to the value of the internationalName successfully.
2. Execute the script using TestARest.exe tool and check whether the Assert is successful.

REQUIREMENTS OUTLINE – TEST CATEGORY TYPES & JSON MANIPULATION

Copy the provided Inventory component (TRNINV) into the workspace folder.


REQUIREMENT: Write different script files (Basic Test Data, Test Utils, Test Case) and make use of JSON manipulations to test a business functionality

Assume the following hypothetical test suite.



EXERCISE 05 – Test Move Inventory Products business functionality

1. Create the following folder structure and files to write different test scripts.





2. Create the **EnterInventoryProduct.md** util script file to create an instance of TrnInventoryProduct entity type.
 - Accept an input from the caller (test case)
 - Use the values from input and assign them to variables to construct the payload when creating the new instance of TrnInventoryProduct.
 - Use the following REST endpoint to create the new record
ProductHandling.svc/TrnInventoryProductSet
3. Create the **EnterMoveInventoryProduct.md** util script file to move products from one inventory to another.
 - Accept an input from the caller (test case)
 - Use the values from input and assign them to variables in order to construct the payload that contain source inventory product, destination inventory product and quantity to be moved from source to destination information
 - Call the MoveProduct action of ProductHandling.svc service by passing the relevant information
4. Create **EnterMoveInventoryProducts.md** test case script file to create two inventory product records, move some quantities from one inventory to another and perform assertion to verify whether the quantities being transferred successfully.
 - Create variables to hold source inventory product information, destination inventory product information and quantities to be transferred from source to destination
 - Call the EnterInventoryProduct.md util script file to enter source inventory product record and destination inventory product record
 - Call the EnterMoveInventoryProduct.md util script file to transfer some quantities from source inventory to the destination inventory
 - Perform assertions and verify whether the quantities being transferred successfully
5. Create the **MoveInventoryProducts.md** Test Suite script which calls the test case script.
6. Create the **CreateInventoryProduct.md** Test Suite Collection script which calls the test suite.