create table student(s_id int primary key,s_name varchar(50),s_age int,s_course varchar(30),fees numeric)

insert into student values('101','Devanshu',20,'SQL',15000),('102','Pratyush',20,'SQL',25000),('103','Sujit',19,'SQL',35000),('104','Sprash',19,'Java',30000),('105','Sejal',22,'Java',28000)

select * from student order by fees desc



update student set s_course = 'Python' where s_id='102'

delete from student where s_id='104'



truncate student

Evening/postgres@PostgreSQL 18

No limit

Query Query History

```
create table student(s_id int primary key,s_name varchar(50),s_age int,s_course varchar(30),fees numeric)

insert into student values('101','Devanshu',20,'SQL',15000),('102','Pratyush',20,'SQL',25000),('103','Sujit',19

select * from student order by fees desc

update student set s_course = 'Python' where s_id='102'

delete from student where s_id='104'

truncate student
```

Data Output Messages Notifications

SQL

s_id [PK] integer	s_name character varying (50)	s_age integer	s_course character varying (30)	fees numeric

drop table student

Evening/postgres@PostgreSQL 18

No limit

Query Query History

```
create table student(s_id int primary key,s_name varchar(50),s_age int,s_course varchar(30),fees numeric)

insert into student values('101','Devanshu',20,'SQL',15000),('102','Pratyush',20,'SQL',25000),('103','Sujit',19,'SQL',35000),('104','Sp

select * from student order by fees desc

update student set s_course = 'Python' where s_id='102'

delete from student where s_id='104'

truncate student

drop table student
```

Data Output Messages Notifications

```
DROP TABLE

Query returned successfully in 177 msec.
```