# AI ASTROLOGER

## Phase 10 — Divisional Chart Layer

Complete Agent Roadmap · Weeks 34–35

| Duration | Depends On | Provides To | Status |
|---|---|---|---|
| 2 Weeks (34–35) | Phase 9 Complete | Phase 11 NLG Engine | Ready to Build |

# 1. Executive Summary

Phase 10 builds the Divisional Chart Layer — the component that adds depth and specificity to every interpretation the system has produced so far. Every phase from 5 through 9 works on the Rashi chart (D1), the birth chart computed at the sign level. The Rashi chart tells you what themes a person's life contains and when those themes activate. The divisional charts tell you how strongly those themes are supported at the level of specific life domains, and whether the Rashi chart's promises are reinforced or undermined when examined through the lens of a particular area of life.

A planet strong in the Rashi chart does not automatically produce strong results in every domain of life. A planet ruling the 10th house (career) in the Rashi chart may appear weak or afflicted in the Dashamsha (D10), the chart specifically governing career and professional life. When the D1 and D10 agree, the system generates a high-confidence interpretation. When they diverge, the system generates a nuanced interpretation that reflects the classical teaching: the Rashi chart shows what is possible, the divisional chart shows how fully that possibility manifests in its specific domain.

**Why This Phase Is Critical**

Without divisional charts, every interpretation is based on the D1 alone — the coarsest level of analysis. With them, the system can say: 'The D1 shows strong career potential through Saturn in the 10th, but Saturn appears debilitated in the D10 Dashamsha, suggesting that professional success comes later in life after significant obstacles, rather than early and easily.' This confidence modulation — reinforced versus undermined — is what makes the system's interpretations match how experienced Jyotishis actually reason about charts.

# 2. What This Phase Builds

## 2.1 Primary Deliverable — divisional_calculator.py

A module that accepts a birth chart's planet positions in degrees (from Phase 4 via the VedicAstro adapter) and computes the divisional chart positions for each planet in each of the four priority divisional charts: D9 (Navamsa), D10 (Dashamsha), D12 (Dwadashamsha), and D7 (Saptamsha). The output is a structured set of DivisionalChartData objects — one per chart type — each containing the sign and house position of all nine planets in that divisional chart.

## 2.2 Secondary Deliverable — divisional_analyser.py

A module that takes the divisional chart positions and evaluates three things: the dignity of each planet in each divisional chart (is it exalted, own sign, debilitated, etc.), whether the planet's divisional placement reinforces or contradicts its Rashi chart placement, and a composite reinforcement score that expresses the overall agreement between D1 and the relevant divisional chart for a specific domain query. This reinforcement score is the primary output consumed by Phase 11.

## 2.3 Tertiary Deliverable — Updated Neo4j Schema

Four new DivisionalChart node types are added to the knowledge graph, one per chart type. Each stores the planet positions, dignity states, and reinforcement scores. These nodes are linked to the Chart node and to the existing ChartPlanet nodes, enabling Phase 11 to query divisional data by chart ID and planet without recomputing positions.

# 3. The Divisional Chart Concept — Theoretical Foundation

Every sign in the zodiac spans 30 degrees. A divisional chart is created by mathematically subdividing each sign into equal segments and redistributing the planets into a new 12-sign zodiac based on which segment they occupy in the original chart. The number of subdivisions defines the chart: D9 divides each sign into 9 segments of 3°20' each; D10 into 10 segments of 3°0' each; D12 into 12 segments of 2°30' each.

The resulting chart is a focused lens for a specific domain of life. A planet that occupies Taurus in the Rashi chart may occupy Sagittarius in the D9 and Gemini in the D10, each placement carrying its own dignity assessment and interpretive meaning specific to that domain. The planet is not physically moving — the division is a mathematical technique for extracting finer information from the birth data.

## 3.1 The Four Priority Divisional Charts

Phase 10 implements four divisional charts selected for their practical interpretive importance and their direct connection to the life themes identified in Phase 8. These four cover the domains most commonly queried by users.

| Chart | Division | Domain Focus | Signs per Segment | Primary Use in System |
|---|---|---|---|---|
| D9 — Navamsa | 9 per sign | Dharma, marriage, inner planetary strength, spiritual depth | 3°20' each | Validation chart for all Rashi promises — the most referenced divisional chart in classical texts |
| D10 — Dashamsha | 10 per sign | Career, profession, public life, social contribution | 3°00' each | Career and authority interpretati |

| Chart | Division | Domain Focus | Signs per Segment | Primary Use in System |
|---|---|---|---|---|
| | | | | ons — cross-referenced against Phase 8 10th house importance |
| D12 — Dwadashamsha | 12 per sign | Parents, family lineage, ancestral karma, inheritance | 2°30' each | Parental and family theme interpretations |
| D7 — Saptamsha | 7 per sign | Children, progeny, creativity, legacy | 4°17' each | Children and creative legacy interpretations |

**Scope Note — D1 Is Already Built**

The Rashi chart (D1) was computed in Phase 4. Phase 10 builds on top of it — it does not recompute D1. The VedicAstro adapter's get_planets_data_from_chart output provides the precise degree positions of each planet needed for divisional chart subdivision. Phase 10 reads these degree positions from the ChartPlanet nodes already in Neo4j.

# 4. Divisional Chart Calculation Method

All divisional chart positions are derived from a single formula applied to each planet's precise degree position within its sign. The formula has three steps for any divisional chart DN.

## 4.1 The General Formula

1. Take the planet's position within its sign in decimal degrees. A planet at 15°30' in Taurus has an intra-sign position of 15.5 degrees.
2. Divide the intra-sign position by the segment size for the target divisional chart. For D9, the segment size is 3.333 degrees (30 ÷ 9). For D10 it is 3.0 degrees. For D12 it is 2.5 degrees. For D7 it is 4.286 degrees. The integer part of the result (floor, not round) gives the segment number (0-indexed).
3. Map the segment number to the divisional sign using the sign sequence. The starting sign of the sequence depends on whether the planet's natal sign is odd (Aries, Gemini, Leo, Libra, Sagittarius, Aquarius) or even (Taurus, Cancer, Virgo, Scorpio, Capricorn, Pisces). For odd signs the D9 sequence starts from Aries; for even signs it starts from

Capricorn. Each divisional chart has its own starting sign sequence defined in the ontology.

## 4.2 D9 Navamsa — Worked Example

Planet: Mars at 22°45' in Scorpio. Intra-sign position: 22.75 degrees. Segment size: 3.333 degrees. Segment number: floor(22.75 ÷ 3.333) = floor(6.825) = 6. Scorpio is an even sign. D9 sequence for even signs starts at Capricorn. Segment 0 = Capricorn, segment 1 = Aquarius, segment 2 = Pisces, segment 3 = Aries, segment 4 = Taurus, segment 5 = Gemini, segment 6 = Cancer. Result: Mars occupies Cancer in the Navamsa (D9). Mars is debilitated in Cancer. This is a meaningful finding — Mars is strong in Scorpio (own sign) in the D1 but debilitated in the D9, suggesting that while Mars's outward energy is strong, its inner strength and dharmic expression are compromised.

## 4.3 Sequence Tables per Divisional Chart

The starting sign sequences for each divisional chart are defined in the ontology and must be stored in divisional_charts.json (a new ontology file created in Phase 10). The calculation engine reads these sequences from the file — no sequences are hard-coded in the calculation module. The four sequences that must be defined:

| Chart | Odd Signs Start From | Even Signs Start From |
|---|---|---|
| D9 Navamsa | Aries | Capricorn |
| D10 Dashamsha | Aries (for movable signs); Capricorn (for fixed signs); Libra (for dual signs) — three-way split based on modality | Same three-way split |
| D12 Dwadashamsha | The sign itself (i.e. Aries for Aries, Taurus for Taurus) | Same — always starts from the sign itself |
| D7 Saptamsha | Aries (for odd signs) | Libra (for even signs) |

**D10 Modality Split — Most Complex Calculation**

The Dashamsha uses a three-way split based on sign modality (cardinal/movable, fixed, dual/mutable), not a simple odd/even split. This makes D10 the most complex divisional chart to implement correctly. Cardinal signs (Aries, Cancer, Libra, Capricorn) start the D10 sequence from Aries. Fixed signs (Taurus, Leo, Scorpio, Aquarius) start from Capricorn. Dual signs (Gemini, Virgo, Sagittarius, Pisces) start from Libra. Test D10 with at least 15 known cases from reference texts before validating the full test suite.

# 5. Vargottama — The Most Important Special Case

A planet is Vargottama when it occupies the same sign in both the Rashi chart (D1) and the Navamsa chart (D9). This is one of the most significant strength indicators in classical Jyotish — a Vargottama planet is considered exceptionally powerful because its D1 and D9 placements reinforce each other completely.

The system must detect Vargottama status for all nine planets and store it as a boolean flag on both the ChartPlanet node (added to Phase 6's existing node) and the DivisionalChart D9 node. Vargottama status modifies the Phase 6 strength score: a Vargottama planet receives an additional +1.0 bonus on top of its existing score, representing its double-sign reinforcement. This bonus is applied as a post-Phase-10 update to the ChartPlanet strength_total field in Neo4j.

**Retrograde Consideration for Vargottama**

A retrograde planet at the very beginning of a sign may be functionally Vargottama with the previous sign rather than the current one, because it is moving backward toward that sign. The system should flag retrograde planets within the first 1 degree of their sign with a vargottama_review flag rather than a definitive Vargottama classification, and treat them conservatively without the +1.0 bonus until the Orchestrator decides on the handling convention.

# 6. Divisional Reinforcement Scoring — The Core Output

The most important output of Phase 10 is not the raw divisional positions — it is the reinforcement score: a number that expresses whether the divisional chart agrees with, contradicts, or is neutral toward the Rashi chart's promise for a specific domain. This score is consumed by Phase 11 to modulate interpretation confidence.

## 6.1 The Three Agreement States

| Agreement State | Definition | Score Modifier for Phase 11 |
|---|---|---|
| Reinforced | Planet is dignified in the divisional chart (exalted, own sign, or friendly) AND is dignified or at least neutral in the D1. Both charts agree the planet is strong in this domain. | +0.15 to +0.30 added to interpretation confidence |
| Neutral | Planet's divisional dignity is friendly or neutral, or the D1 and divisional chart have mixed signals that partially offset. | No modification — D1 score used as-is |
| Undermined | Planet is debilitated or in an enemy sign in the divisional chart, especially when it appeared strong in D1. The charts disagree. | -0.15 to -0.40 subtracted from interpretation confidence, plus qualifying language added |

## 6.2 Reinforcement Score Formula

The reinforcement score for a planet in a specific divisional chart is computed as a weighted combination of three inputs:

- Divisional dignity modifier: the same dignity scoring scale used in Phase 6 (exaltation +5 through debilitation -5), applied to the planet's position in the divisional chart and normalised to a -1.0 to +1.0 scale.
- D1 vs divisional agreement: the sign of the product of (D1 dignity modifier × divisional dignity modifier). If both are positive or both are negative, the charts agree (agreement multiplier = 1.0). If they have opposite signs, the charts disagree (agreement multiplier = 0.5 — partial credit for the D1 strength).
- Vargottama bonus: if the planet is Vargottama (same sign in D1 and D9), add +0.25 to the final reinforcement score for the D9 calculation only.

The final reinforcement score is a float between -1.0 and +1.0, stored on the DivisionalChart planet entry and mapped to the three agreement states: above +0.2 is Reinforced, below -0.2 is Undermined, between -0.2 and +0.2 is Neutral.

## 6.3 Domain-Specific Reinforcement

Phase 11 queries divisional reinforcement by domain, not by chart type. When generating a career interpretation, Phase 11 queries the D10 reinforcement scores for the relevant planets (10th lord, Sun, Saturn, and any planets placed in the 10th house). When generating a relationship interpretation, it queries the D9 reinforcement scores for the 7th lord, Venus, and Jupiter. The divisional_analyser.py module exposes a get_reinforcement_for_domain(chart_id, domain) function that handles this lookup and returns the relevant planet reinforcement scores for the queried domain.

# 7. Dasha-Divisional Cross-Reference

One of the most practically valuable outputs of Phase 10 is the ability to cross-reference the Phase 9 dasha timeline against divisional chart positions. This produces a refined temporal prediction: not only is Mars running in the dasha (Phase 9), but Mars in the D10 is exalted — meaning the professional themes of the Mars dasha will manifest strongly at the career level, not just at the general activity level.

The cross-reference is implemented as a post-computation enrichment step on Phase 9's DashaperiodNode objects. For each active and upcoming dasha period, the divisional_analyser.py module checks the governing planet's reinforcement score in the domain-relevant divisional chart and attaches a divisional_reinforcement field to the DashaperiodNode. This field is then available to Phase 11 when generating temporal interpretation language.

| Dasha Domain Query | Divisional Chart Checked |
|---|---|
| Career-related dasha | D10 reinforcement score of the dasha planet |
| Relationship dasha | D9 reinforcement score of the dasha planet |
| Children / creativity | D7 reinforcement score of the dasha planet |
| Parental / family | D12 reinforcement score of the dasha planet |
| General life themes | D9 reinforcement score — D9 is the universal validator |
| Spiritual themes | D9 reinforcement score (D9 governs inner strength and dharma) |

# 8. Neo4j Schema Updates

## 8.1 New Node Type — DivisionalChart

One DivisionalChart node is created per chart per divisional chart type. A single birth chart generates four DivisionalChart nodes (D9, D10, D12, D7).

| Property | Type & Description |
|---|---|
| chart_type | String — 'D9', 'D10', 'D12', or 'D7' |
| chart_id | String — references the parent Chart node |
| planet_positions | JSON — map of planet canonical name to divisional sign name |
| planet_dignities | JSON — map of planet canonical name to dignity state in this divisional chart |
| planet_reinforcements | JSON — map of planet canonical name to reinforcement score (-1.0 to +1.0) |
| vargottama_planets | String list — canonical names of Vargottama planets (D9 node only) |
| domain_reinforcement | JSON — map of domain name to aggregate reinforcement score for that domain |

## 8.2 Updated Node — ChartPlanet

Two new properties are added to the existing ChartPlanet nodes created in Phase 4 and enriched in Phase 6:

| New Property | Type & Description |
|---|---|
| is_vargottama | Boolean — true if planet occupies the same sign in D1 and D9 |
| vargottama_review | Boolean — true if retrograde planet within 1 degree of sign boundary, requires manual classification |

| New Property | Type & Description |
|---|---|
| strength_total | Float — updated value: adds +1.0 Vargottama bonus if is_vargottama is true (replaces Phase 6 value) |

### 8.3 New Relationships

| Relationship | Direction & Meaning |
|---|---|
| (Chart)-[:HAS_DIVISIONAL_CHART]->(DivisionalChart) | Links birth chart to each of its four divisional chart nodes |
| (DivisionalChart)-[:GOVERNS_DOMAIN]->(DominantTheme) | Links a divisional chart to the Phase 8 DominantTheme nodes it validates |
| (DashaperiodNode)-[:REINFORCED_BY]->(DivisionalChart) | Links a dasha period to the divisional chart that validates or undermines it |

## 9. New Ontology File — divisional_charts.json

Phase 10 requires a new ontology file that Phase 1 did not create because divisional chart sequences were deferred to this phase. The file must be created at the start of Phase 10 and validated before any calculation work begins. It must define, for each of the four divisional charts: the number of divisions per sign, the segment size in degrees, and the complete sign sequence starting points for each sign modality or odd/even classification.

The structure for each divisional chart entry in the JSON must include: chart_name (e.g. 'NAVAMSA'), chart_code (e.g. 'D9'), divisions (integer — number of equal parts per sign), segment_degrees (float — 30 divided by divisions), domain (the life area this chart governs), sequence_rule (string describing the starting sign logic — 'odd_even', 'modality', or 'same_sign'), and sequence_map (a key-value map from sign name to starting sign for the sequence).

**Ontology First — No Calculation Before File Is Validated**

The divisional_charts.json file must be created and validated before any calculation code is written. The calculation engine reads sequences from this file — it contains no sequence logic internally. This is the same architectural principle used in Phase 7 for yoga detection: definitions live in the ontology, evaluation logic lives in the code. Any error in the sequence map will propagate silently through all 100 test charts, producing systematically wrong divisional positions that are difficult to detect. Validate the sequence map against at least five classical reference examples before proceeding to Day 2.

## 10. Week-by-Week Task Plan

## Week 34 — Calculation Engine and D9 / D10

### Day 1 — Ontology File and Sequence Validation

Create divisional_charts.json with the four divisional chart definitions. For each chart, populate the sequence_map field by working through each of the 12 signs manually and computing the starting sign from the classical rules. Validate the sequence maps against at least five known divisional positions from trusted classical sources or professional software (Jagannatha Hora output is an ideal reference). Pay particular attention to the D10 three-way modality split. Do not proceed to Day 2 until all four sequence maps have been independently verified.

### Day 2 — Core Calculation Module

Build divisional_calculator.py implementing the general formula from Section 4.1 for all four chart types. The module reads segment sizes and sequence maps from divisional_charts.json — no values are hard-coded. Test with the worked Mars example from Section 4.2. Then run calculations for all nine planets across all four divisional chart types for 5 complete birth charts. Verify every result against professional software output. The D9 and D12 calculations should pass on the first run. D10 is the most likely to have an error due to the modality split — spend extra time verifying D10.

### Day 3 — Vargottama Detection and Strength Update

Implement the Vargottama detection logic: compare each planet's D1 sign (from Phase 4 ChartPlanet nodes in Neo4j) against its D9 sign from the newly computed positions. Flag is_vargottama on ChartPlanet nodes. Implement the retrograde boundary check for vargottama_review flags. Apply the +1.0 strength bonus to confirmed Vargottama planets by updating strength_total in Neo4j. Test with 10 charts: verify that known Vargottama planets are correctly identified and that their strength_total values have been updated.

### Day 4 — D9 and D10 Reinforcement Scoring

Implement divisional_analyser.py starting with D9 and D10. For each planet in each chart, compute the divisional dignity modifier using the Phase 6 dignity scale applied to the divisional sign. Compute the D1 vs divisional agreement multiplier. Compute the final reinforcement score. Store planet_reinforcements on the DivisionalChart nodes. Implement the domain_reinforcement aggregation for D9 (marriage and dharma domains) and D10 (career domain). Test with 10 charts: verify that planets known to be strong in the D10 (from professional software reference) receive positive reinforcement scores.

### Day 5 — D12 and D7 Reinforcement and Neo4j Storage

Extend the reinforcement scorer to D12 and D7. Create all DivisionalChart nodes in Neo4j for the 100 test chart set. Store all planet positions, dignities, and reinforcement scores. Create the HAS_DIVISIONAL_CHART relationships from Chart nodes to DivisionalChart nodes. Run Neo4j

query performance tests: verify that retrieving all four divisional chart nodes for a chart ID completes in under 100ms.

## Week 35 — Cross-Reference, Validation, and Handoff

### Day 1 — Dasha-Divisional Cross-Reference

Implement the dasha-divisional cross-reference enrichment described in Section 7. For each DashaperiodNode in the 100-chart test set, query the dasha planet's reinforcement score in the domain-relevant divisional chart and attach the divisional_reinforcement field to the node. Create the REINFORCED_BY relationships from DashaperiodNode objects to DivisionalChart nodes. Test with 10 charts: verify that a career-domain dasha period for a planet that is strong in D10 receives a positive divisional_reinforcement value.

### Day 2 — get_reinforcement_for_domain Function

Implement the primary query function that Phase 11 will consume: get_reinforcement_for_domain(chart_id, domain). This function must return, for any domain query, the list of relevant planets, their D1 strength scores, their divisional reinforcement scores, their agreement state (Reinforced / Neutral / Undermined), and the Vargottama flag for each. Test with all six domain types (career, marriage, children, parents, dharma, general) across 10 charts and verify the output structure matches what Phase 11 expects.

### Day 3 — Expert Validation of Reinforcement Scores

For 5 reference charts with known life outcomes, review the reinforcement scores against expected findings. A person with a highly successful career documented in public records should show Reinforced D10 scores for the relevant planets. A person documented to have had difficult parental relationships should show Undermined D12 scores. Document the accuracy rate. If scores are systematically off, investigate whether the issue is in the dignity scoring, the agreement multiplier, or the sequence calculation — fix the root cause, not the symptoms.

### Day 4 — Full Suite Validation

Run the complete divisional calculation and scoring pipeline on all 100 test charts. Verify: all four DivisionalChart nodes exist for every chart, no reinforcement scores are outside the -1.0 to +1.0 range, Vargottama detection has produced at least some positive flags across the chart set (most charts have at least one Vargottama planet), all dasha-divisional cross-reference fields are populated, and Neo4j storage is complete and queryable. Log any charts that produced unexpected results for manual review.

### Day 5 — Phase 11 Interface Documentation and Handoff

Finalise the public interface that Phase 11 will consume: get_reinforcement_for_domain(), get_vargottama_planets(chart_id), and get_divisional_planet_position(chart_id, chart_type, planet). Write the interface specification. Confirm that the DivisionalChart node schema and the dasha_divisional_reinforcement field are sufficient for Phase 11 to generate nuanced confidence-modulated language without additional calculations. Prepare the handoff package and notify the Orchestrator that Phase 10 is ready for review.

## 11. Success Criteria

Phase 10 is complete when all of the following criteria are met:

| Criterion | Measurement | Pass Threshold |
|---|---|---|
| Ontology file validation | divisional_charts.json sequence maps verified against classical reference | 100% — all four chart sequence maps validated before Day 2 begins |
| D9 calculation accuracy | Navamsa positions vs professional software | 100% match on all planets for 10 reference charts |
| D10 calculation accuracy | Dashamsha positions vs professional software (modality split) | 100% match on all planets for 15 reference charts (extra due to D10 complexity) |
| D12 calculation accuracy | Dwadashamsha positions vs professional software | 100% match on all planets for 10 reference charts |
| D7 calculation accuracy | Saptamsha positions vs professional software | 100% match on all planets for 10 reference charts |
| Vargottama detection accuracy | Known Vargottama planets correctly identified | 100% correct identification across 10 reference charts |
| Strength update correctness | Vargottama +1.0 bonus applied to strength_total | 100% of confirmed Vargottama planets updated in Neo4j |
| Reinforcement score validity | All scores within -1.0 to +1.0 range | Zero out-of-range values across 100 charts |
| Expert validation | Reinforcement scores agree with known outcomes | 80%+ agreement on 5 expert-validated reference charts |
| Dasha cross-reference completeness | divisional_reinforcement field on all DashaperiodNodes | Zero missing fields across 100 charts |
| Neo4j storage completeness | All four DivisionalChart nodes per chart stored | 400 total DivisionalChart nodes for 100-chart test set |
| Performance | Full divisional calculation and Neo4j write per chart | Under 200ms per chart for all four divisional charts combined |

| Criterion | Measurement | Pass Threshold |
|---|---|---|
| Orchestrator review | Architecture compliance and interface approval | Approved before Phase 11 begins |

# 12. Integration Interfaces

## 12.1 Inputs Consumed by Phase 10

| Input | Source & Description |
|---|---|
| Planet degree positions | Phase 4 ChartPlanet nodes — precise sign and degree for each planet, used as input to divisional formula |
| D1 dignity states | Phase 6 ChartPlanet nodes — D1 dignity for computing D1 vs divisional agreement multiplier |
| D1 strength_total per planet | Phase 6 ChartPlanet nodes — base score updated with Vargottama bonus |
| DashaperiodNode objects | Phase 9 — enriched with divisional_reinforcement field by Phase 10 |
| DominantTheme nodes | Phase 8 — linked via GOVERNS_DOMAIN relationship from DivisionalChart nodes |
| divisional_charts.json | New Phase 10 ontology file — sequence maps and segment sizes |

## 12.2 Outputs Provided by Phase 10

| Output | Consumed By |
|---|---|
| DivisionalChart nodes (4 per chart) | Phase 11 NLG — divisional reinforcement scores for confidence-modulated language generation |
| Updated ChartPlanet.is_vargottama | Phase 11 NLG — Vargottama language; Phase 6 retrospective strength bonus applied |
| Updated ChartPlanet.strength_total | Phase 11 NLG — final definitive strength score after Vargottama bonus |
| DashaperiodNode.divisional_reinforcement | Phase 11 NLG — temporal predictions modulated by divisional chart agreement |
| get_reinforcement_for_domain() function | Phase 11 NLG — primary query interface for domain-specific interpretation |

## 13. Risk Register

| Risk | Likelihood | Impact | Mitigation |
|---|---|---|---|
| D10 modality split computed incorrectly — systematically wrong career interpretations | High | High | Day 1 ontology validation is a hard gate. Test D10 with 15 reference charts (more than other charts) before any further work. If a systematic error is found, fix the sequence map in divisional_charts.json and recompute all charts from scratch — do not patch individual results. |
| Vargottama bonus double-applied on re-runs | Medium | Medium | The strength update query must check is_vargottama before applying the bonus. Make the update idempotent: SET strength_total = base_strength + 1.0 WHERE is_vargottama = true, not increment. |
| Retrograde Vargottama boundary cases produce wrong classifications | Medium | Low | Conservative approach: all retrograde planets within 1° of sign boundary receive vargottama_review = true and no bonus. Orchestrator decides classification convention. Document as known limitation. |
| Reinforcement scores not granular enough to influence Phase 11 language | Medium | Medium | If the three-band classification (Reinforced / Neutral / Undermined) is too coarse, Phase 11 can use the raw reinforcement float directly for finer-grained language modulation. Expose the raw score alongside the band in the query function output. |
| Professional software reference for validation not available for all chart types | Low | Medium | Jagannatha Hora (free desktop software) computes all four divisional charts with high accuracy. Use it as the primary reference. Cross-check 3 charts against a second source (Kala or Parashara Light) for D10 specifically. |

## 14. Orchestrator Agent Notes

**Architecture Compliance Requirements**

All divisional chart sequence maps must live in divisional_charts.json — no sequences may be hard-coded in divisional_calculator.py. All planet names used in divisional calculations must be canonical forms from Phase 1. The Vargottama strength update must be idempotent — running Phase 10 twice on the same chart must not produce a double bonus. The divisional_analyser.py module must not re-fetch planet positions from scratch — it reads ChartPlanet nodes from Neo4j only. Phase 10 must not modify any Phase 6 outputs other than the specifically documented strength_total update for Vargottama planets.

Weekly reporting to Orchestrator should include: ontology validation results for all four chart sequence maps, divisional calculation accuracy against professional software per chart type, Vargottama planet count distribution across the test set (how many charts have 0, 1, 2, 3+ Vargottama planets), reinforcement score distribution across the test set, and expert validation accuracy for the five reference charts.

Handoff to Phase 11 is blocked until: all four divisional chart calculation accuracy criteria are met (100% match on reference charts per chart type), the expert validation meets 80% agreement, the get_reinforcement_for_domain interface is documented and approved by the Orchestrator, and the dasha-divisional cross-reference enrichment is complete across all 100 test charts.