AI ASTROLOGER

Phase 9 — Temporal Dynamics Engine

Complete Agent Roadmap · Weeks 31–33

Duration	Depends On	Provides To	Status
3 Weeks (31–33)	Phase 8 Complete	Phase 10 Divisional Charts	Ready to Build

1. Executive Summary

Phase 9 builds the Temporal Dynamics Engine — the component that adds the dimension of time to everything the system has built so far. Every phase from 5 through 8 analyses the birth chart as a static structure: the natal promise, the planetary strengths, the yogas, the house importance scores. These are permanent features of a chart that never change. Phase 9 answers the fundamentally different question: when do these features activate, and with what intensity?

The answer comes from two classical sources working in combination. The Vimshottari Dasha system divides a person's life into planetary periods of varying length, each governed by a specific planet whose natal themes come to the foreground. The transit system overlays the current positions of planets in the sky against the natal chart, identifying which natal houses and planets are being stimulated from outside at any given moment. Phase 9 computes both, synthesises them, and produces time-specific prediction windows that answer practical questions like 'when will career themes be most activated?' or 'what period is most favourable for relationships?'

Why This Phase Is Critical

Without temporal analysis, the system can only say 'this chart has strong career potential.' With Phase 9, it can say 'the Mars mahadasha from 2026 to 2033, combined with Jupiter transiting the 10th house in 2027–2028, creates a peak activation window for career advancement. The Mars-Jupiter antardasha from March 2027 to July 2028 is the most concentrated opportunity window.' This is the difference between potential and timing — the question every person actually wants answered.

2. What This Phase Builds

2.1 Primary Deliverable — dasha_calculator.py

A module that takes a birth chart's Moon nakshatra position and birth date and computes the complete Vimshottari dasha timeline: all nine mahadashas for the full 120-year cycle, with start and end dates. Each mahadasha is subdivided into nine antardashas with their own start and end dates. Each antardasha is further subdivided into nine pratyantardashas. The output covers past, present, and future periods, all anchored to the birth date.

2.2 Secondary Deliverable — transit_calculator.py

A module that takes a target date (or date range) and computes the current positions of all nine planets using Swiss Ephemeris. It then compares these transit positions against the natal chart to identify which natal houses are receiving transits, which natal planets are being conjuncted or aspected by transiting planets, and the strength of each transit interaction based on the transiting planet's strength and the receiving planet's or house's natal importance score from Phase 8.

2.3 Primary Deliverable — temporal_synthesiser.py

The core output module of Phase 9. It takes the dasha timeline, the transit data, and the natal chart's house importance scores and yoga activations from Phase 8, and synthesises all three layers into a unified temporal prediction object. For any query date or question, it identifies which natal promises are currently activated, at what strength, and for how long the activation window lasts.

2.4 Secondary Deliverable — Updated Neo4j Schema

The dasha timeline is stored as a linked chain of DashaperiodNode objects in Neo4j, each linked to the Chart node and to the Planet node that governs the period. Transit events are stored as TransitEvent nodes linked to the relevant date range and natal house or planet. This enables the Phase 10 Divisional Charts layer and Phase 11 NLG layer to query temporal data by chart ID without re-running calculations.

3. The Three-Layer Temporal Model

Phase 9 is built around the understanding that timing in Vedic astrology emerges from three independent systems that must be evaluated together. No single layer is sufficient — it is their overlap that creates meaningful prediction windows.

Layer	What It Represents	Changes How Often
Layer 1 — Natal	The permanent structure of the chart: what themes are possible, which planets are strong, which houses are dominant (Phase 8 output). This never changes.	Never — fixed at birth
Layer 2 — Dasha	The planetary periods that determine which natal planet is 'running the show.' A strong Mars in the 10th house only produces career results when Mars is active in the dasha cycle.	Every few months to years
Layer 3 — Transit	The current positions of planets in the sky, stimulating natal houses and planets from outside. Transits are the ignition spark that converts dasha potential into concrete events.	Daily (Moon) to yearly (Jupiter/Saturn)

The synthesis principle is: a natal promise (Layer 1) activates most strongly when the governing planet is running in the dasha (Layer 2) AND a significant transit simultaneously stimulates the relevant house or planet (Layer 3). When all three layers align, the system flags this as a high-confidence prediction window. When only one or two layers align, the prediction is present but moderated.

Classical Teaching Behind the Three Layers

The classical texts describe this as: the natal chart shows the seed (what is possible), the dasha waters the seed (which possibilities are activated in time), and the transit provides the sunlight (which activated possibilities manifest as concrete events). All three are necessary. A strong natal Mars means nothing during a Venus dasha. A beneficial Jupiter transit means little if the natal promise for that house is weak.

4. The Vimshottari Dasha System — Theoretical Foundation

The Vimshottari system assigns 120 years of life to nine planets in a fixed sequence, with each planet governing a period proportional to its classical dasha years. The sequence always follows the same order; the only variable is the entry point, which is determined by the Moon's nakshatra position at birth.

4.1 The Dasha Sequence and Period Lengths

Planet	Dasha Duration
Ketu	7 years
Venus	20 years
Sun	6 years
Moon	10 years
Mars	7 years
Rahu	18 years
Jupiter	16 years
Saturn	19 years
Mercury	17 years

The total cycle is 120 years. After Mercury's 17-year period completes, the cycle restarts with Ketu. In practice, most people experience 3–5 complete mahadashas in a lifetime. The starting dasha and the elapsed portion of it at birth are derived from the Moon's nakshatra at the time of birth.

4.2 Determining the Birth Entry Point

The Moon moves through all 27 nakshatras in approximately 27.3 days. Each nakshatra is associated with a specific dasha planet. The nakshatra the Moon occupies at birth determines which planet's dasha is running at birth, and how much of that dasha has already elapsed. The calculation is:

1. Identify the Moon's nakshatra at birth from the Phase 4 chart data.
2. Each nakshatra spans 13°20' (800 arc minutes). Find how many arc minutes of that nakshatra the Moon has already traversed at the moment of birth.
3. Calculate the proportion elapsed: arc minutes traversed divided by 800.
4. Multiply by the full dasha length of that nakshatra's ruling planet. This gives the elapsed portion already consumed at birth.
5. Subtract the elapsed portion from the full dasha length to get the remaining years in the birth dasha.
6. Add subsequent dashas in the fixed sequence to build the complete timeline.

4.3 Antardasha Sub-periods

Each mahadasha is divided into nine antardashas, one for each planet. The duration of each antardasha is proportional to both the mahadasha planet's dasha years and the antardasha planet's dasha years. The formula is: antardasha duration in days = (mahadasha years × antardasha planet years × 365.25) divided by 120. For example, the Mars antardasha within a Jupiter mahadasha lasts (16 × 7 × 365.25) / 120 = approximately 341 days.

The ordering of antardashas within each mahadasha follows the same sequence, starting from the mahadasha planet itself. A Jupiter mahadasha begins with the Jupiter-Jupiter antardasha, followed by Jupiter-Saturn, Jupiter-Mercury, Jupiter-Ketu, and so on through all nine planets.

4.4 Pratyantardasha Sub-sub-periods

Each antardasha is further divided into nine pratyantardashas using the same proportional formula applied one level deeper. Pratyantardashas are short — typically ranging from a few days to a few months — and represent the most granular level of temporal precision the system produces. The reasoning engine uses pratyantardashas when answering specific event-timing questions but relies primarily on mahadasha and antardasha for general life period analysis.

5. Dasha Interpretation Logic — Connecting Time to Natal Meaning

Computing dasha dates is a mechanical calculation. The interpretively significant work of Phase 9 is determining what each dasha period means for a specific chart. The same Mars mahadasha produces different results in different charts depending on Mars's natal strength, house rulership, placement, and yoga involvement.

5.1 Dasha Planet Activation Principle

When a planet's mahadasha is running, that planet's natal significations come to the foreground. The system evaluates three dimensions of the dasha planet to assess the period's character:

- Natal strength of the dasha planet: retrieved from Phase 6. A strong dasha planet (score above 7) produces more positive and pronounced results for its significations. A weak dasha planet (score below 4) produces constrained, delayed, or challenged results.
- House rulership: which houses does the dasha planet rule for this lagna? A planet ruling the 9th and 12th activates fortune and spirituality themes. A planet ruling the 6th and 11th activates obstacles and gains simultaneously. The functional nature assignment from Phase 6 governs this.
- House placement: where is the dasha planet physically situated in the chart? A planet ruling the 10th but placed in the 7th activates career themes through partnership. The Phase 8 house importance scores of both the owned house and the placement house are multiplied to produce a combined activation weight.

5.2 Antardasha Modulation

The antardasha planet modifies the mahadasha's expression. The relationship between the mahadasha planet and antardasha planet — whether they are friends, neutral, or enemies in both natural and functional terms — determines whether the sub-period amplifies or dampens the main period's themes. The system computes a compatibility score between the two planets using the friendship tables from the ontology, weighted by the functional nature assignments for the chart's lagna. A friendly antardasha within a strong mahadasha produces the most favourable conditions. An enemy antardasha within an already weak mahadasha produces the most challenging conditions.

5.3 Yoga Activation During Dashas

This is the most powerful application of dasha analysis. When a yoga's participant planets both run in the dasha cycle simultaneously — or when the primary participant planet runs as the mahadasha and the secondary planet runs as the antardasha — the yoga is considered fully activated. A Gaja Kesari Yoga formed by Jupiter and Moon will express most strongly during a Jupiter mahadasha with Moon antardasha, or a Moon mahadasha with Jupiter antardasha. The system checks all detected yogas from Phase 7 against the dasha timeline and flags all such activation windows as high-significance periods.

Yoga Activation Windows — The Highest-Value Output

The combination of yoga detection (Phase 7) with dasha timing (Phase 9) produces the system's most distinctive capability: identifying specific multi-month windows when a particular yoga's promised results are most likely to manifest. This is what professional astrologers spend most of their consultation time computing manually. Automating it accurately is a primary deliverable of Phase 9.

6. Transit Analysis — Layer 3 Temporal Triggers

Transits are the positions of planets in the sky at any given moment, evaluated against the fixed structure of the natal chart. While dasha periods create medium-term themes (months to years), transits provide the short-term triggers (days to months) that catalyse specific events within those themes.

6.1 Transit Significance by Planet

Not all transiting planets carry equal weight. The system applies differentiated significance levels based on the classical teaching that slower-moving planets produce more sustained and significant effects:

Planet	Orbital Period	Transit Significance	Typical Effect Duration
Saturn	~29.5 years	Highest — generational	2–2.5 years per house
Jupiter	~12 years	Very high — expansive	~1 year per house
Rahu/Ketu	~18 years	High — transformative	~18 months per sign
Mars	~2 years	Moderate — activating	6–8 weeks per house
Sun	~1 year	Moderate — illuminating	~1 month per house
Mercury	~1 year	Low-moderate	~3 weeks per house
Venus	~1 year	Low-moderate	~1 month per house
Moon	~27.3 days	Low — triggering	~2.5 days per house

6.2 Key Transit Evaluations

Phase 9 evaluates four types of transit interactions, in descending order of classical importance:

7. Transit over natal planet: a transiting planet occupying the same sign as a natal planet. The interaction is particularly significant when the transiting planet is Saturn or Jupiter, and the natal planet is a functional benefic for the lagna or the ruler of a high-importance house from Phase 8.
8. Transit over natal house: a transiting planet occupying a house that received a high importance score from Phase 8. Jupiter transiting the 10th house matters most for charts where the 10th house has a high Phase 8 importance score.
9. Transit aspect to natal planet or house: using the same Jyotish aspect rules from Phase 7, a transiting planet's aspects to natal positions. Saturn's 3rd, 7th, and 10th aspects from its transit position are particularly significant.
10. Double transit (Guru-Shani Yoga): Jupiter and Saturn simultaneously transiting houses that are in a 1-7 axis relationship from each other. This classical double transit condition is associated with significant life events and must be detected and flagged when present.

6.3 Transit Strength Calculation

Not every transit over a house or planet has the same intensity. The transit strength is computed as the product of three factors: the transiting planet's inherent significance weight (from the table in Section 6.1, normalised to 0–1), the natal house's importance score from Phase 8 (normalised to 0–1), and a benefic or malefic modifier based on whether the transiting planet is a natural benefic or malefic and whether the transit is conjunct or aspecting. The result is a transit event strength score between 0.0 and 1.0 stored on the TransitEvent node.

7. The Temporal Synthesiser — Combining All Three Layers

The temporal_synthesiser.py module is the public-facing interface of Phase 9. It accepts a chart ID and a query (either a date range or a specific question category like 'career' or 'relationships') and produces a structured temporal prediction object. The synthesis follows a four-step process.

7.1 Step 1 — Identify the Active Dasha Stack

For the queried date, identify the active mahadasha, antardasha, and pratyantardasha. Retrieve the natal strength, house rulership, house placement, and yoga involvement for each of the three active planets from the Neo4j graph. Compute the dasha activation weight for the mahadasha planet using the formula from Section 5.1. Compute the compatibility modifier for the antardasha planet using Section 5.2.

7.2 Step 2 — Compute Active Transits

For the queried date, compute current planetary positions using Swiss Ephemeris. Identify all significant transit interactions (from Section 6.2) and compute their transit strength scores. Filter to only transits scoring above 0.3 — weaker transits are logged but not included in the primary synthesis output to avoid noise.

7.3 Step 3 — Check Yoga Activation Windows

Cross-reference the active dasha stack against all Phase 7 DetectedYoga nodes for the chart. Identify any yogas whose participant planets match the current dasha or antardasha planets. Flag these as active yoga windows and retrieve their strength scores and effect descriptions from Phase 7.

7.4 Step 4 — Synthesise Into Prediction Object

Combine the dasha activation weight, transit strength scores, and yoga activation flags into a single TemporalPrediction object. The overall period strength is the weighted average of the three components: dasha layer (50% weight), transit layer (30% weight), yoga activation layer (20% weight). The period strength determines the confidence language used by the Phase 11 NLG layer. A period strength above 0.75 produces language like 'highly favourable period.' Below 0.35 produces language like 'challenging period requiring patience.'

TemporalPrediction Field	Description
query_date	The date or date range queried
active_mahadasha	Planet name and period start/end dates
active_antardasha	Planet name and sub-period start/end dates
active_pratyantardasha	Planet name and sub-sub-period start/end dates
dasha_activation_weight	Float 0–1 — strength of dasha layer for this chart
active_transits	List of TransitEvent objects above 0.3 threshold
yoga_activations	List of active yoga windows with strength and effects
period_strength	Float 0–1 — combined synthesis score
strength_band	String — 'challenging', 'neutral', 'favourable', 'highly favourable'
dominant_themes_activated	List of life theme names most active in this period
peak_window	The sub-period within the queried range where all layers align most strongly
reasoning_steps	Complete step-by-step record for Phase 11 NLG layer

8. Answering Temporal Questions — The Query Engine

Beyond producing temporal prediction objects for specific dates, Phase 9 must be able to answer forward-looking questions about when specific life themes will be most activated. This requires a scanning function that searches the dasha timeline forward and identifies the best upcoming windows.

8.1 The Window Scanner

The window scanner takes a theme category (e.g. CAREER, MARRIAGE, WEALTH, HEALTH, SPIRITUALITY) and a time horizon (e.g. 5 years forward) and returns the top three prediction windows ranked by period strength. It works by iterating through every antardasha in the specified time horizon, computing the period strength for each, and returning the highest-scoring windows that are relevant to the queried theme.

Relevance is determined by checking whether the active dasha and antardasha planets are functionally connected to the queried theme's associated houses (from Phase 8's theme mapping). A CAREER query checks whether the dasha stack includes planets that rule or are placed in the 10th, 6th, or 2nd houses for this chart's lagna.

8.2 Event-Type Specificity

Certain life event types require specific combinations beyond simple theme activation. The system implements event-specific templates for the most commonly queried events:

Event Type	Required Dasha Conditions	Required Transit Conditions
Marriage	7th lord or Venus active in dasha or antardasha	Jupiter transiting 7th house or aspecting 7th lord
Career change	10th lord active in dasha; 6th or 2nd lord in antardasha	Saturn transiting 10th or aspecting 10th lord
Major wealth gain	2nd or 11th lord active; strong Dhana Yoga participant	Jupiter transiting 2nd or 11th house
Foreign travel	9th or 12th lord active in dasha or antardasha	Rahu transiting 12th or 9th house
Spiritual turning	9th or 12th lord active; Ketu dasha or antardasha	Ketu transiting 12th house or aspecting 9th lord
Health challenge	6th or 8th lord active; weak lagna lord in antardasha	Saturn transiting 1st or 6th house

Prediction Windows vs Event Predictions

The system identifies windows of elevated potential for specific themes — it does not predict specific events as certainties. The language used by Phase 11 must consistently frame outputs as 'the chart shows elevated potential for career advancement during this period' rather than 'you will get promoted in March 2027.' This distinction is architecturally enforced at the TemporalPrediction object level through the strength_band classification, which maps to specific NLG hedging language.

9. Neo4j Schema Updates

Phase 9 introduces three new node types to the knowledge graph.

9.1 DashaperiodNode

Property	Type & Description
dasha_type	String — 'mahadasha', 'antardasha', or 'pratyantardasha'
planet	String — canonical planet name governing this period
start_date	Date — period start date
end_date	Date — period end date
duration_days	Integer — period length in days
activation_weight	Float 0–1 — this planet's dasha activation weight for this chart
yogas_activated	String list — yoga names activated during this period
parent_period_id	String — ID of the parent mahadasha or antardasha node

9.2 TransitEvent Node

Property	Type & Description
transiting_planet	String — planet currently in transit
transit_type	String — 'conjunction', 'aspect', 'double_transit'
natal_target	String — natal house number or planet name being transited
start_date	Date — transit begins
end_date	Date — transit ends
transit_strength	Float 0–1 — computed transit strength score
significance	String — 'low', 'moderate', 'high', 'very_high'

9.3 New Relationships

Relationship	Direction & Meaning
(Chart)-[:HAS_DASHA]->(DashaperiodNode)	Links chart to its mahadasha timeline nodes
(DashaperiodNode)-[:CONTAINS]->(DashaperiodNode)	Links mahadasha to its antardasha sub-periods
(DashaperiodNode)-[:GOVERNED_BY]->(Planet)	Links period node to the governing planet node
(Chart)-[:HAS_TRANSIT_EVENT]->(TransitEvent)	Links chart to significant transit event nodes
(TransitEvent)-[:ACTIVATES]->(HouseInfluence)	Links transit event to the house influence node it stimulates

10. Week-by-Week Task Plan

Week 31 — Dasha Calculator

Day 1 — Nakshatra Entry Point Computation

Implement the birth dasha entry point calculation. Given the Moon's nakshatra and degree at birth (from Phase 4 chart data), compute the elapsed portion of the birth dasha, the remaining duration, and the start date of the next dasha. Verify against at least 10 known birth charts where the dasha entry point can be independently confirmed using professional astrology software. Zero tolerance for calculation errors here — all downstream timing depends on this being correct.

Day 2 — Full Mahadasha Timeline

Extend the entry point calculation to produce the complete 120-year mahadasha timeline. Every mahadasha in the fixed nine-planet sequence gets a start date, end date, and duration in days. Store the timeline as DashaperiodNode objects in Neo4j linked to the Chart node. Test against 10 charts: verify that all nine mahadasha start and end dates match professional software output exactly.

Day 3 — Antardasha Sub-periods

Implement the antardasha calculation for every mahadasha in the timeline. Apply the proportional duration formula from Section 4.3. Each of the 9 mahadashas generates 9 antardashas, producing 81 antardasha nodes per chart. Verify antardasha dates for the current mahadasha and one past mahadasha against professional software for all 10 test charts.

Day 4 — Pratyantardasha Sub-sub-periods

Implement pratyantardasha calculation. Each antardasha generates 9 pratyantardashas using the same proportional formula applied one level deeper. Pratyantardashas for the current antardasha and the next two upcoming antardashas are pre-computed and stored. Pratyantardashas for distant future periods are computed on demand rather than pre-stored, to keep the graph size manageable.

Day 5 — Dasha Interpretation Layer

Connect the dasha timeline to the natal chart data. For each dasha planet, retrieve its natal strength score from Phase 6, its house rulership for the chart's lagna (from functional_nature.json), its placement house, and its yoga involvement from Phase 7. Compute the dasha activation weight using the Section 5.1 formula. Compute antardasha compatibility scores for all 81 antardasha combinations. Store activation weights on the DashaperiodNode objects.

Week 32 — Transit Calculator and Synthesis

Day 1 — Swiss Ephemeris Transit Integration

Implement the transit position calculator using Swiss Ephemeris. The module must accept any date and return the transit positions of all nine planets in their current signs and degrees, using the Lahiri ayanamsa for sidereal conversion (the same ayanamsa used in Phase 4 for natal positions). Verify transit positions for 5 reference dates against known ephemeris data. This is a precision-critical calculation — positions must match professional software within 0.1 degrees.

Day 2 — Transit Interaction Detection

Implement the four transit interaction types from Section 6.2: transit over natal planet, transit over natal house, transit aspect to natal position, and double transit detection. For each interaction found, compute the transit strength score using the Section 6.3 formula. Filter to interactions above the 0.3 significance threshold. Test with 5 charts for the current date and verify that the detected transit interactions are consistent with what a professional astrologer would identify as significant.

Day 3 — Temporal Synthesiser Core

Implement the temporal_synthesiser.py module. Connect the dasha layer, transit layer, and yoga activation layer into the unified synthesis process described in Section 7. Implement all four synthesis steps. Produce the TemporalPrediction object for any chart and date combination. Test with 10 charts for the current date, manually reviewing whether the period strength scores and dominant theme activations are directionally correct.

Day 4 — Window Scanner

Implement the forward-looking window scanner from Section 8.1. The scanner must iterate through upcoming antardashas, compute period strength for each, and return the top three windows for any queried theme. Implement the event-type templates from Section 8.2. Test with at least five different query types (career, marriage, wealth, health, spirituality) across 5 charts and verify the returned windows are plausible.

Day 5 — Neo4j Storage and Integration Test

Store all dasha nodes, transit events, and TemporalPrediction objects for the 100 test chart set in Neo4j. Run integration queries that combine Phase 8 house importance scores with Phase 9 dasha activation weights — verify that high-importance houses from Phase 8 produce stronger prediction signals when their ruling planets are active in the dasha. Run the complete end-to-end pipeline from natal chart through to temporal prediction for 20 charts and review outputs.

Week 33 — Validation, Calibration, and Handoff

Day 1 — Historical Validation

For 5 public figures with documented life events and known birth data, run the temporal engine backward over historical periods and verify that the system would have correctly identified the dasha periods during which major life events occurred. For example, verify that a significant career event occurred during a period where the 10th lord was active in the dasha and Jupiter was transiting a relevant house. Document the accuracy rate and any systematic misses.

Day 2 — Calibration Adjustments

Based on historical validation findings, calibrate the synthesis weights (currently: dasha 50%, transit 30%, yoga activation 20%). If transit effects are proving more or less significant than the current weighting suggests, adjust and re-run the historical validation. Document the final calibration decision with the reasoning. These weights are stored as named constants, not inline values.

Day 3 — Pratyantardasha Precision Testing

Test whether pratyantardasha-level analysis adds meaningful precision to prediction windows. Compare prediction quality (measured against the historical validation set) with and without pratyantardasha modulation. If pratyantardasha adds less than 5% improvement in historical accuracy, document the decision to use it only for very short-horizon queries (within 3 months) and rely on antardasha precision for all medium and long-term predictions.

Day 4 — Phase 10 and Phase 11 Interface Documentation

Define the query interface contracts for Phase 10 (Divisional Charts, which will need dasha timing to cross-reference D9 and D10 positions against active periods) and Phase 11 (NLG, which will convert TemporalPrediction objects into natural language paragraphs). Write the interface specification documents. Confirm that the TemporalPrediction reasoning_steps field contains sufficient information for Phase 11 to generate fluent explanatory language without additional Neo4j queries.

Day 5 — Full Validation and Handoff Preparation

Run the complete success criteria checklist against the 100 test chart set. Prepare the handoff package: the three module public interfaces, Neo4j schema documentation, calibration decisions log, historical validation results, and performance benchmarks. Notify the Orchestrator that Phase 9 is ready for review.

11. Success Criteria

Phase 9 is complete when all of the following criteria are met:

Criterion	Measurement	Pass Threshold
Dasha calculation accuracy	Mahadasha and antardasha dates vs professional software	100% match on all 10 reference charts
Transit position accuracy	Transit positions vs known ephemeris	Within 0.1 degrees on all 5 reference dates
Historical validation accuracy	Correct dasha identification for known life events	80%+ agreement across 5 historical validation charts
Yoga activation detection	All relevant yoga activation windows identified	Zero missed activations for known yoga-dasha overlaps
Window scanner plausibility	Top returned windows reviewed by expert	90%+ rated as plausible for 5 query types
Neo4j storage completeness	All dasha nodes and transit events stored	Zero missing records across 100 test charts
TemporalPrediction completeness	All fields populated including reasoning_steps	Zero null fields in any TemporalPrediction object
Performance — dasha calculation	Full 120-year timeline computation time	Under 100ms per chart
Performance — transit computation	Single-date transit analysis time	Under 300ms per chart
Performance — full synthesis	End-to-end TemporalPrediction object generation	Under 500ms per chart
Orchestrator review	Architecture compliance and interface approval	Approved before Phase 10 begins

12. Integration Interfaces

12.1 Inputs Consumed by Phase 9

Input	Source & Description
Moon nakshatra and degree at birth	Phase 4 — chart data, used to compute dasha entry point
All ChartPlanet nodes with scores	Phase 6 — natal strength scores and neecha_bhanga flags for dasha weighting
functional_nature.json per lagna	Phase 6 — house lord and functional benefic/malefic assignments
DetectedYoga nodes	Phase 7 — yoga presence, participant planets, and strength scores

Input	Source & Description
HouseInfluence nodes	Phase 8 — house importance scores used for transit weighting
DominantTheme nodes	Phase 8 — theme rankings used to prioritise prediction output
Swiss Ephemeris (pyswisseph)	External — real-time planetary position data for transit computation

12.2 Outputs Provided by Phase 9

Output	Consumed By
DashaperiodNode chain in Neo4j	Phase 10 Divisional Charts — dasha timing for D9/D10 cross-reference; Phase 11 NLG — temporal framing in interpretation
TransitEvent nodes in Neo4j	Phase 11 NLG — transit descriptions in prediction paragraphs
TemporalPrediction objects	Phase 11 NLG — complete structured input for temporal interpretation language generation
Window scanner query function	Phase 11 NLG — answers 'when will X happen?' queries at runtime
Yoga activation windows	Phase 11 NLG — highest-value temporal prediction outputs

13. Risk Register

Risk	Likelihood	Impact	Mitigation
Dasha entry point calculation error cascades through entire timeline	Low	High	Validate against professional software on Day 1 before building any further. Add an assertion that all nine mahadashas sum to exactly 120 years.
Swiss Ephemeris ayanamsa mismatch between Phase 4 and Phase 9	Medium	High	Enforce the same Lahiri ayanamsa constant across both Phase 4 and Phase 9. Store the ayanamsa value used in chart calculation as a Chart node property and assert equality at transit computation time.
Historical validation accuracy below threshold	Medium	Medium	If below 80%, investigate whether the issue is in dasha weighting, transit weighting, or the synthesis formula. Adjust the three layer weights systematically rather than making ad-hoc changes.
Pratyantardasha storage making Neo4j graph too large	Medium	Low	Implement on-demand pratyantardasha computation as described — only store the

Risk	Likelihood	Impact	Mitigation
			current and next two antardashas' pratyantardashas. Compute distant future pratyantardashas at query time.
Phase 10 interface requirements not known before Phase 9 completes	Low	Medium	Consult Phase 10 theoretical architecture before Week 33 Day 4 to confirm what dasha data format Divisional Charts analysis will need.

14. Orchestrator Agent Notes

Architecture Compliance Requirements

The dasha calculator must use the same Lahiri ayanamsa as Phase 4 — this must be enforced by a shared constant, not independent configuration. Transit positions must use Swiss Ephemeris only — no alternative ephemeris sources. The temporal synthesiser must not produce predictions that exceed the natal promise: if a natal house has a Phase 8 importance score below 3.0, the system must not generate high-confidence predictions for that house regardless of dasha or transit strength. All synthesis weights (dasha 50%, transit 30%, yoga 20%) are named constants subject to calibration and Orchestrator approval before finalisation.

Weekly reporting to Orchestrator should include: dasha calculation accuracy results from professional software comparison, transit detection accuracy for current-date tests, historical validation accuracy percentage, any calibration changes made to synthesis weights, and performance benchmarks for all three modules.

Handoff to Phase 10 is blocked until: Orchestrator approves the DashaperiodNode and TransitEvent Neo4j schema, dasha calculation accuracy is 100% verified against professional software, historical validation meets the 80% threshold, and the Phase 10 and Phase 11 interface contracts are documented and signed off. No Phase 10 development begins until this approval is received.