AI ASTROLOGER

Phase 7 — Yoga & Aspect Detection Engine

Complete Agent Roadmap · Weeks 27–28

Duration	Depends On	Provides To	Status
2 Weeks (27–28)	Phase 5 + Phase 6 Complete	Phase 8 Propagation	Ready to Build

1. Executive Summary

Phase 7 builds the Yoga & Aspect Detection Engine — the component responsible for identifying named classical planetary combinations (yogas) in any given birth chart and quantifying the strength of all inter-planetary aspects. This phase transforms the birth chart from a collection of individual planet scores into a network of meaningful combinations, dramatically enriching the interpretive output.

At the end of Phase 6, the system can score each planet independently on a 0–10 scale. Phase 7 answers the next question: do any of these planets form special combinations whose collective effect exceeds the sum of their individual parts? A chart with a Gaja Kesari Yoga does not merely have a strong Jupiter and a strong Moon — it has a specific interaction between them that classical literature consistently associates with wisdom, fame, and public recognition. The system must detect this, quantify it, and pass it downstream.

Why This Phase Is Critical

Without yoga detection, the reasoning engine interprets every placement in isolation. With it, the engine can say: 'Jupiter and Moon form Gaja Kesari Yoga at strength 0.82 — this amplifies wisdom and public standing beyond what either planet alone would indicate.' This is the difference between a rule-lookup system and a reasoning system.

2. What This Phase Builds

2.1 Primary Deliverable — yoga_detector.py

A single, well-contained module that accepts a fully calculated and scored chart (the output of Phase 4 + Phase 6) and returns a structured list of all detected yogas, each with its strength score, the planets involved, whether any cancellation conditions are active, and the classical source references.

2.2 Secondary Deliverable — Updated Neo4j Schema

The ChartGraphIngestor must be updated to store detected yogas as a new node type in the knowledge graph, linked to the Chart node and to the Planet nodes involved. This enables the Phase 8 Propagation Engine and Phase 9 Temporal Engine to query which yogas are active in a chart without re-running detection.

2.3 Tertiary Deliverable — Reasoning Tree Integration

Every detected yoga must produce a reasoning tree entry — a structured record of which conditions were checked, which passed, which failed, what the resulting strength is, and which classical text is the source. This entry is consumed by the Phase 11 NLG layer to generate

natural language output like 'Gaja Kesari Yoga is present at high strength, as Jupiter occupies the 10th house from the Moon and is neither debilitated nor in a dusthana.'

3. Theoretical Foundation — What Is a Yoga?

In Vedic astrology, a yoga (literally 'union' or 'combination') is a specific configuration of planets that produces results beyond what individual planetary placements would indicate. Classical texts document hundreds of yogas; this phase implements the most widely attested and practically significant ones.

Yogas differ from simple planetary positions in three important ways:

- They involve relationships between two or more planets — not just a planet's sign or house placement in isolation.
- They have formation conditions that are logically structured — a yoga either forms or it does not, based on verifiable chart facts.
- They have strength — the same yoga formed by strong, unafflicted planets produces stronger results than the same yoga formed by weak or afflicted ones.

3.1 Yoga Categories

Phase 7 implements yogas across five classical categories. Each category has different formation logic and different interpretive weight.

Category	Classical Name	Typical Count	Interpretive Domain
Royal/Power	Raja Yogas	8–12 variants	Authority, recognition, career success
Wisdom	Jnana Yogas	3–5 variants	Intellect, spiritual insight, learning
Wealth	Dhana Yogas	10–15 variants	Financial prosperity, material accumulation
Negative	Duryogas / Arishtas	8–10 variants	Obstacles, illness, misfortune indicators
Special	Mahapurusha Yogas	5 (Pancha)	Outstanding planetary expression

Scope Note

Phase 7 implements the 50+ yogas already defined in machine-readable form in the ontology (yogas.json from Phase 1). No new yoga definitions are created here — the detection engine reads from the existing ontology. If a yoga is not in yogas.json, it is not detected in Phase 7. Novel yoga discovery belongs to Phase 13 (Learning Engine).

4. The Pancha Mahapurusha Yogas — Highest Priority

These five yogas are the most universally recognised in classical Vedic literature. They each involve a single planet (one of the five non-luminaries) in its own sign or exaltation, placed in a kendra house. They must be detected with the highest precision and are the first test cases for yoga detection.

Yoga Name	Planet	Required Signs	House Requirement	Classical Effects
Ruchaka	Mars	Aries or Scorpio (own); Capricorn (exaltation)	Kendra (1, 4, 7, 10)	Courage, military prowess, physical strength, authority through force
Bhadra	Mercury	Gemini or Virgo (own); Virgo (exaltation)	Kendra (1, 4, 7, 10)	Intelligence, oratory, business acumen, literary ability
Hamsa	Jupiter	Sagittarius or Pisces (own); Cancer (exaltation)	Kendra (1, 4, 7, 10)	Wisdom, spirituality, fortune, generosity, advisory roles
Malavya	Venus	Taurus or Libra (own); Pisces (exaltation)	Kendra (1, 4, 7, 10)	Beauty, artistic talent, luxury, sensual refinement, marital happiness
Sasa	Saturn	Capricorn or Aquarius (own); Libra (exaltation)	Kendra (1, 4, 7, 10)	Discipline, leadership of masses, political power, longevity, service

Formation logic for all five is structurally identical: (Planet in Own Sign OR Planet in Exaltation Sign) AND (Planet in House 1, 4, 7, or 10). The differences lie in which planet, which signs, and what effects are attributed. This structural similarity means a single parameterised detection function handles all five — a critical architectural principle for Phase 7.

5. Raja Yoga Detection — The Most Complex Category

Raja Yogas (literally 'royal combinations') are the most celebrated yogas in classical texts and the most complex to detect correctly. They arise from connections between planets ruling kendra houses (1, 4, 7, 10) and trikona houses (1, 5, 9). Because the 1st house is both a kendra and a trikona, its lord has dual significance.

5.1 The Three Connection Types

A Raja Yoga forms when a kendra lord and a trikona lord form any of three classical connection types:

Connection Type	Definition	Detection Method
Conjunction	Both planets occupy the same house	Same house_number in ChartPlanet nodes
Mutual Aspect	Each planet aspects the other's house	Bidirectional aspect check in aspect graph
Parivartana	Exchange of signs (each in the other's sign)	Planet A in sign ruled by B, and vice versa

5.2 Lagna-Relative Kendra and Trikona Lords

Which planets are kendra lords and which are trikona lords depends entirely on the lagna (ascendant sign). The system must compute this dynamically per chart, not from a static table. For example:

- For Aries lagna: Mars rules the 1st (kendra + trikona), Jupiter rules the 9th (trikona), Saturn rules the 10th and 11th. A Mars-Jupiter connection forms a Raja Yoga.
- For Taurus lagna: Venus rules the 1st and 6th, Saturn rules the 9th and 10th. A Venus-Saturn connection forms a Raja Yoga — notably, this is one of the strongest possible Raja Yogas because Saturn becomes a Yogakaraka (ruler of both kendra and trikona simultaneously).
- For Leo lagna: Sun rules the 1st, Mars rules the 4th and 9th (making Mars a Yogakaraka). A Sun-Mars connection forms a powerful Raja Yoga.

Yogakaraka — The Special Case

A Yogakaraka planet rules both a kendra and a trikona for a specific lagna. Only Saturn (for Taurus and Libra lagnas) and Mars (for Cancer and Leo lagnas) qualify. A Yogakaraka planet alone — without needing a conjunction with another planet — can trigger a Raja Yoga by being strong in a good house. This must be detected as a separate sub-case within the Raja Yoga detection logic.

5.3 Raja Yoga Cancellation Conditions

Not every kendra-trikona connection produces a Raja Yoga. The following conditions cancel or severely weaken the yoga and must be checked before confirming detection:

- Both planets involved are natural malefics (Saturn, Mars, Rahu, Ketu) and they are conjunct — mutual malefic conjunction produces tension rather than elevation.
- The connecting planets are in the 6th, 8th, or 12th house — dusthana placement suppresses the yoga's expression even when the connection exists.

- Both planets are severely debilitated without Neecha Bhanga — a debilitated kendra lord and a debilitated trikona lord connecting does not produce a Raja Yoga.
- The connecting planets are combust — planets within combustion orbs of the Sun lose independent function and cannot sustain a yoga.

6. Dhana Yoga Detection — Wealth Combinations

Dhana Yogas arise from connections between wealth-indicating houses and their lords. The primary wealth houses are 2 (accumulated wealth, family), 5 (speculation, intelligence, past-life merit), 9 (fortune, grace, dharma), and 11 (gains, income, fulfilment of desires).

6.1 Core Dhana Yoga Conditions

A Dhana Yoga forms when any of the following connections exist at adequate strength:

1. The 2nd lord and 11th lord are conjunct, in mutual aspect, or in exchange — this is the most classical wealth combination, linking the house of accumulated wealth with the house of incoming gains.
2. The 5th lord and 9th lord are conjunct, in mutual aspect, or in exchange — dharma and intelligence combining to produce fortune.
3. Jupiter (natural wealth significator) is strong and placed in the 2nd, 5th, 9th, or 11th house with no severe affliction.
4. Venus (natural luxury significator) is strong and placed in the 2nd or 11th house with the lord of that house also strong.
5. The Lagna lord is conjunct or in mutual aspect with the 2nd, 5th, 9th, or 11th lord while both are strong — self-effort creating wealth.

6.2 Dhana Yoga Strength Gradation

Unlike Raja Yogas which tend toward binary detection, Dhana Yogas have a pronounced strength gradient. A chart may have multiple weak Dhana Yogas that together indicate moderate financial prosperity, or a single very strong one indicating exceptional wealth. The detection engine must sum contributing Dhana Yoga strength scores rather than treating each in isolation.

7. Gaja Kesari Yoga — Detailed Example

Gaja Kesari is the most commonly referenced yoga in classical texts after the Pancha Mahapurusha yogas. It is used here as a fully worked example of how every yoga in Phase 7 must be specified internally.

7.1 Formation Conditions

Condition	Check	Pass / Fail Rule
Primary condition	Jupiter in kendra from Moon (houses 1, 4, 7, 10 counted from Moon's house)	PASS if Jupiter's house is at relative position 1, 4, 7, or 10 from Moon
Dusthana exclusion	Jupiter must NOT be in houses 6, 8, or 12 from Lagna	FAIL if Jupiter is in these houses from Lagna
Moon minimum strength	Moon strength score must be above 3.0	FAIL if Moon score is below 3.0
Jupiter minimum strength	Jupiter strength score must be above 3.0	FAIL if Jupiter score is below 3.0

7.2 Strength Calculation

When all formation conditions pass, yoga strength is calculated as a weighted combination of the participating planets' individual strength scores:

Component	Weight
Jupiter strength score (0–10)	50% of yoga strength
Moon strength score (0–10)	50% of yoga strength
Cancellation penalty (if partial)	Reduce by 0–40% based on severity
Final yoga strength	0.0 to 1.0 normalised scale

7.3 Cancellation Conditions

- Saturn strongly aspecting Jupiter (Saturn's 3rd, 7th, or 10th aspect on Jupiter) — reduces yoga strength by up to 40%.
- Rahu or Ketu conjunct Jupiter within 5 degrees — reduces yoga strength by 25–30%.
- Jupiter debilitated without Neecha Bhanga — reduces strength by 50%; yoga is flagged as 'present but severely weakened.'

7.4 Reasoning Tree Output Structure

Every yoga detection must produce a structured reasoning record. For Gaja Kesari, the record would contain: yoga name, formation conditions checked (each with pass/fail), planets involved with their individual scores, cancellation conditions checked (each with pass/fail), final strength score, strength band (weak / moderate / strong / exceptional), and classical source references from the knowledge graph.

All 50+ Yogas Follow This Pattern

The Gaja Kesari example above defines the pattern every yoga must follow: explicit formation conditions, minimum strength thresholds, cancellation conditions, weighted strength calculation, and a structured reasoning tree output. The yoga_detector.py module reads all of these from yogas.json in the ontology — the detection engine itself contains no hard-coded yoga definitions, only the logic to evaluate them.

8. Neecha Bhanga Raja Yoga — Special Case

Neecha Bhanga Raja Yoga (NBRY) is one of the most powerful and nuanced combinations in Vedic astrology. It arises when a planet's debilitation is cancelled (Neecha Bhanga, already implemented in Phase 6) AND that cancellation occurs in or near a kendra house. The classical teaching is that cancelled debilitation, especially in angular houses, produces exceptional results — often surpassing those of a simply well-placed planet — because the native has overcome a fundamental challenge.

Detection conditions for NBRY:

6. The planet must be debilitated (in its debilitation sign).
7. At least one Neecha Bhanga condition must be active (the Phase 6 flag neecha_bhanga_active must be true).
8. The debilitated planet must be in a kendra house (1, 4, 7, or 10) from the Lagna OR the cancelling planet must be in a kendra from the Lagna.

When all three conditions are met, the system flags NBRY as present and assigns it a strength score based on the degree of cancellation and the kendra strength of the placement. This yoga is distinct from the general Neecha Bhanga flag in Phase 6 — NBRY requires the kendra condition on top of cancellation.

9. Aspect Detection — Jyotish Drishti Rules

In Vedic astrology, aspects (drishti) operate on houses rather than on individual degrees. Every planet fully aspects the 7th house from its position. Additionally, three planets have special aspects:

Planet	Special Aspects (in addition to 7th)	Classical Rationale
Mars	4th and 8th house from its position	Aggression reaches both sides and behind
Jupiter	5th and 9th house from its position	Wisdom radiates to dharma and intelligence houses

Planet	Special Aspects (in addition to 7th)	Classical Rationale
Saturn	3rd and 10th house from its position	Discipline and obstruction reach effort and career

9.1 Aspect Computation Method

Aspect calculation in Phase 7 is house-based, not degree-based. The system counts houses from the aspecting planet's house to the target house in the forward (clockwise) direction. A planet in house 3 aspects house 9 via the 7th aspect, house 6 via the 4th aspect (for Mars), and house 12 via the 10th aspect (for Saturn).

The aspect table must be pre-computed during chart ingestion (Phase 4) and stored in the Neo4j graph as directed relationships between Planet nodes. Phase 7 reads these relationships rather than recomputing them, following the principle that each phase consumes the outputs of previous phases through defined interfaces.

9.2 Aspect Strength Gradation

Not all aspects have equal strength. The standard Jyotish model assigns full strength (100%) to the 7th aspect and graduated strength to special aspects:

Aspect Type	Strength
7th house aspect (all planets)	Full — 100%
Jupiter's 5th and 9th aspects	Full — 100% (considered equally powerful)
Saturn's 3rd aspect	Partial — 75%
Saturn's 10th aspect	Full — 100%
Mars's 4th aspect	Partial — 75%
Mars's 8th aspect	Full — 100%

9.3 Aspect Significance for Yoga Detection

Aspect detection in Phase 7 is not a standalone output — it feeds directly into yoga detection. When the system checks whether a kendra lord and trikona lord are in 'mutual aspect' to confirm a Raja Yoga, it uses the aspect relationships computed here. Aspect data also feeds the Phase 8 Propagation Engine as edge weights in the house influence network.

10. Yoga Strength Scoring — Unified Model

All detected yogas, regardless of category, use the same normalised strength model. The output is always a float between 0.0 and 1.0, mapped to a four-band classification for the reasoning tree:

Band	Score Range	Classical Meaning	Interpretation Language
Weak	0.0 – 0.3	Yoga present but significantly compromised	'Traces of X yoga are present, though reduced by...'
Moderate	0.3 – 0.6	Yoga present with some affliction or weakness	'X yoga is present at moderate strength...'
Strong	0.6 – 0.85	Yoga clear and well-formed	'X yoga is strongly present, indicating...'
Exceptional	0.85 – 1.0	Yoga at full classical expression	'X yoga is exceptionally well-formed, a rare combination...'

10.1 Strength Calculation Inputs

The yoga strength score is computed from three inputs, weighted according to the yoga's classical emphasis:

- Participating planet scores — the Phase 6 strength scores of all planets forming the yoga. Higher planet scores → higher yoga strength.
- House quality of the planets — planets in kendras and trikonas contribute more strength to the yoga than planets in neutral or dusthana houses.
- Cancellation impact — each active cancellation condition reduces the yoga strength by a fixed percentage defined in yogas.json. Multiple cancellations stack multiplicatively, not additively.

11. Neo4j Schema Updates

Phase 7 introduces one new node type and one new relationship type to the knowledge graph. These must be added to the ChartGraphIngestor before yoga detection results can be stored.

11.1 New Node Type — DetectedYoga

A DetectedYoga node represents a yoga that has been detected in a specific chart. It is distinct from the Yoga node (which represents the yoga definition from the ontology) and from the Chart node (which represents the birth chart).

Property	Type & Description
yoga_name	String — canonical yoga name from ontology (e.g. GAJA_KESARI)
strength_score	Float 0.0–1.0 — normalised yoga strength
strength_band	String — 'weak', 'moderate', 'strong', 'exceptional'
is_cancelled	Boolean — true if any cancellation condition is active
cancellation_reason	String — description of active cancellation (null if none)
planets_involved	String list — canonical names of planets forming the yoga
source_text	String — classical source from yogas.json
reasoning_steps	JSON — complete detection reasoning tree for NLG layer

11.2 New Relationships

Relationship	Direction & Meaning
(Chart)-[:HAS_YOGA]->(DetectedYoga)	Links a chart to all yogas detected in it
(DetectedYoga)-[:FORMED_BY]->(Planet)	Links a detected yoga to each planet involved
(DetectedYoga)-[:DEFINED_BY]->(Yoga)	Links to the ontology yoga definition node

12. Week-by-Week Task Plan

Week 27 — Core Detection Engine

Day 1 — Ontology Interface

Build the yoga definition loader: a function that reads all yoga definitions from yogas.json, validates that every yoga has the required fields (name, type, conditions, strength_modifiers, cancellation_conditions, sources), and returns them as structured objects ready for the detection engine to consume. No yoga logic lives in Python — only the evaluation framework.

Day 2 — Pancha Mahapurusha Detection

Implement detection for all five Pancha Mahapurusha yogas using the unified parameterised approach (same function, different parameters). Test against at least 10 charts with known Pancha Mahapurusha configurations. Ensure the reasoning tree is populated correctly for each detected yoga.

Day 3 — Gaja Kesari and Lunar Yogas

Implement Gaja Kesari yoga detection including all four formation conditions, the three cancellation checks, and the weighted strength formula. Then implement the secondary lunar yogas: Sunafa (planet in 2nd from Moon), Anafa (planet in 12th from Moon), and Durudhara (planets in both 2nd and 12th from Moon). Test all four against 10 sample charts.

Day 4 — Raja Yoga Detection

Implement Raja Yoga detection for all 12 lagnas. This requires: building the per-lagna kendra lord and trikona lord lookup tables, implementing all three connection type checks (conjunction, mutual aspect, parivartana), implementing the Yogakaraka special case, and checking all four cancellation conditions. This is the most complex single day in Phase 7. Test against 15 charts with known Raja Yoga configurations.

Day 5 — Dhana Yoga Detection and Week 27 Integration

Implement the five Dhana Yoga conditions. Then run end-to-end integration: take 20 complete charts (Phase 4 output + Phase 6 output), run full yoga detection, verify Neo4j storage via test queries, and confirm the reasoning tree output structure matches what the Phase 11 NLG layer expects. Fix any structural issues found.

Week 28 — Advanced Yogas, Aspects, and Validation

Day 1 — Neecha Bhanga Raja Yoga and Special Cases

Implement NBRY detection. Then implement Vipareeta Raja Yoga (lords of 6th, 8th, 12th houses in each other's houses or conjunct — a paradoxical yoga where difficult house lords combining actually produces protection and unexpected success). These are edge cases that require careful condition checking.

Day 2 — Negative Yoga Detection (Duryogas and Arishtas)

Implement the key negative yoga indicators. These are not merely low-strength positive yogas — they are distinct patterns associated with specific challenges. Key ones to implement: Kemadruma (Moon has no planets in 2nd or 12th from it), Graha Malika (chain of planets in consecutive houses), Kala Sarpa (all planets between Rahu and Ketu), and Shakata (Moon in 6th, 8th, or 12th from Jupiter). For negative yogas, the reasoning tree must include clear language about what challenge is indicated and what mitigating factors reduce severity.

Day 3 — Full Aspect Detection and Storage

Implement the complete aspect detection and pre-computation logic. For each chart, compute all planetary aspects (7th aspect for all 9 planets, special aspects for Mars, Jupiter, Saturn), store them as directed relationships in Neo4j, and verify that the aspect relationships are

queryable in the format Phase 8 expects. Validate aspect calculations against professional astrology software output for 5 reference charts.

Day 4 — Comprehensive Validation

Run the full detection suite on the 100 test charts prepared in Phase 4. For each chart, verify: total yoga count is within expected range (most charts have 3–8 active yogas), no phantom yogas are detected (false positives), all yogas in the ontology are correctly classified as present or absent, yoga strength scores correlate with planet strength scores in the expected direction, and Neo4j storage is complete and queryable.

Day 5 — Handoff Preparation

Finalise the public interface that Phase 8 will consume: a function that returns all detected yogas for a chart ID as structured objects, a function that returns the aspect relationship graph for a chart, and the complete reasoning tree objects that Phase 11 will use for language generation. Write the interface documentation. Notify the Orchestrator Agent that Phase 7 is ready for handoff review.

13. Success Criteria

Phase 7 is complete when all of the following criteria are met without exception:

Criterion	Measurement	Pass Threshold
Yoga detection completeness	All 50+ ontology yogas evaluated per chart	100% — no yoga skipped
False positive rate	Phantom yoga detections in test charts	Less than 5% across 100 test charts
False negative rate	Known yogas missed in test charts	Less than 3% across 100 test charts
Strength score directionality	Strong planet → higher yoga strength	100% consistent direction
NBRY detection	Known NBRY cases in test set	100% correct identification
Aspect calculation accuracy	Match against professional software	100% match on 5 reference charts
Neo4j storage completeness	All detected yogas queryable	Zero missing records
Reasoning tree completeness	All fields populated in output objects	Zero null fields
Performance	Detection time per chart	Under 500ms per complete chart
Orchestrator review	Architecture compliance check	Approved before Phase 8 begins

14. Integration Interfaces

14.1 Inputs Consumed by Phase 7

Input	Source & Description
ChartPlanet nodes with scores	Phase 6 output — all 9 planets with strength_total and component scores
Aspect relationships in Neo4j	Phase 4 output — pre-computed aspect graph (read, not recomputed)
yogas.json	Phase 1 ontology — all yoga definitions in machine-readable format
functional_nature.json	Phase 6 update — lagna-specific benefic/malefic planet assignments
Neecha Bhanga flags	Phase 6 output — neecha_bhanga_active boolean per planet

14.2 Outputs Provided by Phase 7

Output	Consumed By
DetectedYoga nodes in Neo4j	Phase 8 Propagation (yoga presence affects house importance), Phase 9 Temporal (yoga activation during dashas), Phase 11 NLG (language generation)
Yoga strength scores per chart	Phase 8 (edge weights in propagation network)
Aspect relationship graph	Phase 8 (confirmed aspect data), Phase 9 (transit aspect detection)
Reasoning tree objects per yoga	Phase 11 NLG (generates explanatory language from these trees)

15. Risk Register

Risk	Likelihood	Impact	Mitigation
yogas.json incomplete or malformed	Low	High	Validate all 50+ yoga definitions against ontology schema before detection begins. Add a startup validator that rejects malformed definitions.

Risk	Likelihood	Impact	Mitigation
Raja Yoga false positives from weak planets	Medium	Medium	Enforce minimum strength thresholds (3.0+) for planets forming Raja Yogas. Document threshold rationale in code constants.
Kala Sarpa Yoga edge cases	Medium	Low	Clarify definition: Rahu/Ketu axis direction matters. Use the standard definition (all planets between Rahu and Ketu in the forward direction) and flag ambiguous cases.
Parivartana detection complexity	Medium	Medium	Implement as a dedicated helper that checks all planet pairs for sign exchange, returning a list of exchange pairs. Test with 20 known parivartana cases.
Phase 8 interface mismatch	Low	High	Define the Phase 8 interface contract in Week 27 Day 5 before Phase 8 begins. Orchestrator must approve interface before handoff.

16. Orchestrator Agent Notes

Architecture Compliance Requirements

All yoga definitions must be read from yogas.json — no yoga logic hard-coded in Python. All entity names used in detection must pass through normalise() before comparison. The yoga_detector.py module must not read any agent's internal files directly — only the Phase 4/6 Neo4j interface and the Phase 1 ontology files. Detected yoga nodes must follow the DetectedYoga schema exactly — no ad-hoc properties.

Weekly reporting to Orchestrator should include: number of yogas detected across test charts, false positive and false negative rates, any yoga definitions in yogas.json that proved ambiguous or required clarification, and performance benchmarks.

Handoff to Phase 8 is blocked until: Orchestrator approves the DetectedYoga Neo4j schema, all 10 success criteria above are met, and the Phase 8 interface contract is signed off. No Phase 8 development begins until this approval is received.