

## A. Team

time limit per test: 2 seconds  
 memory limit per test: 256 megabytes

One day three best friends Petya, Vasya and Tonya decided to form a team and take part in programming contests. Participants are usually offered several problems during programming contests. Long before the start the friends decided that they will implement a problem if at least two of them are sure about the solution. Otherwise, the friends won't write the problem's solution.

This contest offers  $n$  problems to the participants. For each problem we know, which friend is sure about the solution. Help the friends find the number of problems for which they will write a solution.

### Input

The first input line contains a single integer  $n$  ( $1 \leq n \leq 1000$ ) — the number of problems in the contest. Then  $n$  lines contain three integers each, each integer is either 0 or 1. If the first number in the line equals 1, then Petya is sure about the problem's solution, otherwise he isn't sure. The second number shows Vasya's view on the solution, the third number shows Tonya's view. The numbers on the lines are separated by spaces.

### Output

Print a single integer — the number of problems the friends will implement on the contest.

### Examples

<b>input</b>	<a href="#">Copy</a>
3 1 1 0 1 1 1 1 0 0	
<b>output</b>	<a href="#">Copy</a>
2	

<b>input</b>	<a href="#">Copy</a>
2 1 0 0 0 1 1	
<b>output</b>	<a href="#">Copy</a>
1	

### Note

In the first sample Petya and Vasya are sure that they know how to solve the first problem and all three of them know how to solve the second problem. That means that they will write solutions for these problems. Only Petya is sure about the solution for the third problem, but that isn't enough, so the friends won't take it.

In the second sample the friends will only implement the second problem, as Vasya and Tonya are sure about the solution.

### → Attention

The package for this problem was not updated by the problem writer or Codeforces administration after we've upgraded the judging servers. To adjust the time limit constraint, a solution execution time will be multiplied by 2. For example, if your solution works for 400 ms on judging servers, then the value 800 ms will be displayed and used to determine the verdict.

### Codeforces Round 143 (Div. 2)

**Finished**

### → Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.




[Start virtual contest](#)

### → Problem tags

brute force greedy \*800

No tag edit access

### → Contest materials

- Announcement #1 (en) 
- Codeforces Round #143 
- Tutorial 

[Privacy Policy](#)

Supported by



**ITMO**