

Air treatment, process cooling & cooling towers

Win Equipments

Equipment manufactured in Arasur, Coimbatore, with model ranges, applications and custom-equipment options across all 23 current product lines.



Established	Product lines	Location	Support
2008	23	Arasur, Coimbatore	Service & spares

Inside this catalogue

Company & product index	2	Compressed Air Treatment · 1	3
Compressed Air Treatment · 2	4	Compressed Air Treatment · 3	5
Process Cooling · 1	6	Process Cooling · 2	7
Process Cooling · 3	8	Process Cooling · 4	9
Cooling Towers · 1	10	Cooling Towers · 2	11
Applications & project enquiries	12		



Specifications online

Layout edition 2026-10 · Product-range information. Confirm the selected model and duty with Win Equipments before ordering.

Company & product index

Win Equipments was established in 2008 by Mr. Ramasamy Ananthakumar. We manufacture compressed air and cooling equipment and support projects from selection through commissioning, service and spares.

Manufacturing & project support

Our equipment is fabricated and assembled at our works in Arasur, Coimbatore. We supply plants across India and design equipment to suit the specified operating conditions.

1,200+ installations across industry. Model selection and custom equipment are confirmed against your requirement.



From enquiry to commissioning

Share your requirement

Compressor CFM, heat load in TR or water flow, temperatures and site conditions. A drawing or nameplate photo helps.

We size the equipment

Our engineers select the model from catalogue ratings and correction factors, or engineer a special unit.

Built at Arasur

Fabricated and assembled at our works in Arasur, Coimbatore.

Tested before dispatch

Chillers are factory tested before delivery; air receivers are hydrostatically tested.

Commissioned and supported

We plan and commission the system, then provide after-sales service and spares.

Find a product

Compressed Air Treatment

Refrigerated Air Dryers	3
Heatless Desiccant Air Dryers	3
Compressed Air Filters	3
Automatic Drain Valves	4
Air Receiver Tanks	4
Aftercoolers	5
Moisture Separators	5

Process Cooling

Industrial Process Chillers	6
Medical Scan Chillers	6
Anodizing Chillers	6
Acid Cooling Chillers	7
Ice Flake Machines	7
Shell & Tube Heat Exchangers	7
Milk & Coconut Water Chillers	8
Soda Chillers	8
Condensing Units	9
Air-Cooled Chillers	9

Cooling Towers

Round FRP Cooling Towers	10
Square FRP Cooling Towers	10
Coil Cooling Towers	10
Spares & Consumables	11
Cooling Tower Fills	11
Fanless Cooling Towers	11

Compressed Air Treatment · 1

Dryers, filters, drains and receivers for dry, clean compressed air.



Refrigerated Air Dryers

WRD Series

Compressed air leaves the compressor saturated with water. WRD dryers chill it to a +3°C pressure dew point so the moisture condenses and drains out before it reaches your machines, valves and finished product.

Capacity
20 to 2,000 CFM listed

Inlet air pressure
3 to 16 bar g

Pressure dew point
+3 °C

Inlet air temperature
10 to 60 °C

View specifications: winequipments.com/products/refrigerated-air-dryers.html



Heatless Desiccant Air Dryers

WHD Series

Where a +3 °C dew point is not dry enough, WHD heatless dryers pass compressed air through a bed of activated alumina or molecular sieve. One tower dries while the other regenerates with a small flow of purge air, switching every few minutes.

Capacity
300 to 2000 CFM

Working pressure
7 to 12.5 bar g

Pressure dew point
–20 °C (alumina) · –40 °C (molecular sieve)

Inlet temperature
45 °C

View specifications: winequipments.com/products/desiccant-air-dryers.html



Compressed Air Filters

WMF Series

WMF high-efficiency coalescing filters remove oil, dirt, odour and water from compressed air, protecting everything installed downstream. Colour-coded elements in four grades build up air quality to ISO 8573-1.

Capacity
40 to 1700 CFM

Finest filtration
0.01 micron, 0.005 mg/m³ oil

Grades
GP · ZP · ZO · ZC

Max. operating pressure
30 bar g

View specifications: winequipments.com/products/compressed-air-filters.html

Compressed Air Treatment · 2

Dryers, filters, drains and receivers for dry, clean compressed air.



Automatic Drain Valves

WDV Series

WDV valves discharge condensate from compressed air systems. Choose an electronic timer, micro-controller or no-air-loss design to suit the flow, pressure and connection. The no-air-loss model in this table is WDV F16.

Types

Electronic timer · micro-controller · no air loss · float

System capacity

Up to 1000 CFM

Working pressure

Up to 16 kgf/cm² (40 and 70 optional)

Condensate temperature

Up to 90 °C

[View specifications: winequipments.com/products/automatic-drain-valves.html](http://winequipments.com/products/automatic-drain-valves.html)



Air Receiver Tanks

WRV Series

An air receiver stores compressed air, steadies pressure for the plant and gives condensate somewhere to settle before it travels down the line. Every WRV vessel is designed to requirement and hydrostatically tested, with ASME VIII fabrication available on request.

Standard models

250 to 10,000 litres

Working pressure

7 · 10 · 12.5 bar g

Designed to requirement

0.5 to 40 m³, 6 to 30 bar g

Inlet air temperature

Up to 100 °C

[View specifications: winequipments.com/products/air-receiver-tanks.html](http://winequipments.com/products/air-receiver-tanks.html)

Compressed Air Treatment · 3

Dryers, filters, drains and receivers for dry, clean compressed air.



Aftercoolers

Engineered to order

Air leaves the compressor hot and carrying most of its moisture as vapour. An aftercooler with moisture separator cools it immediately after the compressor so the bulk of that water condenses and drains out before the receiver and dryer.

Engineered to order. Send: Compressor capacity (CFM) and working pressure; Compressor discharge temperature; Air-cooled or water-cooled preference, and cooling water availability; Plant ambient temperature; Pipe connection size.

View specifications: winequipments.com/products/industrial-aftercoolers.html



Moisture Separators

Engineered to order

Cooling compressed air turns most of its water vapour into liquid. A moisture separator takes that liquid out of the air stream so it does not reach the receiver, dryer, filters or your machines. We make moisture separators at our works in Arasur, Coimbatore, on their own or as part of an aftercooler.

Engineered to order. Send: Compressor capacity (CFM) and working pressure; Air temperature at the separator inlet; Pipe connection size; Automatic drain type required (see our drain valves); Whether it is supplied on its own or with an aftercooler.

View specifications: winequipments.com/products/moisture-separators.html

Process Cooling · 1

Chillers that hold process water at a set temperature.



Industrial Process Chillers

WCP Series

WCP chillers keep process water at a prescribed set temperature using refrigeration. Each unit includes a tank, circulating pump and air- or water-cooled condenser. Tank material depends on the model and order specification; see the model table.

Capacity

0.5 to 20 TR

Inlet water pressure

2 to 4 bar g

Temperature difference

5 °C

Inlet water temperature

5 to 30 °C

[View specifications: winequipments.com/products/industrial-process-chillers.html](http://winequipments.com/products/industrial-process-chillers.html)



Medical Scan Chillers

Engineered to order

Imaging systems such as MRI and CT scanners reject heat into a closed water circuit that must be held at the temperature the equipment maker specifies. Win Equipments builds chillers for these duties to order, sized from your scanner's cooling requirement.

Engineered to order. Send: Scanner make and model, and the OEM's cooling specification; Heat load (kW) and required supply water temperature; Water flow rate and allowable pressure drop; Available power supply and installation space; Whether a standby or backup arrangement is required.

[View specifications: winequipments.com/products/medical-scan-chillers.html](http://winequipments.com/products/medical-scan-chillers.html)



Anodizing Chillers

Engineered to order

Anodizing and electroplating baths heat up as current passes through the electrolyte, and the bath must be held within its process temperature window. Win Equipments builds bath chillers to order, with wetted materials chosen for your chemistry.

Engineered to order. Send: Process type (anodizing, hard anodizing, electroplating) and bath chemistry; Bath volume and required bath temperature; Rectifier rating (A and V) or measured heat load; Cooling method: immersion coil or external heat exchanger; Available power supply and plant ambient temperature.

[View specifications: winequipments.com/products/anodizing-chillers.html](http://winequipments.com/products/anodizing-chillers.html)

Process Cooling · 2

Chillers that hold process water at a set temperature.



Acid Cooling Chillers

Engineered to order

Cooling acids and other corrosive fluids needs heat exchangers and pumps in materials that the fluid will not attack. Win Equipments builds these chillers to order, choosing materials from the fluid, its concentration and its temperature.

Engineered to order. Send: Process fluid, concentration and operating temperature; Heat load (kW) or flow rate with inlet and outlet temperatures; Direct fluid cooling or an intermediate water loop; Plant ambient temperature and available power supply; Site constraints such as fumes, enclosure or indoor/outdoor location.

View specifications: winequipments.com/products/acid-cooling-chillers.html



Ice Flake Machines

Engineered to order

Flake ice cools product quickly and evenly in food processing, fisheries, poultry and concrete. Win Equipments builds ice flake machines to order, sized from your daily ice requirement and site conditions.

Engineered to order. Send: Ice required per day (kg or tonnes); Application (fish, poultry, dairy, concrete, chemical); Feed water quality and temperature; Ice storage requirement; Available power supply and plant ambient temperature.

View specifications: winequipments.com/products/ice-flake-machines.html



Shell & Tube Heat Exchangers

Engineered to order

A shell and tube heat exchanger transfers heat between two fluids without mixing them: one flows through a bundle of tubes, the other around the tubes inside the shell. Win Equipments builds them to order, sized from your fluids, flows and temperatures.

Engineered to order. Send: Both fluids and their properties (water, oil, process fluid); Flow rate on each side; Inlet and required outlet temperatures on each side; Design pressure and temperature; Preferred shell and tube materials; Allowable pressure drop and connection sizes.

View specifications: winequipments.com/products/shell-and-tube-heat-exchangers.html

Process Cooling · 3

Chillers that hold process water at a set temperature.



Milk & Coconut Water Chillers

Engineered to order

Milk, coconut water and other liquid foods need to be cooled quickly after collection or processing and then held cold. Win Equipments builds chillers for these duties to order, sized from your product, volume and temperatures.

Engineered to order. Send: Product to be cooled and volume per batch or per day; Product temperature in and required temperature out; Time allowed to reach the temperature; Direct product cooling or chilled water for your existing exchanger; Hygiene and contact-material requirements; Available power supply and installation space.

[View specifications: winequipments.com/products/milk-chillers.html](http://winequipments.com/products/milk-chillers.html)



Soda Chillers

Engineered to order

Carbon dioxide dissolves better in cold water, so carbonated drinks are made and dispensed cold. Win Equipments builds soda chillers to order for beverage and soda plants, sized from your output and temperatures.

Engineered to order. Send: Output required (litres per hour); Inlet water temperature and required outlet temperature; Whether the chiller feeds a carbonator, filler or dispenser; Available power supply; Installation space and ambient temperature.

[View specifications: winequipments.com/products/soda-chillers.html](http://winequipments.com/products/soda-chillers.html)

Process Cooling · 4

Chillers that hold process water at a set temperature.



Condensing Units

Engineered to order

A condensing unit is the compressor half of a refrigeration system: the refrigeration compressor, condenser and controls on one base, piped to an evaporator in a cold room, process cooler or air handler. Win Equipments assembles condensing units to order.

Engineered to order. Send: Refrigeration capacity (kW or TR) and evaporating temperature; What the evaporator cools: cold room, process or air handler; Refrigerant preference; Site ambient temperature; Available power supply; Distance between the condensing unit and the evaporator.

[View specifications: winequipments.com/products/condensing-units.html](http://winequipments.com/products/condensing-units.html)



Air-Cooled Chillers

Engineered to order

An air-cooled chiller rejects its heat to the surrounding air through finned condenser coils and fans, so it needs no cooling tower, condenser water pump or water treatment. We build packaged air-cooled water chillers from 0.5 to 15 TR with a built-in tank and pump, and larger units to order.

Packaged range

0.5 to 15 TR

2 TR unit

6,200 kcal/hr

1 TR unit

3,000 kcal/hr

Chilled water

5 to 15 °C

Engineered to order. Send: Cooling load (TR or kcal/hr) or the machine to be cooled; Chilled water temperature required; Water flow rate, if known; Highest ambient temperature at site; Power supply: single or three phase; Indoor or outdoor installation.

[View specifications: winequipments.com/products/air-cooled-chillers.html](http://winequipments.com/products/air-cooled-chillers.html)

Cooling Towers · 1

FRP and coil towers that reject process heat to atmosphere.



Round FRP Cooling Towers

WCT RL Series

A cooling tower rejects waste heat from your process to the atmosphere by evaporation. WCT round towers spray hot water over honeycomb PVC fills while an axial fan draws air through, returning water to your equipment at wet bulb + 4 °C.

Capacity

10 to 300 TR

Inlet water temperature

40 to 100 °C

Outlet water

Wet bulb + 4 °C

Inlet water pressure

2 to 3 bar g

View specifications: winequipments.com/products/round-cooling-towers.html



Square FRP Cooling Towers

WCT SL Series

Square WCT towers use the same evaporative principle as round towers in a square footprint that packs neatly against walls and in rows. Water is distributed by spray nozzles over PVC fills, with PVC drift eliminators to cut carry-over loss.

Capacity

10 to 300 TR

Inlet water temperature

40 to 100 °C

Outlet water

Wet bulb + 4 °C

Inlet water pressure

2 to 3 bar g

View specifications: winequipments.com/products/square-cooling-towers.html



Coil Cooling Towers

WCC Series

A coil cooling tower cools process hot water inside a sealed finned-coil heat exchanger, so the water never touches the air. WCC units are built for diesel genset jacket water and other closed loops, cooling water to ambient + 4 °C.

Capacity

40 to 280 TR

Inlet water temperature

75 to 90 °C

Diesel genset duty

150 to 2000 kVA

Outlet water

Ambient + 4 °C

View specifications: winequipments.com/products/closed-circuit-cooling-towers.html

Cooling Towers · 2

FRP and coil towers that reject process heat to atmosphere.



Spares & Consumables

Spares

Win Equipments supplies spares for cooling towers, chillers, refrigerated dryers and compressed air filters. Send the part name, the equipment model or a photo, and we will confirm the replacement.

Engineered to order. Send: Part name, or a photo of the part and its nameplate; Equipment type and model; Quantity required; Delivery location.

[View specifications: winequipments.com/products/spare-parts-consumables.html](http://winequipments.com/products/spare-parts-consumables.html)



Cooling Tower Fills

Spares

Fills are where a cooling tower does its work: hot water spreads over thin PVC sheets so air can take the heat away. When fills clog with scale or break down, the tower stops reaching its design temperature. We supply replacement PVC fills, drift eliminators, spray nozzles, PP rings and fan blades for FRP towers.

Fill pack size
600 × 300 × 150 mm

Sheet thickness
0.2 to 0.25 mm

Flute height
12 to 19 mm

Material
PVC, black or blue

Engineered to order. Send: Tower make, model and capacity (TR); Round or square tower; Fill size and type now fitted, or a photo; Quantity of fill packs or tower cell size; Hot water temperature.

[View specifications: winequipments.com/products/cooling-tower-fills.html](http://winequipments.com/products/cooling-tower-fills.html)



Fanless Cooling Towers

Engineered to order

A fanless cooling tower moves air by natural draft instead of a fan, so there is no fan motor to run, service or replace. We build fanless towers to order for hot water at 75 to 90 °C from diesel generators, foundries, induction furnaces, air compressors and refrigeration systems.

Draft
Natural, no fan

Hot water temperature
75 to 90 °C

Engineered to order. Send: Heat load or water flow and temperatures (in and out); Source of hot water: genset, furnace, compressor or other; Site wet bulb temperature, if known; Space available and whether the tower sits on the ground or a roof; Water quality.

[View specifications: winequipments.com/products/fanless-cooling-towers.html](http://winequipments.com/products/fanless-cooling-towers.html)

Applications & project enquiries

Select equipment around the plant duty, the required air quality and the operating conditions.

Plastics & injection moulding	Injection moulding machines, moulds and hydraulic oil need a steady cooling-water temperature, and PET blowing and plastic machinery need cooling towers sized to the process heat. Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers
Textile, spinning & knitting mills	Spinning, knitting and hosiery mills run pneumatic machines that need dry compressed air, and process water that is cooled by towers. Refrigerated Air Dryers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers
Automotive & CNC machine shops	Automotive plants and CNC machine shops depend on dry, clean compressed air for tools and automation, and on chilled water for machines and hydraulics. Refrigerated Air Dryers · Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers
Food, dairy & beverage	Food processing, dairies, soft-drink plants and breweries use chilled water, flake ice and cooling towers, and dry compressed air for packaging and process lines. Refrigerated Air Dryers · Industrial Process Chillers · Ice Flake Machines · Round FRP Cooling Towers · Coil Cooling Towers · Milk & Coconut Water Chillers · Soda Chillers
Pharma & chemical	Chemical and pharmaceutical plants need process cooling that suits the fluid, closed-loop cooling that keeps water clean, and dry compressed air. Refrigerated Air Dryers · Acid Cooling Chillers · Coil Cooling Towers · Round FRP Cooling Towers
Hospitals & healthcare	Hospitals need cooling for imaging equipment and for building and generator loads. Medical Scan Chillers · Coil Cooling Towers · Round FRP Cooling Towers
Diesel gensets & power	Diesel generator sets reject engine jacket heat that must be cooled continuously. Coil cooling towers keep the jacket water sealed; FRP towers suit open circuits. Coil Cooling Towers · Round FRP Cooling Towers · Square FRP Cooling Towers
Cement, paper & sugar	Cement plants, paper mills and sugar factories run large compressed air systems and process cooling loops. Refrigerated Air Dryers · Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers

Confirm your selection

Send the model, required capacity, operating temperatures, pressure and site conditions. For a model-specific datasheet or GA drawing, include your installation requirement.

Win Equipments

SF No. 4/195 B, Kallangadu, Nadu Arasur, Arasur Post,
Coimbatore 641 407, Tamil Nadu, India
+91 95972 28969 · +91 95972 28975
info@winequipments.com
winequipments.com

Catalogue values are for product selection. Confirm duty, materials, connections and final dimensions with Win Equipments before ordering. Layout edition 2026-10.