



Compressed air treatment · Process cooling · Heat rejection

Air dryers, chillers and cooling towers

Win Equipments designs, builds and commissions compressed air treatment equipment, process chillers and cooling towers at its works in Arasur, Coimbatore. Fifteen product lines in three families.

Established
2008

Installations
1,200+

Product lines
15

Quality system
ISO 9001:2015

Win Equipments

SF No. 4/195 B, Kallangadu, Nadu Arasur, Arasur Post, Coimbatore 641
407, Tamil Nadu, India
+91 95972 28969 · +91 95972 28975 · info@winequipments.com



Full model range,
photos and
sizing tools



Manufacturer, supplier and project partner since 2008

Win Equipments was established in 2008 by Mr. Ramasamy Ananthakumar as a manufacturer of compressed air and water cooling systems. We make the equipment, and we also take on project consultancy: designing, planning and commissioning the system around it.

Our equipment is fabricated and assembled at our works in Arasur, Coimbatore. After commissioning we support each installation with service and spares.



2008

Established in Coimbatore

1,200+

Installations across industry

15

Product lines

ISO 9001

2015 certified quality system

From enquiry to commissioning

- 1

Share your requirement
Compressor CFM, heat load in TR or water flow, temperatures and site conditions. A drawing or nameplate photo helps.
- 2

We size the equipment
Our engineers select the model from catalogue ratings and correction factors, or engineer a special unit.
- 3

Built at Arasur
Fabricated and assembled at our works in Arasur, Coimbatore.
- 4

Tested before dispatch
Chillers are factory tested before delivery; air receivers are hydrostatically tested.
- 5

Commissioned and supported
We plan and commission the system, then provide after-sales service and spares.

Contents

Refrigerated Air Dryers	10–2000 CFM	Anodizing Chillers	Engineered to order
Heatless Desiccant Air Dryers	300–2000 CFM	Acid Cooling Chillers	Engineered to order
Compressed Air Filters	40–1700 CFM	Ice Flake Machines	Engineered to order
Automatic Drain Valves	Up to 1000 CFM	Round FRP Cooling Towers	10–300 TR
Air Receiver Tanks	250–10,000 L	Square FRP Cooling Towers	10–300 TR
Aftercoolers	Engineered to order	Coil Cooling Towers	40–280 TR
Industrial Process Chillers	0.5–20 TR	Spares & Consumables	Spares
Medical Scan Chillers	Engineered to order		

Compressed Air Treatment

Dry, clean compressed air protects machines, valves and finished product. We make every stage of the treatment line, from the aftercooler at the compressor to the dry air receiver at the plant header.



WRD Series

Refrigerated Compressed Air Dryers

Compressed air leaves the compressor saturated with water. WRD dryers chill it to a +3°C pressure dew point so the moisture condenses and drains out before it reaches your machines, valves and finished product.

Capacity	Pressure dew point	Inlet air pressure	Inlet air temperature
10 to 2000 CFM	+3 °C	3 to 16 bar g	10 to 60 °C

Standard models: WRD 20 S · WRD 40 S · WRD 50 S · WRD 60 S · WRD 80 S · WRD 100 S · WRD 150 S · WRD 200 S · WRD 250 S · WRD 300 T · WRD 400 T · WRD 500 T · WRD 600 T · WRD 750 T · WRD 1000 T · WRD 1500 T · WRD 2000 T

Full specifications: winequipments.com/products/refrigerated-air-dryers.html · datasheet refrigerated-air-dryers.pdf



WHD Series

Heatless Desiccant Air Dryers

Where a +3 °C dew point is not dry enough, WHD heatless dryers pass compressed air through a bed of activated alumina or molecular sieve. One tower dries while the other regenerates with a small flow of purge air, switching every few minutes.

Capacity	Pressure dew point	Working pressure	Inlet temperature
300 to 2000 CFM	-20 °C (alumina) · -40 °C (molecular sieve)	7 to 12.5 bar g	45 °C

Standard models: WHD 030 · WHD 040 · WHD 050 · WHD 060 · WHD 075 · WHD 100 · WHD 125 · WHD 150 · WHD 200

Full specifications: winequipments.com/products/desiccant-air-dryers.html · datasheet desiccant-air-dryers.pdf



WMF Series

Compressed Air Filters

WMF high-efficiency coalescing filters remove oil, dirt, odour and water from compressed air, protecting everything installed downstream. Colour-coded elements in four grades build up air quality to ISO 8573-1.

Capacity	Grades	Finest filtration	Max. operating pressure
40 to 1700 CFM	GP · ZP · ZO · ZC	0.01 micron, 0.005 mg/m³ oil	30 bar g

Standard models: WMF 004 · WMF 007 · WMF 010 · WMF 018 · WMF 030 · WMF 047 · WMF 070 · WMF 094 · WMF 150 · WMF 175 · WMF 240

Full specifications: winequipments.com/products/compressed-air-filters.html · datasheet compressed-air-filters.pdf



WDV Series

Automatic Condensate Drain Valves

Even a small compressed air system produces large quantities of condensate laced with oil. WDV automatic drain valves discharge it from receivers, filters, dryers and pipelines without shutting the system down and without wasting compressed air.

Types	System capacity	Working pressure	Condensate temperature
Electronic timer · micro-controller · no air loss · float	Up to 1000 CFM	Up to 16 kgf/cm² (40 and 70 optional)	Up to 90 °C
Standard models: WDV M12 · WDV H12 · WDV L40 · WDV H40 · WDV B16 · WDV E16 · WDV ZA16 · WDV F16			
Full specifications: winequipments.com/products/automatic-drain-valves.html · datasheet automatic-drain-valves.pdf			



WRV Series

Compressed Air Receiver Tanks

An air receiver stores compressed air, steadies pressure for the plant and gives condensate somewhere to settle before it travels down the line. Every WRV vessel is designed to requirement and hydrostatically tested, with ASME VIII fabrication available on request.

Standard models	Working pressure	Designed to requirement	Inlet air temperature
250 to 10,000 litres	7 · 10 · 12.5 barg	0.5 to 40 m³, 6 to 30 barg	Up to 100 °C
Standard models: WRV 025 · WRV 050 · WRV 100 · WRV 150 · WRV 200 · WRV 300 · WRV 500 · WRV 1000			
Full specifications: winequipments.com/products/air-receiver-tanks.html · datasheet air-receiver-tanks.pdf			



Engineered to order

Compressed Air Aftercoolers with Moisture Separator

Air leaves the compressor hot and carrying most of its moisture as vapour. An aftercooler with moisture separator cools it immediately after the compressor so the bulk of that water condenses and drains out before the receiver and dryer.

Engineered to order. To quote we need:

- 1 Compressor capacity (CFM) and working pressure
- 2 Compressor discharge temperature
- 3 Air-cooled or water-cooled preference, and cooling water availability
- 4 Plant ambient temperature
- 5 Pipe connection size

Full specifications: winequipments.com/products/industrial-aftercoolers.html

Process Cooling

Process chillers hold water at a set temperature so moulds, presses, baths and machines run at a steady temperature. Standard WCP chillers cover 0.5 to 20 TR; special duties are engineered to order.



WCP Series

Industrial Process Water Chillers

WCP chillers keep process water at a prescribed set temperature using refrigeration. Each unit is self-contained, with a closed stainless steel tank, high-pressure pump and air- or water-cooled condenser, and is factory tested before delivery.

Capacity	Temperature difference	Inlet water pressure	Inlet water temperature
0.5 to 20 TR	5 °C	2 to 4 bar g	5 to 30 °C

Standard models: WCP 005 · WCP 007 · WCP 010 · WCP 020 · WCP 030 · WCP 050 · WCP 075 · WCP 100 · WCP 150 · WCP 200

Full specifications: winequipments.com/products/industrial-process-chillers.html · [datasheet industrial-process-chillers.pdf](#)



Engineered to order

Medical Scan Chillers for MRI and CT

Imaging systems such as MRI and CT scanners reject heat into a closed water circuit that must be held at the temperature the equipment maker specifies. Win Equipments builds chillers for these duties to order, sized from your scanner's cooling requirement.

Engineered to order. To quote we need:

- 1 Scanner make and model, and the OEM's cooling specification
- 2 Heat load (kW) and required supply water temperature
- 3 Water flow rate and allowable pressure drop
- 4 Available power supply and installation space
- 5 Whether a standby or backup arrangement is required

Full specifications: winequipments.com/products/medical-scan-chillers.html



Engineered to order

Anodizing & Electroplating Chillers

Anodizing and electroplating baths heat up as current passes through the electrolyte, and the bath must be held within its process temperature window. Win Equipments builds bath chillers to order, with wetted materials chosen for your chemistry.

Engineered to order. To quote we need:

- 1 Process type (anodizing, hard anodizing, electroplating) and bath chemistry
- 2 Bath volume and required bath temperature
- 3 Rectifier rating (A and V) or measured heat load
- 4 Cooling method: immersion coil or external heat exchanger
- 5 Available power supply and plant ambient temperature

Full specifications: winequipments.com/products/anodizing-chillers.html



Engineered to order

Acid Cooling Chillers

Cooling acids and other corrosive fluids needs heat exchangers and pumps in materials that the fluid will not attack. Win Equipments builds these chillers to order, choosing materials from the fluid, its concentration and its temperature.

Engineered to order. To quote we need:

- 1 Process fluid, concentration and operating temperature
- 2 Heat load (kW) or flow rate with inlet and outlet temperatures
- 3 Direct fluid cooling or an intermediate water loop
- 4 Plant ambient temperature and available power supply
- 5 Site constraints such as fumes, enclosure or indoor/outdoor location

Full specifications: winequipments.com/products/acid-cooling-chillers.html



Engineered to order

Industrial Ice Flake Machines

Flake ice cools product quickly and evenly in food processing, fisheries, poultry and concrete. Win Equipments builds ice flake machines to order, sized from your daily ice requirement and site conditions.

Engineered to order. To quote we need:

- 1 Ice required per day (kg or tonnes)
- 2 Application (fish, poultry, dairy, concrete, chemical)
- 3 Feed water quality and temperature
- 4 Ice storage requirement
- 5 Available power supply and plant ambient temperature

Full specifications: winequipments.com/products/ice-flake-machines.html

Cooling Towers

Cooling towers reject process heat to the atmosphere. FRP towers cool water by evaporation to wet bulb + 4 °C; coil towers keep water sealed in a finned coil and cool it to ambient + 4 °C.



WCT RL Series

Round FRP Cooling Towers

A cooling tower rejects waste heat from your process to the atmosphere by evaporation. WCT round towers spray hot water over honeycomb PVC fills while an axial fan draws air through, returning water to your equipment at wet bulb + 4 °C.

Capacity	Outlet water	Inlet water temperature	Inlet water pressure
10 to 300 TR	Wet bulb + 4 °C	40 to 100 °C	2 to 3 barg

Standard models: WCT 010 RL · WCT 020 RL · WCT 030 RL · WCT 040 RL · WCT 050 RL · WCT 060 RL · WCT 080 RL · WCT 100 RL · WCT 125 RL · WCT 150 RL · WCT 200 RL · WCT 300 RL

Full specifications: winequipments.com/products/round-cooling-towers.html · [datasheet frp-cooling-towers.pdf](#)



WCT SL Series

Square FRP Cooling Towers

Square WCT towers use the same evaporative principle as round towers in a square footprint that packs neatly against walls and in rows. Water is distributed by spray nozzles over PVC fills, with PVC drift eliminators to cut carry-over loss.

Capacity	Outlet water	Inlet water temperature	Inlet water pressure
10 to 300 TR	Wet bulb + 4 °C	40 to 100 °C	2 to 3 barg

Standard models: WCT 010 SL · WCT 020 SL · WCT 030 SL · WCT 040 SL · WCT 060 SL · WCT 100 SL · WCT 150 SL · WCT 200 SL · WCT 250 SL · WCT 300 SL

Full specifications: winequipments.com/products/square-cooling-towers.html · [datasheet frp-cooling-towers.pdf](#)



WCC Series

Coil Cooling Towers (Dry Coolers)

A coil cooling tower cools process hot water inside a sealed finned-coil heat exchanger, so the water never touches the air. WCC units are built for diesel genset jacket water and other closed loops, cooling water to ambient + 4 °C.

Capacity	Diesel genset duty	Inlet water temperature	Outlet water
40 to 280 TR	150 to 2000 kVA	75 to 90 °C	Ambient + 4 °C

Standard models: WCC 40 · WCC 60 · WCC 80 · WCC 100 · WCC 120 · WCC 140 · WCC 160 · WCC 180 · WCC 200 · WCC 220 · WCC 240 · WCC 280

Full specifications: winequipments.com/products/closed-circuit-cooling-towers.html · [datasheet closed-circuit-cooling-towers.pdf](#)



Spares

Spares for Cooling Towers, Chillers and Air Dryers

Win Equipments supplies spares for cooling towers, chillers, refrigerated dryers and compressed air filters. Send the part name, the equipment model or a photo, and we will confirm the replacement.

Engineered to order. To quote we need:

- 1 Part name, or a photo of the part and its nameplate
- 2 Equipment type and model
- 3 Quantity required
- 4 Delivery location

Full specifications: winequipments.com/products/spare-parts-consumables.html

Where our equipment runs

Plastics & injection moulding	Injection moulding machines, moulds and hydraulic oil need a steady cooling-water temperature, and PET blowing and plastic machinery need cooling towers sized to the process heat. Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers
Textile, spinning & knitting mills	Spinning, knitting and hosiery mills run pneumatic machines that need dry compressed air, and process water that is cooled by towers. Refrigerated Air Dryers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers
Automotive & CNC machine shops	Automotive plants and CNC machine shops depend on dry, clean compressed air for tools and automation, and on chilled water for machines and hydraulics. Refrigerated Air Dryers · Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers
Food, dairy & beverage	Food processing, dairies, soft-drink plants and breweries use chilled water, flake ice and cooling towers, and dry compressed air for packaging and process lines. Refrigerated Air Dryers · Industrial Process Chillers · Ice Flake Machines · Round FRP Cooling Towers · Coil Cooling Towers
Pharma & chemical	Chemical and pharmaceutical plants need process cooling that suits the fluid, closed-loop cooling that keeps water clean, and dry compressed air. Refrigerated Air Dryers · Acid Cooling Chillers · Coil Cooling Towers · Round FRP Cooling Towers
Hospitals & healthcare	Hospitals need cooling for imaging equipment and for building and generator loads. Medical Scan Chillers · Coil Cooling Towers · Round FRP Cooling Towers
Diesel gensets & power	Diesel generator sets reject engine jacket heat that must be cooled continuously. Coil cooling towers keep the jacket water sealed; FRP towers suit open circuits. Coil Cooling Towers · Round FRP Cooling Towers · Square FRP Cooling Towers
Cement, paper & sugar	Cement plants, paper mills and sugar factories run large compressed air systems and process cooling loops. Refrigerated Air Dryers · Industrial Process Chillers · Round FRP Cooling Towers · Square FRP Cooling Towers · Coil Cooling Towers

Talk to an engineer

Send your compressor capacity, heat load or water flow, operating pressure, temperatures and site conditions. We reply with a recommended model and quotation.

Win Equipments

SF No. 4/195 B, Kallangadu, Nadu Arasur
Arasur Post, Coimbatore 641 407
Tamil Nadu, India

+91 95972 28969 · +91 95972 28975

WhatsApp +91 95972 28969

info@winequipments.com ·

winequipments.com



ISO 9001:2015 certified. Specifications are as per our catalogue and are subject to change without notice; confirm the selection with our engineers before ordering. Issued October 2026.