


React JS

Theme



Create New Project

```
D:\code\react_code>create-react-app myreact_theme

Creating a new React app in D:\code\react_code\myreact_theme.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...


[_______] / idealTree:express: timing idealTree:node_modules/express Completed in 79ms
```





Theme URL


https://templates.webtoolhub.com/tpl-a1634-stampa-like.aspx








Theme Files















Copy Css and Image in Public









Head Tag


Copy Template Head Tag Code in React Index.html Flle

```
C:\Users\akash\Desktop\stampa-like\index.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window
index.html 🔀
     http://www.freecsstemplates.org
     Released for free under a Creative Commons Attribution 2.5 License
  6
                 : StampALike
     Name
     Description: A two-column, fixed-width design with dark color scheme.
    Version : 1.0
    Released : 20120528
 10
 11
 12.
 13 =<html xmlns="http://www.w3.org/1999/xhtml">
 14 d<head>
     <meta name="keywords" content="" />
     <meta name="description" content="" />
 16
 17
     <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 18
     <title>Stampalike by FCT</title>
 19
     link href="http://fonts.googleapis.com/css?family=Arvo" rel="stylesheet" type="t
     <link href="http://fonts.googleapis.com/css?family=Coda:400,800" rel="stylesheet"</pre>
 2.0
     <link href="style.css" rel="stylesheet" type="text/css" media="screen" />
     </head>
 23 |<body>
```






Copy Reference of CSS & JS in index.html


















Copy Body Tag HTML Code

Copy Code Between <body></body>

```
<u>File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?</u>
index.html
     <meta name="description" content="" />
     <meta http-equiv="content-type" content="text/html; charset=utf-8" />
     <title>Stampalike by FCT</title>
     | | <link href="http://fonts.googleapis.com/css?family=Arvo" rel="stylesheet" type="text/css" />
    k href="http://fonts.googleapis.com/css?family=Coda:400,800" rel="stylesheet" type="text/css" />
 21 k href="style.css" rel="stylesheet" type="text/css" media="screen" />
 22 -</head>
 23 =<body>
 24 = <div id="menu-wrapper">
       <div id="menu">
 26
             <a href="#">Homepage</a>
              <a href="#">Blog</a>
              <a href="#">Photos</a>
              <a href="#">About</a>
             <1i><a href="#">Links</a>
               <a href="#">Contact</a>
            </div>
        <!-- end #menu -->
 36
     </div>
 37 = <div id="header-wrapper">
          <div id="logo">
 40
              <h1><a href="#">StampALike</a></h1>
                Template design by <a href="http://www.freecsstemplates.org">FCT</a>
 42
            </div>
 43
       </div>
 44 -</div>
 45 = <div id="wrapper">
       <!-- end #header -->
 47
        <div id="page-bgtop"></div>
 48
        <div id="page">
 49
           <div><img src="images/pics01.jpg" width="920" height="300" alt="" /></div>
           <div id="content">
             <div class="post">
                 <h2 class="title"><a href="#">Welcome to StampALike </a></h2>
                   <span class="date">June 04, 2012</span>

class="posted">Posted by <a href="#">Someone</a>
 54
                   <div style="clear: both;">&nbsp;</div>
```





Paste Code between React Fragment

```
Js App.js
           X
src > Js App.js > ...
        import React from 'react'
       function App() {
   3
          return (
   4
           <React.Fragment>
   5
   6
           </React.Fragment>
   8
          );
   9
  10
        export default App;
```





Errors 🕾

```
Js App.js 9+ X
src > Js App.js > ♦ App
      import React from 'react'
      function App() {
       return (
        <React.Fragment>
  5
      <div id="menu-wrapper">
        <div id="menu">
         <u1>
           <a href="#">Homepage</a>
           <a href="#">Blog</a>
 10
 11
           <a href="#">Photos</a>
 12
           <a href="#">About</a>
           <a href="#">Links</a>
 13
           <a href="#">Contact</a>
 14
 15
        </div>
 17
       <!-- end #menu -->
 18
      </div>
      <div id="header-wrapper">
PROBLEMS 13
          OUTPUT DEBUG CONSOLE
                            TERMINAL
                                    COMMENTS
webpack compiled with 2 errors
```





Resolve below Points

- Remove <u>HTML Comments</u>
- Remove Inline Css Code
 - Style="
- Change <u>Class</u> With <u>className</u>
- Remove <u>Value</u> Attribute form Input






Remove HTML Comments

```
React App
 → C ↑ (i) localhost:3000
 Compiled with problems:
 ERROR in ./src/App.js
 Module build failed (from ./node_modules/babel-loader/lib/index.js):
 SyntaxError: D:\code\react_code\myreact_theme\src\App.js: Unexpected token (17:2)
   15
                 </div>
   16
        <!-- end #menu -->
 > 17
       </div>
   18
        <div id="header-wrapper">
         <div id="header">
   20
     at instantiate (D:\code\react code\myreact theme\node modules\@babel\parser\lib\index.js
```





Remove Inline Style







Replace Class with ClassName

```
Elements
                     Console
                                         Network
                                                    Performance
                                                                  Memory >>>
                                Sources
    ⊘ top ▼ ⊘ Filter
                                                                                 Default
Warning: Invalid DOM property `class`. Did you mean `className`?
                                                                                   reac
      at li
      at ul
      at div
      at div
      at App


■ Warning: You provided a `value` prop to a form field without an `onChange`

                                                                                  reac
  handler. This will render a read-only field. If the field should be mutable use `def
  set either `onChange` or `readOnly`.
      at input
      at div
      at form
      at div
      at li
      at ul
      at div
```






Remove Value from Input








Finally No Errors ©













Akash Technolabs


Output ©







Next Phase




Common Layout

- Create 2 Components
- Header
- Footer








Akash Technolabs

www.akashsir.com







Identify Common Header and Cut Code

```
Js App.js 9+ X
EXPLORER
                        src > Js App.js > 🕥 App
MYREACT THEME
                              import React from 'react'
> node_modules
                              function App() {
> public
                                return (
∨ ksrc
                               <React.Fragment>
   ∃ App.css
                              <div id="menu-wrapper">
   Js App.js
                                  <div-id="menu">
   ▲ App.test.js
   Js Footer.js
                                         <a href="#">Homepage</a>
                                         <a href="#">Blog</a>
   Js Header.js
                                         <a href="#">Photos</a>
   index.css
                                         <a href="#">About</a>
   Js index.js
                                         <a href="#">Links</a>
                                         <a href="#">Contact</a>
   * logo.svg
   Js reportWebVitals.js
   Js setupTests.js
  • .gitignore
                              <div id="header-wrapper">
                                  <div id="header">
  package-lock.json
                                     <div-id="logo">
  package.json
                                         <h1><a href="#">StampALike</a></h1>
  README.md
                                         Template design by <a href="http://www.freecsstemplates.org">FCT</a>
                         25
                              <div id="wrapper">
                                  <div id="page-bgtop"></div>
OUTLINE
                                  <div id="page">
TIMELINE
                                     <div><img src="images/pics01.jpg" width="920" height="300" alt="" /></div>
```





Paste Header Component Code

```
Header.js - myreact_theme - Visual Studio Code
                                 Js Header.js 7 X
       EXPLORER
                                  src > Js Header.js > 🕥 Header
     ∨ MYREACT THEME
                                        import React from 'react';
       > node_modules
                                        function Header() {
       > a public
وړ
       ∨ ksrc
          ∃ App.css
                                                  <div id="menu-wrapper">
           Js App.js
                                                     <div id="menu">
          App.test.js
                                                            <a href="#">Homepage</a>
          Js Footer.js
                                                            <a href="#">Blog</a>
B
                                                            <a href="#">Photos</a>
          Js Header.js
                                                            <a href="#">About</a>
           index.css
                                                            <a href="#">Links</a>
<a href="#">Contact</a>
          Js index.js
           * logo.svg
Js reportWebVitals.js
                                                  <div id="header-wrapper">
          setupTests.js
                                                     <div id="header">
                                                         <div id="logo">
         • .gitignore
                                                            <h1><a href="#">StampALike</a></h1>
         package-lock.json
                                                            Template design by <a href="http://www.freecsstemplates.org">FCT</a>
         package.json

    README.md

                                  28
                                       export default Header;
```





Import Header for ReUse

```
Js App.js 9+ X
EXPLORER
                          src > Js App.js > 🕥 App
MYREACT_THEME
                                 import React from 'react'
> node modules
                                 import Header from './Header';
> public
                                 function App() {
✓ 🐼 src
                                   return (
   ∃ App.css
                                    <React.Fragment>
                            6
   Js App.js
                                 <Header/>
   App.test.js
   Js Footer.js
                                 <div id="wrapper">
                                     <div id="page-bgtop"></div>
   Js Header.js
                                     <div id="page">
   index.css
                                         <div><img src="images/pics01.jpg" width="920" height="300" alt="" /></div>
   Js index.js
                                         <div id="content">
                                             <div className="post">
   * logo.svg
                                                 <h2 className="title"><a href="#">Welcome to StampALike </a></h2>
   Js reportWebVitals.js
                                                 <span className="date">June 04, 2012</span><span className="post</pre>
   Js setupTests.js
                                                 by <a href="#">Someone</a></span>
  • .gitignore
                                                 <div >&nbsp;</div>
                                                 <div className="entry">
  package-lock.json
                                                     This is <strong>StampALike </strong>, a free, fully standards-compliant CSS t
  package.json
                                                     designed by <a href="http://www.freecsstemplates.org">FCT</a>. The photo used
  README.md
                                                     template is from <a href="http://fotogrph.com/">Fotogrph</a>. This free templat
                                                     released under a <a href="http://creativecommons.org/licenses/by/3/">Creative Co
                                                     Attributions 3.0</a> license, so you re pretty much free to do whatever you want
                                                     (even use it commercially) provided you keep the links in the footer intact. Asi
                                                     that, have fun with it :)
                                                     Sed lacus. Donec lectus. Nullam pretium nibh ut turpis. Nam bibendum. In null
OUTLINE
                                                     elementum ipsum. Proin imperdiet est. Phasellus dapibus semper urna. Pellentesqu
TIMELINE
                                                     orci in felis. Donec ut ante. In id eros. Suspendisse lacus turpis, cursus egest
```





Identify Footer and Cut Code

```
Js App.js 9+ X
  EXPLORER
                            src > Js App.js > 分 App
∨ MYREACT_THEME
                                                          <a href="#">Proin gravida orci porttitor</a>
 > node modules
                                                      > lo public

✓ ks src

                                          </div>
     ∃ App.css
                                          <div >&nbsp;</div>
     Js App.js
                                      </div>
     App.test.js
                                      <div id="page-bgbtm"></div>
                             80 </div>
     Js Footer.js
                                  <div id="footer">
     Js Header.js
                                      2012. Sitename.com. All rights reserved. Design by <a href="http://www.freecsstemplates.org/">FCT</a>.
     index.css
                                      Photos by <a href="http://fotogrph.com/">fotogrph</a>.
     Js index.js
                                     </React.Fragment>
     * logo.svg
                                    );
     Js reportWebVitals.js
     Js setupTests.js
                                  export default App;
    • .gitignore
    package-lock.json
    package.json

    README.md
```





Footer Code

```
...
Js Footer.js X
src > Js Footer.js > 分 Footer
        import React from 'react';
        function Footer() {
            return (
                 <React.Fragment>
                     <div id="footer">
                         >2012. Sitename.com. All rights reserved. Design by <a href="http://www.freecsstemplates.org/">http://www.freecsstemplates.org/</a>
                         ">FCT</a>. Photos by <a href="http://fotogrph.com/">fotogrph</a>.
                     </div>
                </React.Fragment>
 11
 12
        export default Footer;
```






Footer

```
Js App.js 9+ X
src > Js App.js > ...
                         74
                         <a href="#">Proin gravida orci porttitor</a>
                      75
                   76
               77
            </div>
 78
            <div >&nbsp;</div>
 79
         </div>
 80
         <div id="page-bgbtm"></div>
 81
 82
      </div>
 83
 84
      <Footer/>
 85
 86
        </React.Fragment>
 87
       );
 88
 89
      export default App;
 90
 91
```





Remove Extra Content





HOMEPAGE

ABOUT

CONTACT

akashsir.com



WELCOME TO STAMPALIKE

Demol

CATEGORIES

Aliquam libero

2022. SITENAME.COM. ALL RIGHTS RESERVED.

www.akashsir.com





Code

```
Js App.js 3 X
Js App.js 3 X
src > Js App.js > 😭 App2 > 🕥 render
                                                                                                      src > Js App.js > 😭 App2 > 🕥 render
       import React from 'react'
       import Menu from './Menu';
       class App2 extends React.Component {
         render() {
           return (
                <Menu />
               <div id="header-wrapper">
                  <div id="header">
                   <div id="logo">
  11
                     <h1><a href="#">akashsir.com</a></h1>
  12
                   </div>
                                                                                                                          <div id="wrapper">
                  <div id="page-bgtop"></div>
                  <div id="page">
                   <div><img src="images/pics01.jpg" width="920" height="100" alt="" /></div>
                                                                                                                     <div id="footer">
                    <div id="content">
                                                                                                       44
                     <div className="post">
                                                                                                                     </div>
                        <h2 className="title"><a href="#">Welcome to StampALike </a></h2>
                        <div >&nbsp;</div>
                        <div className="entry">
                          Demo1
                                                                                                             export default App2;
                        </div>
```

```
<div >&nbsp;</div>
  <div id="sidebar">
        <h2>Categories</h2>
         <a href="#">Aliquam libero</a>
  <div>&nbsp;</div>
<div id="page-bgbtm"></div>
2022. Sitename.com. All rights reserved.
```





Create 2 New Components

```
Js Home.js X
                                                                                     Js About.js X
 EXPLORER
                          src > Js Home.js > [∅] default
                                                                                     src > Js About.js > [∅] default

✓ MYAPP1

 > node modules
                                  import React from "react";
                                                                                             import React from "react";
 > to public
 ∨ ksrc
                                  function Home() {
                                                                                             function About() {
                                       return ( <React.Fragment>
                                                                                                  return ( <React.Fragment>
    Js About.js
    ∃ App.css
    Js App.js
                                       </React.Fragment> );
                                                                                                  </React.Fragment> );
    ▲ App.test.js
    Js Home.js
     index.css
                                  export default Home;
                                                                                             export default About;
                                                                                         9
    Js index.js
    * logo.svg
    Js Menu.js
    Js reportWebVitals.js
    Js setupTests.js
   • .gitignore
   package-lock.json
   package.json

    README.md
```





Content are Cut and paste into 2 Compoent

```
Js App.js 3 X
                                                                                                src > Js App.js > 😂 App2 > 😚 render
  15
               <div id="wrapper">
  16
                  <div id="page-bgtop"></div>
                 <div id="page">
  17
  18
                    <div><img src="images/pics01.jpg" width="920" height="100" alt="" /></div>
  19
  20
                    <div id="content">
  21
  22
                      <div className="post">
                        <h2 className="title"><a href="#">Welcome to StampALike </a></h2>
  23
                        <div >&nbsp;</div>
  24
                        <div className="entry">
  25
  26
                          Demol
                        </div>
  27
  28
                      </div>
                      <div >&nbsp;</div>
  29
                    </div>
  30
  31
```







HOMEPAGE

ABOUT

CONTACT

akashsir.com



CATEGORIES

Aliquam libero

2022. SITENAME.COM. ALL RIGHTS RESERVED.




```
Js Home.js 1 X
                                                                      Js About.js 1 X
src > Js Home.js > ♦ Home
                                                                      src > Js About.js > [6] default
       import React from "react";
                                                                              import React from "react";
       function Home() {
                                                                              function About() {
           return (<React.Fragment>
                                                                                  return (<React.Fragment>
                <div id="content">
                                                                                      <div id="content">
                    <div className="post">
                                                                                          <div className="post">
                        <h2 className="title"><a href="#">Home
                                                                                               <h2 className="title"><a href="#">About
                        Page </a></h2>
                                                                                              </a></h2>
                        <div >&nbsp;</div>
                                                                                              <div >&nbsp;</div>
                        <div className="entry">
                                                                                               <div className="entry">
                         I am Home Page
                                                                                                   About Us Page
  10
                                                                        10
                        </div>
                                                                                               </div>
  11
                                                                        11
                                                                                          </div>
                    </div>
  12
                                                                        12
  13
                    <div >&nbsp;</div>
                                                                        13
                                                                                          <div >&nbsp;</div>
                </div>
                                                                                      </div>
  14
                                                                        14
           </React.Fragment>);
                                                                                  </React.Fragment>);
  15
                                                                        15
  17
                                                                        17
  18
       export default Home;
                                                                        18
                                                                              export default About;
```





Navigation



D:\code\react_code\myapp1>npm i react-router-dom --save





Header.js

```
Js Header.js 1 X
 EXPLORER
                       src > Js Header.js > 分 Header
OPEN EDITORS
                              import React from 'react';
MYREACT_THEME
                             import { Link, NavLink } from "react-router-dom";
 > lim build
> node modules
                             function Header() {
> npublic
                                  return (
                                     <React.Fragment>

✓ 

✓ src

                                         <div id="menu-wrapper">
    Js About.js
                                             <div id="menu">
    ∃ App.css
                                                    Js App.js
                                                    <Link to="/About">About</Link>
    App.test.js
                                                     <NavLink to="home">Home</NavLink>
    Js Footer.js
    Js Header.js
    Js Home.js
                                         <div id="header-wrapper">
    index.css
                                             <div id="header">
    Js index.js
                                                 <div id="logo">
                                                    <h1><a href="#">StampALike</a></h1>
    * logo.svg
    Js reportWebVitals.js
    setupTests.js
                                     </React.Fragment>
    Js Sidebar.js
   .gitignore
                        25
   package-lock.json
                             export default Header;
```





App Routing

```
EXPLORER
                         src > Js App.js > ...
> OPEN EDITORS
                                 import React from 'react'
∨ MYREACT THEME
                                 import Header from './Header';
 > 🛅 build
                                 import Footer from './Footer';
 > node modules
                                 import Home from './Home';
 > mag public
                                 import About from './About';
                                 import { BrowserRouter as Router, Routes, Route, Link } from "react-router-dom";
 ∨ ksrc
     Js About.js
                                 function App() {
     3 App.css
                                     return (
                                         <React.Fragment>
     Js App.js
                           11
                                             <Router>
     ▲ App.test.js
                           12
                                             <Header />
     Js Footer.js
                                                 <Routes>
                                                     <Route path="/" element={<Home />} />
     Js Header.js
                                                     <Route path="/Home" element={<Home />} />
     Js Home.js
                                                     <Route path="/About" element={<About />} />
     index.css
                                                 </Routes>
     Js index.js
                                             </Router>
                                             <Footer />
     * logo.svg
                                         </React.Fragment>
     Js reportWebVitals.js
                           21
                                     );
     Js setupTests.js
                                 export default App;
     Js Sidebar.js
                           24
    .gitignore
    package-lock.json
```





App Routing

```
import React from 'react'
import Header from './Header';
import Footer from './Footer';
import Home from './Home';
import About from './About';
import { BrowserRouter as Router, Routes, Route, Link } from "react-router-dom";
function App() {
     return (
          <React.Fragment>
                <Router>
                <Header/>
                     <Routes>
                           <Route path="/" element={<Home />} />
                           <Route path="/Home" element={<Home />} />
                           <Route path="/About" element={<About />} />
                     </Routes>
                </Router>
                <Footer />
          </React.Fragment>
     );
export default App;
```





Get Exclusive Video Tutorials



www.aptutorials.com
https://www.youtube.com/user/Akashtips











Get More Details

www.akashsir.com



If You Liked It! Rating Us Now



Just Dial

https://www.justdial.com/Ahmedabad/Akash-Technolabs-Navrangpura-Bus-Stop-Navrangpura/079PXX79-XX79-170615221520-S5C4 BZDET



Sulekha

https://www.sulekha.com/akash-technolabs-navrangpura-ahmedabad-contact-address/ahmedabad





Connect With Me



Akash Padhiyar #AkashSir

www.akashsir.com www.akashtechnolabs.com www.akashpadhiyar.com www.aptutorials.com

Social Info



Akash.padhiyar



Akashpadhiyar



Akash_padhiyar



+91 99786-21654



#Akashpadhiyar #aptutorials