

ONE SYSTEMS, INC. 163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

ORDER LINES:

Email: orders@onesystems.com TEL: (615) 823-1655 ext 2

STANDARD TERMS:

Contact your local Sales Rep or One Systems, Inc. for your account details. Representatives are listed by region and located at: www.onesystems.com/find-a-sales-rep-usa/

SHIPPING:

Our standard carrier is FedEx for Ground, Express, and LTL (freight). We can also ship via UPS for package shipments only. We ship using the most cost effective means available. Any shipping and/or services requested by the dealer will be added to the invoice. Alternatively, we do accept and ship via FedEx and UPS on third party accounts by request. An account number can be provided to us at the time a PO is placed or as a standing request that remains on file. For LTL (freight) shipments, please always indicate if a liftgate, appointment, or other specials are needed due to additional charges by the carrier.

PAYMENTS:

Payments from dealers with open accounts should be made payable to One Systems, Inc., P.O. Box 50616, Nashville, TN 37205. Please indicate invoice number(s) on checks. One Systems also accepts advance payments from dealers via American Express, Discover, MasterCard, or Visa. Discounts are not available for payments by credit card. ACH payments are also accepted. Please contact One Systems for banking details.

MINIMUM ADVERTISED PRICES:

Minimum Advertised Prices coinciding with Suggested Retail have been established for One Systems products. MAPS are valid in the U.S.A. where allowable by law and are not applicable in countries other than the U.S.A.

RETURNS:

Please contact One Systems, Inc. to obtain PRE-APPROVAL for all return authorizations and returns of goods. No discontinued products or products invoiced more than 60 DAYS prior will be accepted for return for credit. All returns for credit must be accompanied by the appropriate return authorization number obtained in advance from One Systems, Inc. Goods must returned in their original cartons and are subject to a minimum 15% restock charge.

WARRANTIES:

All warranties can be found at: www.onesystems.com/warranty-info/

REPAIR SERVICE:

Please contact our office to obtain a Repair Order.

All prices, terms, and conditions of sales are subject to change without notice.



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

PHOTOS AND DATA SHEETS FOR ALL MODELS CAN BE VIEWED AT:

Product	Colors Available	Description	SRP	USA Dealer
104.HTH	BLACK or WHITE	4.5" two-way, high performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 50 watts continuous, 200 watts peak (104 dB/110 dB). 8 ohm or 70/100-volt operation-taps @ 50, 25 and 12.5 watts. 110x80 HF coverage. IP56 rated. 316 stainless steel U-Bracket included.	\$300	\$150
106.HTH	BLACK or WHITE	6.5" two-way, high performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 100 watts continuous, 400 watts peak (109 dB/115 dB). 8 ohm or 70/100-volt operation taps @ 50, 25 and 12.5 watts. 110x70 HF coverage. IP56 rated. 316 stainless steel U-Bracket included.	\$500	\$250
108.HTC	BLACK or WHITE	8" two-way coax, high performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 200 watts continuous, 800 watts peak (115 dB/121 dB). 8 ohm or 70/100-volt operation - taps @ 150, 75 and 37.5 watts. 70x70 HF coverage. IP45, IP56 convertible. 316 stainless steel accessories optional.	\$900	\$450
108.HTH	BLACK or WHITE	8" two-way, high performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 200 watts continuous, 800 watts peak (115 dB/121 dB). 8 ohm or 70/100-volt operation taps @ 150, 75 and 37.5 watts. Rotatable 60x40 horn (installed) and 105x60 horn (included). IP45, IP56 convertible. 316 stainless steel accessories optional.	\$1,200	\$600
208.HTC	BLACK or WHITE	Dual 8" two-way, high output/performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 400 watts continuous, 1600 watts peak (122 dB/128 dB). 4 ohm or 70/100-volt operation - taps @ 150, 75 and 37.5 watts. 70x70 HF coverage. IP45, IP56 convertible. 316 stainless steel accessories optional.	\$1,400	\$700
112.HTH	BLACK or WHITE	12" two-way, high output/performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 800 watts continuous, 3200 watts peak (125 dB/131 dB). 8 ohm or 70/100-volt operation - taps @ 150, 75 and 37.5 watts. Rotatable 60x40 horn (installed) and 105x60 horn (optional). IP45, IP56 convertible. 316 stainless steel accessories optional.	\$2,300	\$1,150



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

PHOTOS AND DATA SHEETS FOR ALL MODELS CAN BE VIEWED AT:

Product	Colors Available	Description	SRP	USA Dealer
212.HC	BLACK or WHITE	Dual 12" two-way, ultra high output/performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 1200 watts continuous, 4800 watts peak (129.7 dB/135.7 dB). 4 ohm. 70x70 HF coverage. IP45, IP56 convertible. 316 stainless steel accessories optional.	\$2,700	\$1,350
312.HC	BLACK or WHITE	Triple 12" two-way, ultra high output/performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 1200 watts continuous, 4800 watts peak (129.7 dB/135.7 dB). 4 ohm. 70x70 HF coverage (maintains vertical coverage below 400 Hz). IP45, IP56 convertible. 316 stainless steel accessories optional.	\$3,900	\$1,950
CFA2.HTH	GRAY ENCLOSURE WITH BLACK GRILLE	Quad 10" two-way, ultra-high output/performance speaker with corrosion resistant, marine grade hardware. Superior direct weather protection. 1200 watts continuous, 4800 watts peak (129.7 dB/135.7 dB). 4 ohm. 55x30 HF coverage (rotatable). IP56. 316 stainless steel accessories optional. Gray laminated fiberglass enclosure, black grille.	\$6,500	\$3,250
112.HSB	WHITE ONLY	12" high performance subwoofer with corrosion resistant, marine grade hardware and 4" voice coil. Superior direct weather protection. 800 watts continuous, 3200 watts peak (124 dB/130 dB). 8 ohm. IP45 rated. 316 stainless steel accessories optional.	\$1,800	\$900
118.HSB	BLACK or WHITE	18" high performance subwoofer with corrosion resistant, marine grade hardware and 4" voice coil. Superior direct weather protection. 800 watts continuous, 3200 watts peak (127 dB/133 dB). 8 ohm. IP45 rated. 316 stainless steel accessories optional.	\$2,300	\$1,150
108.HTC.UM	BLACK or WHITE	316 grade (marine) stainless steel U-bracket for use with 108.HTC	\$120	\$60
108.HTH.UM	BLACK or WHITE	316 grade (marine) stainless steel U-bracket for use with 108.HSB, 108.HTH and 208.HTC	\$300	\$150
112.HTH.UM	BLACK or WHITE	316 grade (marine) stainless steel U-bracket for 112.HSB, 112.HTH and 212.HC	\$350	\$175
118.HSB.UM	BLACK or WHITE	316 grade (marine) stainless steel U-bracket for 118.HSB	\$350	\$175
312.HC.UM	BLACK or WHITE	316 grade (marine) stainless steel U-bracket for 312.HC	\$500	\$250
CFA2.UM	BLACK ONLY	316 grade (marine) stainless steel U-bracket for CFA2.HTH	\$300	\$150



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

PHOTOS AND DATA SHEETS FOR ALL MODELS CAN BE VIEWED AT:

Product	Colors Available	Description	SRP	USA Dealer
ET105X60 HORN	BLACK ONLY	105x60 rotatable horn for 112.HTH speaker	\$60	\$30
M8.EYEBOLTKIT.M	STAINLESS STEEL	4 x M8 Eyebolts in 316 grade (marine) stainless steel for use with 108.HSB, 108.HTC, 108.HTH, 208.HTC and 108.STC		\$60
M10.EYEBOLTKIT.M	STAINLESS STEEL	4 x M10 Eyebolts in 316 grade (marine) stainless steel for use with 112.HSB, 112.HTH, 118.HSB, 212.HC, 312.HC and CFA2.HTH	\$150	\$75
PM2.M	BLACK or WHITE	316 grade (marine) stainless steel pole mount bracket for use with 104.HTH, 106.HTH, 104.STH and 106.STH	\$250	\$125
РМ3.М	BLACK or WHITE	316 grade (marine) stainless steel pan/tilt pole mount bracket for use with 108.HSB, 108.HTC, 108.HTH, 208.HTC and 108.STC	\$550	\$275
PM4.M	BLACK or WHITE	316 grade (marine) stainless steel pole mount bracket w/ tilt for use with 112.HSB, 112.HTH, 118.HSB, 212.HC, 312.HC, and CFA2.HTH	\$850	\$425
PT10.M	BLACK or WHITE	316 grade (marine) stainless steel pan/tilt bracket for use with 104.HTH, 106.HTH, 104.STH and 106.STH	\$100	\$50
PT38.M	BLACK or WHITE	316 grade (marine) stainless steel pan/tilt bracket for use with 108.HSB, 108.HTC, 108.HTH, 208.HTC and 108.STC	\$550	\$275
PT76.M	BLACK or WHITE	316 grade (marine) stainless steel pan/tilt bracket for use with 112.HSB, 112.HTH, 118.HSB, 212.HC, 312.HC, and CFA2.HTH	\$850	\$425
104.STH	LIGHT GRAY ONLY	4.5" two-way, direct weather and general purpose speaker. 40 watts continuous, 120 watts peak (103 dB/107.8 dB). 8 ohm or 70/100-volt operation - taps @ 50, 25 and 12.5 watts. 110x80 HF coverage. IP56 rated. U-Bracket included.	\$200	\$100
106.STH	LIGHT GRAY ONLY	6.5" two-way, direct weather and general purpose speaker. 80 watts continuous, 240 watts peak (106 dB/110.8 dB). 8 ohm or 70/100-volt operation - taps @ 50, 25 and 12.5 watts. 110x70 HF coverage. IP56 rated. U-Bracket included.	\$350	\$175
108.STC	LIGHT GRAY ONLY	8" two-way coax, direct weather and general purpose speaker. 150 watts continuous, 450 watts peak (110.8 dB/115.5 dB). 8 ohm or 70/100-volt operation - taps @ 150, 75 and 37.5 watts. 70x70 HF coverage. IP45, 56 convertible. U-Bracket included.	\$600	\$300



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

PHOTOS AND DATA SHEETS FOR ALL MODELS CAN BE VIEWED AT:

Product	Colors Available	Description	SRP	USA Dealer
ONE.SP6	GRAY ONLY	6.5" coax two-way, direct weather and general purpose speaker. 150 watts continuous, 600 watts peak (114.8 dB/120.8 dB). 8 ohm or 70/100-volt operation - taps @ 50, 25 and 12.5 watts. Bare wire termination. 90x90 HF coverage. IP55 rated. U-Bracket included.	\$550	\$275
ONE.SP8	GRAY ONLY	8" two-way, horn loaded direct weather and general purpose speaker. 200 watts continuous, 800 watts peak (121 dB/127 dB). 8 ohm or 70/100-volt operation-taps @ 150, 75 and 37.5 watts. Bare wire termination. 90x40 HF coverage. IP55 rated. U-Bracket included.	\$750	\$375
ONE.SP12D	GRAY ONLY	12" two-way horn loaded high output, direct weather and general purpose speaker. 600 watts continuous, 2400 watts peak. (130 dB/136 dB). 8 ohm. Bare wire termination. 60x40 HF coverage. IP55 rated. U-Bracket included.	\$1,200	\$600
ONE.SP12T	GRAY ONLY	12" two-way horn loaded high output, direct weather and general purpose speaker. 100, 200, 400 watts continuous. (129 dB/135 dB). 70/100-volt operation. Bare wire termination. 60x40 HF coverage. IP55 rated. U-Bracket included.	\$1,300	\$650
ONE.SL12	GRAY ONLY	12" two-way, high output direct weather and general purpose speaker. 400 watts continuous, 1600 watts peak (124 dB/130 dB). 8 ohm. 60x40 HF coverage. IP55. U-Bracket included.	\$1,500	\$750
ONE.SL15	GRAY ONLY	15" two-way, high output direct weather and general purpose speaker. 500 watts continuous, 2000 watts peak (127 dB/133 dB). 8 ohm. 60x40 HF coverage. IP55. U-Bracket included.	\$1,700	\$850
SL.PMT	GRAY ONLY	Powder coated Pole Mount w/Tilt for SL models.	\$650	\$325
SP.PMK	GRAY ONLY	Powder coated Pole Mount Kit for SP models.	\$150	\$75
SP.PMT	GRAY ONLY	Powder coated Pole Mount w/Tilt for all SP models.	\$430	\$215



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

COMPONENTS AND SPARE PARTS

PART NAME	SPEAKER	HF/LF	Description	PRICE
DT-6107	104.HTH	HF	TWEETER FOR 104.HTH	\$20
ONE-103	104.HTH	LF	4.5" WOOFER FOR 104.HTH	\$45
DK-BM-D26S/8CX	106.HTH	HF	REPLACEMENT DIAPHRAGM FOR BM-D26S	\$20
BM-D26S	106.HTH	HF	COMPRESSION DRIVER FOR 106.HTH	\$50
RK-W106IM	106.HTH	LF	RECONE KIT FOR W106IM	\$40
W106IM	106.HTH	LF	WOOFER FOR 106.HTH	\$85
DK-ONE-440S	108.HTC	HF	REPLACEMENT DIAPHRAGM FOR ONE-440S	\$50
ONE-8CX	108.HTC	LF/HF	8" COAX LOUDSPEAKER	\$150
RK-ONE-8CX	108.HTC	LF/HF	RECONE KIT FOR ONE-8CX	\$40
DK-ETS-F	108.HTH	HF	REPLACEMENT DIAPHRAGM FOR ETS-F	\$65
ETS-F DRIVER	108.HTH	HF	DRIVER FOR 108.HTH	\$150
ONE8-134	108.HTH	LF	8" WOOFER FOR 108.HTH AND 208.HTC	\$85
RK-ONE8-134	108.HTH	LF	RECONE KIT FOR ONE8-134	\$35
12I/O-2 V4	112.HSB	LF	12" WOOFER FOR 112.HSB, 112.HTH, 212.HC, AND 312.HC	\$325
RK-12I/O-2	112.HSB	LF	RECONE KIT FOR 12I/O-2	\$125
12I/O-2 V4	112.HTH	LF	12" WOOFER FOR 112.HSB, 112.HTH, 212.HC, AND 312.HC	\$325
DK-ET-1F/IT-77F/TD-325	112.HTH	HF	REPLACEMENT DIAPHRAGM FOR ET-1F, IT-77F DRIVER, AND TD-325 DRIVER	\$100
ET-1F	112.HTH	HF	DRIVER FOR 112.HTH	\$225
RK-12I/O-2	112.HTH	LF	RECONE KIT FOR 12I/O-2	\$125
18I/O V3	118.HSB	LF	18" FERRITE WOOFER FOR 118.HSB	\$350
RK-18I/O V3	118.HSB	LF	RECONE KIT FOR 18I/O V3	\$125
DK-ONE-440S	208.HTC	HF	REPLACEMENT DIAPHRAGM FOR ONE-440S	\$50



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

COMPONENTS AND SPARE PARTS

PART NAME	SPEAKER	HF/LF	Description	PRICE
ONE8-134	208.HTC	LF	8" WOOFER FOR 108.HTH AND 208.HTC	\$85
ONE-8CX	208.HTC	LF/HF	8" COAX LOUDSPEAKER	\$150
RK-ONE8-134	208.HTC	LF	RECONE KIT FOR ONE8-134	\$35
RK-ONE-8CX	208.HTC	LF/HF	RECONE KIT FOR ONE-8-CX	\$40
12CXV15	212.HC	HF	12" COAX FOR 212.HC AND 312.HC (D72V15 DRIVER IS NOT FIELD REPLACEABLE)	\$375
12I/O-2 V4	212.HC	LF	12" WOOFER FOR 112.HSB, 112.HTH, 212.HC, AND 312.HC	\$325
DK-D72VI5	212.HC	HF	REPLACEMENT DIAPHRAGM FOR D72V15	\$75
RK-12CX	212.HC	LF/HF	RECONE KIT FOR ALL 12CX VERSIONS	\$125
RK-12I/O-2	212.HC	LF	RECONE KIT FOR 12I/O-2	\$125
12CXV15	312.HC	LF/HF	12" COAX FOR 212.HC AND 312.HC (D72V15 DRIVER IS NOT FIELD REPLACEABLE)	\$375
121/0-1	312.HC	LF	12" LOWER WOOFER IN 312.HC	\$325
12I/O-2 V4	312.HC	LF	12" WOOFER FOR 112.HSB, 112.HTH, 212.HC, AND 312.HC	\$325
DK-D72VI5	312.HC	HF	REPLACEMENT DIAPHRAGM FOR D72V15	\$75
RK-12CX	312.HC	LF/HF	RECONE KIT FOR ALL 12CX VERSIONS	\$125
RK-12I/O-1	312.HC	LF	RECONE KIT FOR 12I/O-1	\$125
RK-12I/O-2	312.HC	LF	RECONE KIT FOR 12I/O-2	\$125
DK-ET-1F/IT-77F/TD-325	CFA-2.HTH	HF	REPLACEMENT DIAPHRAGM FOR ET-1F, IT-77F DRIVER, AND TD-325 DRIVER	\$100
IT-77F	CFA-2.HTH	HF	LARGE FORMAT COMPRESSION DRIVER FOR CFA-2 (2 DRIVERS IN CFA-2)	\$175
ONE-10 CFA-2	CFA-2.HTH	LF	10" FERRITE WOOFER FOR CFA-2 (4 WOOFERS IN CFA-2)	\$225
RK-ONE-10 CFA-2	CFA-2.HTH	LF	RECONE KIT FOR ONE-10 WOOFER FOR CFA-2	\$100
DT-6107	104.STH	HF	TWEETER FOR 104.STH	\$20
W104STH	104.STH	LF	WOOFER FOR 104.STH	\$30



163 Business Park Drive, Suite 20, Lebanon, TN 37090 P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

COMPONENTS AND SPARE PARTS

PART NAME	SPEAKER	HF/LF	Description	PRICE
DK-SD-26SPN	106.STH	LF	REPLACEMENT DIAPHRAGM FOR SD-26SPN AND ONE8-STHCX	\$25
SD-26SPN	106.STH	HF	DRIVER FOR 106.STH	\$25
W106STH	106.STH	LF	WOOFER FOR 106.STH	\$45
DK-SD-26SPN	108.STC	HF	REPLACEMENT DIAPHRAGM FOR SD-26SPN AND ONE8-STHCX	\$25
ONE8-STHCX	108.STC	HF	WOOFER FOR 108.STC	\$95
DK-SD-63BF	ONE.SL12	HF	REPLACEMENT DIAPHRAGM FOR SD-63BF	\$40
SD-63BF	ONE.SL12	LF/HF	DRIVER FOR ONE.SL12 AND ONE.SL15	\$75
W-SL12	ONE.SL12	LF	WOOFER FOR ONE.SL12	\$175
DK-SD-63BF	ONE.SL15	HF	REPLACEMENT DIAPHRAGM FOR SD-63BF	\$40
SD-63BF	ONE.SL15	HF	DRIVER FOR ONE.SL12 AND ONE.SL15	\$75
W-SL15	ONE.SL15	LF	WOOFER FOR ONE.SL15	\$225
DK-W-SP6	ONE.SP6	HF	REPLACEMENT DIAPHRAGM FOR W-SP6	\$25
W-SP6	ONE.SP6	LF	WOOFER FOR ONE.SP6	\$85
DK-PHT-411	ONE.SP8	HF	REPLACEMENT DIAPHRAGM FOR PHT-411	\$25
PHT-411	ONE.SP8	HF	DRIVER FOR ONE.SP8	\$50
W-SP8	ONE.SP8	LF	8" WOOFER FOR ONE.SP8	\$95
BULB-SP12	ONE.SP12D	N/A	REPLACEMENT BULB FOR SP12 CROSSOVER	\$15
DK-SC2-F	ONE.SP12D	HF	REPLACEMENT DIAPHRAGM FOR SC2-F	\$75
RK-W-SP12 WOOFER	ONE.SP12D	LF	RECONE KIT FOR SP12 WOOFER	\$40
SC2-F	ONE.SP12D	HF	DRIVER FOR SP12D/SP12T	\$150
W-SP12	ONE.SP12D	LF	WOOFER FOR SP12D AND SP12T	\$150
BULB-SP12	ONE.SP12T	N/A	REPLACEMENT BULB FOR SP12 CROSSOVER	\$15



ONE SYSTEMS, INC. 163 Business Park Drive, Suite 20, Lebanon, TN 37090

P.O. Box 50616, Nashville, TN 37205

Email: orders@onesystems.com Tel: 615-823-1655 www.onesystems.com

AUTHORIZED USA DEALER PRICE LIST EFFECTIVE JANUARY 1, 2022 CONFIDENTIAL

COMPONENTS AND SPARE PARTS

PART NAME	SPEAKER	HF/LF	Description	PRICE
DK-SC2-F	ONE.SP12T	HF	REPLACEMENT DIAPHRAGM FOR SC2-F	\$75
RK-W-SP12 WOOFER	ONE.SP12T	LF	RECONE KIT FOR SP12 WOOFER	\$40
SC2-F	ONE.SP12T	HF	DRIVER FOR SP12D/SP12T	\$150
W-SP12	ONE.SP12T	LF	WOOFER FOR SP12D AND SP12T	\$150

For any other parts not listed, or if unsure of the correct model/part number, please email orders@onesystems.com, or contact us at 615-823-1655.