Tables (87)

Туре	Schema
	CREATE TABLE "accounts" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "name" varchar(255), "hashed_password" varchar(255), "salt" varchar(255), "created_at" datetime, "updated_at" datetime, "default_audio_language" varchar(255), "default_subtitle_language" varchar(255), "auto_select_subtitle" boolean DEFAULT 't', "auto_select_audio" boolean DEFAULT
	't')
	"id" INTEGER NOT NULL
	"name" varchar(255)
<u> </u>	"hashed_password" varchar(255)
varchar(255)	"salt" varchar(255)
datetime	"created_at" datetime
datetime	"updated_at" datetime
varchar(255)	"default_audio_language" varchar(255)
varchar(255)	"default_subtitle_language" varchar(255)
boolean	"auto_select_subtitle" boolean DEFAULT 't'
boolean	"auto_select_audio" boolean DEFAULT 't'
	CREATE TABLE 'activities' ('id' INTEGER NOT NULL, 'parent_id' INTEGER, 'type' varchar(255), 'title' varchar(255), 'subtitle' varchar(255), 'scheduled_at' timestamp, 'started_at' timestamp, 'finished_at' timestamp, 'cancelled' boolean, FOREIGN KEY('parent_id') REFERENCES 'activities'('id') ON DELETE CASCADE, PRIMARY KEY('id'))
INTEGER	"id" INTEGER NOT NULL
INTEGER	"parent_id" INTEGER
varchar(255)	"type" varchar(255)
varchar(255)	"title" varchar(255)
varchar(255)	"subtitle" varchar(255)
1.	"scheduled_at" timestamp
	"started_at" timestamp
	"finished_at" timestamp
	"cancelled" boolean
	CREATE TABLE 'blobs' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'blob' blob, 'linked_type' varchar(255), 'linked_id' integer, 'linked_guid' varchar(255), 'created_at' datetime, 'blob_type' integer)
INTEGER	"id" INTEGER NOT NULL
blob	"blob" blob
varchar(255)	"linked_type" varchar(255)
integer	"linked_id" integer
varchar(255)	"linked_guid" varchar(255)
datetime	"created_at" datetime
	"blob_type" integer
	<u> </u>
	INTEGER varchar(255) varchar(255) varchar(255) datetime datetime varchar(255) varchar(255) boolean boolean INTEGER INTEGER varchar(255) varchar(255) varchar(255) timestamp timestamp timestamp timestamp timestamp timestamp timestamp varchar(255) integer varchar(255) integer varchar(255)

Name	Туре	Schema
cloudsync_files		PRIMARY KEY AUTOINCREMENT NOT NULL, "device_identifier" varchar(255), "original_url" varchar(255), "provider" varchar(255), "new_key" varchar(255), "query_string" varchar(255), 'extra_data' varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
device_identifier	varchar(255)	"device_identifier" varchar(255)
original_url	varchar(255)	"original_url" varchar(255)
provider	varchar(255)	"provider" varchar(255)
new_key	varchar(255)	"new_key" varchar(255)
query_string	varchar(255)	"query_string" varchar(255)
extra_data	varchar(255)	"extra_data" varchar(255)
devices		CREATE TABLE 'devices' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'identifier' varchar(255), 'name' varchar(255), 'created_at' datetime, 'updated_at' datetime, 'platform' string)
id	INTEGER	"id" INTEGER NOT NULL
identifier	varchar(255)	"identifier" varchar(255)
name	varchar(255)	"name" varchar(255)
created_at	datetime	"created at" datetime
updated_at	datetime	"updated_at" datetime
platform	string	"platform" string
directories		CREATE TABLE "directories" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_section_id" integer, "parent_directory_id" integer, "path" varchar(255), "created_at" datetime, "updated_at" datetime, "deleted_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
parent_directory_id	integer	"parent_directory_id" integer
path	varchar(255)	"path" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
deleted_at	datetime	"deleted_at" datetime
external_metadata_items		CREATE TABLE 'external_metadata_items' ('id' INTEGER, 'external_metadata_source_id' integer,'library_section_id' integer, 'metadata_type' integer, 'guid' varchar(255), 'title' varchar(255), 'parent_title' varchar(255), 'year' integer,'added_at' integer,'updated_at' integer, 'extra_data' varchar(255),FOREIGN KEY('external_metadata_source_id') REFERENCES external_metadata_sources(id) ON DELETE CASCADE)
id	INTEGER	"id" INTEGER
external_metadata_source_id	integer	"external_metadata_source_id" integer
library_section_id	integer	"library_section_id" integer
metadata_type	integer	"metadata_type" integer
guid	varchar(255)	"guid" varchar(255)
	1	1

Name	Туре	Schema
title	varchar(255)	"title" varchar(255)
parent_title	varchar(255)	"parent_title" varchar(255)
year	integer	"year" integer
added_at	integer	"added_at" integer
updated_at	integer	"updated_at" integer
extra_data	varchar(255)	"extra_data" varchar(255)
external_metadata_sourc es		CREATE TABLE 'external_metadata_sources' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'uri' varchar(255), 'source_title' varchar(255), 'user_title' varchar(255), 'online' integer)
id	INTEGER	"id" INTEGER NOT NULL
uri	varchar(255)	"uri" varchar(255)
source_title	varchar(255)	"source_title" varchar(255)
user_title	varchar(255)	"user_title" varchar(255)
online	integer	"online" integer
fts4_metadata_titles		CREATE VIRTUAL TABLE fts4_metadata_titles USING fts4(content='metadata_items', title, title_sort, original_title)
title		"title"
title_sort		"title_sort"
original_title		"original_title"
fts4_metadata_titles_doc size		CREATE TABLE 'fts4_metadata_titles_docsize'(docid INTEGER PRIMARY KEY, size BLOB)
docid	INTEGER	"docid" INTEGER
size	BLOB	"size" BLOB
fts4_metadata_titles_icu		
fts4_metadata_titles_icu _docsize		CREATE TABLE 'fts4_metadata_titles_icu_docsize'(docid INTEGER PRIMARY KEY, size BLOB)
docid	INTEGER	"docid" INTEGER
size	BLOB	"size" BLOB
fts4_metadata_titles_icu _segdir		CREATE TABLE 'fts4_metadata_titles_icu_segdir'(level INTEGER,idx INTEGER,start_block INTEGER,leaves_end_block INTEGER,end_block INTEGER,root BLOB,PRIMARY KEY(level, idx))
level	INTEGER	"level" INTEGER
idx	INTEGER	"idx" INTEGER
start_block	INTEGER	"start_block" INTEGER
leaves_end_block	INTEGER	"leaves_end_block" INTEGER
end_block	INTEGER	"end_block" INTEGER
root	BLOB	"root" BLOB
fts4_metadata_titles_icu _segments		CREATE TABLE 'fts4_metadata_titles_icu_segments'(blockid INTEGER PRIMARY KEY, block BLOB)
blockid	INTEGER	"blockid" INTEGER
block	BLOB	"block" BLOB
		CREATE TABLE 'fts4_metadata_titles_icu_stat'(id

Name	Туре	Schema
fts4_metadata_titles_icu		INTEGER PRIMARY KEY, value BLOB)
stat		
id	INTEGER	"id" INTEGER
value	BLOB	"value" BLOB
fts4_metadata_titles_seg dir		CREATE TABLE 'fts4_metadata_titles_segdir'(level INTEGER,idx INTEGER,start_block INTEGER,leaves_end_block INTEGER,end_block INTEGER,root BLOB,PRIMARY KEY(level, idx))
level	INTEGER	"level" INTEGER
idx	INTEGER	"idx" INTEGER
start_block	INTEGER	"start_block" INTEGER
leaves_end_block	INTEGER	"leaves_end_block" INTEGER
end_block	INTEGER	"end_block" INTEGER
root	BLOB	"root" BLOB
fts4_metadata_titles_seg ments		CREATE TABLE 'fts4_metadata_titles_segments'(blockid INTEGER PRIMARY KEY, block BLOB)
blockid	INTEGER	"blockid" INTEGER
block	BLOB	"block" BLOB
fts4_metadata_titles_sta t		CREATE TABLE 'fts4_metadata_titles_stat'(id INTEGER PRIMARY KEY, value BLOB)
id	INTEGER	"id" INTEGER
value	BLOB	"value" BLOB
fts4_tag_titles		CREATE VIRTUAL TABLE fts4_tag_titles USING fts4(content='tags', tag)
tag		"tag"
fts4_tag_titles_docsize		CREATE TABLE 'fts4_tag_titles_docsize'(docid INTEGER PRIMARY KEY, size BLOB)
docid	INTEGER	"docid" INTEGER
size	BLOB	"size" BLOB
fts4_tag_titles_icu		
fts4_tag_titles_icu_docsiz e		CREATE TABLE 'fts4_tag_titles_icu_docsize'(docid INTEGER PRIMARY KEY, size BLOB)
docid	INTEGER	"docid" INTEGER
size	BLOB	"size" BLOB
fts4_tag_titles_icu_segdir		CREATE TABLE 'fts4_tag_titles_icu_segdir'(level INTEGER,idx INTEGER,start_block INTEGER,leaves_end_block INTEGER,end_block INTEGER,root BLOB,PRIMARY KEY(level, idx))
level	INTEGER	"level" INTEGER
idx	INTEGER	"idx" INTEGER
start_block	INTEGER	"start_block" INTEGER
leaves_end_block	INTEGER	"leaves_end_block" INTEGER
end_block	INTEGER	"end_block" INTEGER
root	BLOB	"root" BLOB
fts4_tag_titles_icu_segm		CREATE TABLE 'fts4_tag_titles_icu_segments'(blockid INTEGER

Name	Туре	Schema
ents		PRIMARY KEY, block BLOB)
blockid	INTEGER	"blockid" INTEGER
block	BLOB	"block" BLOB
fts4_tag_titles_icu_stat		CREATE TABLE 'fts4_tag_titles_icu_stat'(id INTEGER PRIMARY KEY, value BLOB)
id	INTEGER	"id" INTEGER
value	BLOB	"value" BLOB
fts4_tag_titles_segdir		CREATE TABLE 'fts4_tag_titles_segdir'(level INTEGER,idx INTEGER,start_block INTEGER,leaves_end_block INTEGER,end_block INTEGER,root BLOB,PRIMARY KEY(level, idx))
level	INTEGER	"level" INTEGER
idx	INTEGER	"idx" INTEGER
start_block	INTEGER	"start_block" INTEGER
leaves_end_block	INTEGER	"leaves_end_block" INTEGER
end_block	INTEGER	"end_block" INTEGER
root	BLOB	"root" BLOB
fts4_tag_titles_segments		CREATE TABLE 'fts4_tag_titles_segments'(blockid INTEGER PRIMARY KEY, block BLOB)
blockid	INTEGER	"blockid" INTEGER
block	BLOB	"block" BLOB
fts4_tag_titles_stat		CREATE TABLE 'fts4_tag_titles_stat'(id INTEGER PRIMARY KEY, value BLOB)
id	INTEGER	"id" INTEGER
value	BLOB	"value" BLOB
hub_templates		CREATE TABLE 'hub_templates' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'section' varchar(255), 'identifier' varchar(255), 'title' varchar(255), 'home_visibility' integer, 'recommended_visibility' integer, 'order' float, 'extra_data' varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
section	varchar(255)	"section" varchar(255)
identifier	varchar(255)	"identifier" varchar(255)
title	varchar(255)	"title" varchar(255)
home_visibility	integer	"home_visibility" integer
recommended_visibility	integer	"recommended_visibility" integer
order	float	"order" float
extra_data	varchar(255)	"extra_data" varchar(255)
library_section_permissions		CREATE TABLE "library_section_permissions" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_section_id" integer, "account_id" integer, "permission" integer)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
account_id	integer	"account_id" integer
permission	integer	"permission" integer
library_sections		CREATE TABLE "library_sections" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_id"

Name	Туре	Schema
		integer, "name" varchar(255), "name_sort"
		<pre>varchar(255) COLLATE NOCASE, "section_type" integer, "language" varchar(255), "agent"</pre>
		varchar(255), "scanner" varchar(255),
		"user_thumb_url" varchar(255), "user_art_url"
		<pre>varchar(255), "user_theme_music_url" varchar(255), "public" boolean, "created_at"</pre>
		datetime, "updated_at" datetime, "scanned_at"
		datetime, "display_secondary_level" boolean,
		<pre>"user_fields" varchar(255), "query_xml" text, "query_type" integer, "uuid" varchar(255),</pre>
		"changed_at" integer(8) DEFAULT 0,
		'content_changed_at' integer(8) default '0')
id	INTEGER	"id" INTEGER NOT NULL
library_id	integer	"library_id" integer
name	varchar(255)	"name" varchar(255)
name_sort	varchar(255)	"name_sort" varchar(255) COLLATE NOCASE
section_type	integer	"section_type" integer
language	varchar(255)	"language" varchar(255)
agent	varchar(255)	"agent" varchar(255)
scanner	varchar(255)	"scanner" varchar(255)
user_thumb_url	varchar(255)	"user_thumb_url" varchar(255) "user_art_url" varchar(255)
user_art_url user_theme_music_url	varchar(255)	
public	varchar(255) boolean	"user_theme_music_url" varchar(255) "public" boolean
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
scanned at	datetime	"scanned at" datetime
display_secondary_level	boolean	"display_secondary_level" boolean
user_fields	varchar(255)	"user_fields" varchar(255)
query_xml	text	"query_xml" text
query_type	integer	"query_type" integer
uuid	varchar(255)	"uuid" varchar(255)
changed_at	integer(8)	"changed_at" integer(8) DEFAULT 0
content_changed_at	integer(8)	"content_changed_at" integer(8) DEFAULT '0'
library_timeline_entries		CREATE TABLE "library_timeline_entries" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL,
		"library_section_id" integer, "metadata_item_id" integer, "state" integer, "updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
metadata_item_id	integer	"metadata_item_id" integer
state	integer	"state" integer
updated_at	datetime	"updated_at" datetime
locatables		CREATE TABLE 'locatables' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'location_id' INTEGER NOT NULL, 'locatable_id' INTEGER NOT NULL, 'locatable_type' VARCHAR(255) NOT NULL, 'created_at' DATETIME, 'updated_at' DATETIME, 'extra_data' VARCHAR(255), 'geocoding_version'
		integer, UNIQUE('location_id', 'locatable_id',

Name	Туре	Schema
		'locatable_type'))
id	INTEGER	"id" INTEGER NOT NULL
location_id	INTEGER	"location_id" INTEGER NOT NULL
locatable_id	INTEGER	"locatable_id" INTEGER NOT NULL
locatable_type	VARCHAR(255)	"locatable_type" VARCHAR(255) NOT NULL
created_at	DATETIME	"created_at" DATETIME
updated_at	DATETIME	"updated_at" DATETIME
extra_data	VARCHAR(255)	"extra_data" VARCHAR(255)
geocoding_version	integer	"geocoding_version" integer
location_places		CREATE TABLE 'location_places' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'location_id' INTEGER, 'guid' VARCHAR(255) NOT NULL, UNIQUE('location_id', 'guid'))
id	INTEGER	"id" INTEGER NOT NULL
location_id	INTEGER	"location_id" INTEGER
guid	VARCHAR(255)	"guid" VARCHAR(255) NOT NULL
locations		
locations_node		CREATE TABLE "locations_node"(nodeno INTEGER PRIMARY KEY, data BLOB)
nodeno	INTEGER	"nodeno" INTEGER
data	BLOB	"data" BLOB
locations_parent		CREATE TABLE "locations_parent"(nodeno INTEGER PRIMARY KEY, parentnode INTEGER)
nodeno	INTEGER	"nodeno" INTEGER
parentnode	INTEGER	"parentnode" INTEGER
locations_rowid		CREATE TABLE "locations_rowid"(rowid INTEGER PRIMARY KEY, nodeno INTEGER)
rowid	INTEGER	"rowid" INTEGER
nodeno	INTEGER	"nodeno" INTEGER
media_grabs		CREATE TABLE 'media_grabs' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'uuid' varchar(255), 'status' integer, 'error' integer, 'metadata_item_id' integer, 'extra_data' varchar(255), 'created_at' datetime, 'updated_at' datetime)
id	INTEGER	"id" INTEGER NOT NULL
uuid	varchar(255)	"uuid" varchar(255)
status	integer	"status" integer
error	integer	"error" integer
metadata_item_id	integer	"metadata_item_id" integer
media_subscription_id	integer	"media_subscription_id" integer
extra_data	varchar(255)	"extra_data" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
media_item_settings		CREATE TABLE "media_item_settings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "media_item_id" integer, "settings" varchar(255), "created_at" datetime,

Name	Туре	Schema
		"updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
media_item_id	integer	"media_item_id" integer
settings	varchar(255)	"settings" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
media_items		CREATE TABLE "media_items" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_section_id" integer, "section_location_id" integer, "metadata_item_id" integer, "type_id" integer, "width" integer, "height" integer, "size" integer(8), "duration" integer, "bitrate" integer, "container" varchar(255), "video_codec" varchar(255), "audio_codec" varchar(255), "display_aspect_ratio" float, "frames_per_second" float, "audio_channels" integer, "interlaced" boolean, "source" varchar(255), "hints" varchar(255), "display_offset" integer, "settings" varchar(255), "created_at" datetime, "updated_at" datetime, "optimized_for_streaming" boolean, "deleted_at" datetime, "ends_at' datetime, "ends_at' datetime, 'color_trc' varchar(255), "Place_updated_at" datetime, "TTP_updated_at" datetime, "Place_updated_at" datetime, "TTP_updated_at" datetime, "TTP_updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
section_location_id	integer	"section_location_id" integer
metadata_item_id	integer	"metadata_item_id" integer
type_id	integer	"type_id" integer
width	integer	"width" integer
height	integer	"height" integer
size	integer(8)	"size" integer(8)
duration	integer	"duration" integer
bitrate	integer	"bitrate" integer
container	varchar(255)	"container" varchar(255)
video_codec	varchar(255)	"video_codec" varchar(255)
audio_codec	varchar(255)	"audio_codec" varchar(255)
display_aspect_ratio	float	"display_aspect_ratio" float
frames_per_second	float	"frames_per_second" float
audio_channels	integer	"audio_channels" integer
interlaced	boolean	"interlaced" boolean
source	varchar(255)	"source" varchar(255)
hints	varchar(255)	"hints" varchar(255)
display_offset	integer	"display_offset" integer
settings	varchar(255)	"settings" varchar(255)

Name	Туре	Schema
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
optimized_for_streaming	boolean	"optimized_for_streaming" boolean
deleted_at	datetime	"deleted_at" datetime
media_analysis_version	integer	"media_analysis_version" integer DEFAULT 0
sample_aspect_ratio	float	"sample_aspect_ratio" float
extra_data	varchar(255)	"extra_data" varchar(255)
proxy_type	integer	"proxy_type" integer
channel_id	integer	"channel_id" integer
begins_at	datetime	"begins_at" datetime
ends_at	datetime	"ends_at" datetime
color_trc	varchar(255)	"color_trc" varchar(255)
Place_updated_at	datetime	"Place_updated_at" datetime
TTP_updated_at	datetime	"TTP_updated_at" datetime
media_metadata_mappin gs		CREATE TABLE "media_metadata_mappings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "media_guid" varchar(255), "metadata_guid" varchar(255), "created_at" datetime, "updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
media_guid	varchar(255)	"media_guid" varchar(255)
metadata_guid	varchar(255)	"metadata_guid" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
media_part_settings		CREATE TABLE "media_part_settings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "media_part_id" integer, "selected_audio_stream_id" integer, "selected_subtitle_stream_id" integer, "settings" varchar(255), "created_at" datetime, "updated_at" datetime, "changed_at" integer(8) DEFAULT 0)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
media_part_id	integer	"media_part_id" integer
selected_audio_stream_id	integer	"selected_audio_stream_id" integer
selected_subtitle_stream_id	integer	"selected_subtitle_stream_id" integer
settings	varchar(255)	"settings" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
changed_at	integer(8)	"changed_at" integer(8) DEFAULT 0
media_parts		CREATE TABLE "media_parts" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "media_item_id" integer, "directory_id" integer, "hash" varchar(255), "open_subtitle_hash" varchar(255), "file" varchar(255), "index" integer, "size" integer(8), "duration" integer, "created_at" datetime, "updated_at" datetime, "deleted_at" datetime, "extra_data" varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
	7	

Name	Туре	Schema
media_item_id	integer	"media_item_id" integer
directory_id	integer	"directory_id" integer
hash	varchar(255)	"hash" varchar(255)
open_subtitle_hash	varchar(255)	"open_subtitle_hash" varchar(255)
file	varchar(255)	"file" varchar(255)
index	integer	"index" integer
size	integer(8)	"size" integer(8)
duration	integer	"duration" integer
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
deleted_at	datetime	"deleted_at" datetime
extra_data	varchar(255)	"extra_data" varchar(255)
media_provider_resource s		CREATE TABLE 'media_provider_resources' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'parent_id' integer, 'type' integer, 'status' integer, 'state' integer, 'identifier' varchar(255), 'protocol' varchar(255), 'uri' varchar(255), 'uuid' varchar(255), 'extra_data' varchar(255), 'last_seen_at' datetime, 'created_at' datetime, 'updated_at' datetime, 'data' blob)
id	INTEGER	"id" INTEGER NOT NULL
parent_id	integer	"parent_id" integer
type	integer	"type" integer
status	integer	"status" integer
state	integer	"state" integer
identifier	varchar(255)	"identifier" varchar(255)
protocol	varchar(255)	"protocol" varchar(255)
uri	varchar(255)	"uri" varchar(255)
uuid	varchar(255)	"uuid" varchar(255)
extra_data	varchar(255)	"extra_data" varchar(255)
last_seen_at	datetime	"last_seen_at" datetime
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
data	blob	"data" blob
media_stream_settings		CREATE TABLE 'media_stream_settings' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'account_id' INTEGER, 'media_stream_id' INTEGER, 'extra_data' VARCHAR(255), created_at datetime, updated_at datetime, UNIQUE('media_stream_id', 'account_id'))
id	INTEGER	"id" INTEGER NOT NULL
account_id	INTEGER	"account_id" INTEGER
media_stream_id	INTEGER	"media_stream_id" INTEGER
extra_data	VARCHAR(255)	"extra_data" VARCHAR(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
media_streams		CREATE TABLE "media_streams" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL,

Name	Туре	Schema
		"stream_type_id" integer, "media_item_id"
		integer, "url" varchar(255), "codec"
		varchar(255), "language" varchar(255), "created_at" datetime, "updated_at" datetime,
		"index" integer, "media_part_id" integer,
		"channels" integer, "bitrate" integer,
		"url_index" integer, "default" boolean DEFAULT 0, "forced" boolean DEFAULT 0, "extra_data"
		varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
stream_type_id	integer	"stream_type_id" integer
media_item_id	integer	"media_item_id" integer
url	varchar(255)	"url" varchar(255)
codec	varchar(255)	"codec" varchar(255)
language	varchar(255)	"language" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
index	integer	"index" integer
media_part_id	integer 	"media_part_id" integer
channels	integer 	"channels" integer
bitrate	integer	"bitrate" integer
url_index	integer	"url_index" integer
default	boolean	"default" boolean DEFAULT 0
forced	boolean	"forced" boolean DEFAULT 0
extra_data	varchar(255)	"extra_data" varchar(255)
media_subscriptions		CREATE TABLE 'media_subscriptions' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'order'
		float, 'metadata_type' integer,
		target_metadata_item_id' integer, target_library_section_id' integer,
		target_ribrary_section_id
		'extra_data' varchar(255), 'created_at'
		datetime, 'updated_at' datetime)
id	INTEGER	"id" INTEGER NOT NULL
order	float	"order" float
metadata_type	integer	"metadata_type" integer
target_metadata_item_id	integer	"target_metadata_item_id" integer
target_library_section_id	integer	"target_library_section_id" integer
target_section_location_id	integer	"target_section_location_id" integer
extra_data	varchar(255)	"extra_data" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
metadata_item_accounts		CREATE TABLE "metadata_item_accounts" ("id"
		INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "metadata_item_id"
		integer)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
metadata_item_id	integer	"metadata_item_id" integer
metadata_item_clusterin		CREATE TABLE 'metadata_item_clusterings' ('id'

Name	Туре	Schema
gs		INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'metadata_item_id' integer, 'metadata_item_cluster_id' integer, 'index'
		<pre>integer, 'version' integer, FOREIGN KEY(metadata_item_cluster_id) REFERENCES metadata_item_clusters(id) ON DELETE CASCADE, FOREIGN KEY(metadata_item_id) REFERENCES</pre>
		metadata_items(id) ON DELETE CASCADE)
id	INTEGER	"id" INTEGER NOT NULL
metadata_item_id	integer	"metadata_item_id" integer
metadata_item_cluster_id	integer	"metadata_item_cluster_id" integer
index	integer	"index" integer
version	integer	"version" integer
metadata_item_clusters		CREATE TABLE 'metadata_item_clusters' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'zoom_level' integer, 'library_section_id' integer, 'title' varchar(255), 'count' integer, 'starts_at' datetime, 'ends_at' datetime, 'extra_data' varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
zoom_level	integer	"zoom_level" integer
library_section_id	integer	"library_section_id" integer
title	varchar(255)	"title" varchar(255)
count	integer	"count" integer
starts_at	datetime	"starts_at" datetime
ends_at	datetime	"ends_at" datetime
extra_data	varchar(255)	"extra_data" varchar(255)
metadata_item_setting_ markers		CREATE TABLE 'metadata_item_setting_markers' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'marker_type' integer NOT NULL, 'metadata_item_setting_id' integer NOT NULL, 'start_time_offset' integer NOT NULL, 'end_time_offset' integer, 'title' varchar(255), 'created_at' integer(8), 'updated_at' integer(8), 'extra_data' varchar(255), FOREIGN KEY(metadata_item_setting_id) REFERENCES metadata_item_settings(id) ON DELETE CASCADE)
lid	INTEGER	"id" INTEGER NOT NULL
marker_type	integer	"marker_type" integer NOT NULL
metadata_item_setting_id	integer	"metadata_item_setting_id" integer NOT NULL
start_time_offset	integer	"start_time_offset" integer NOT NULL
end_time_offset	integer	"end_time_offset" integer
title	varchar(255)	"title" varchar(255)
created_at	integer(8)	"created_at" integer(8)
updated_at	integer(8)	"updated_at" integer(8)
extra_data	varchar(255)	"extra_data" varchar(255)
metadata_item_settings		CREATE TABLE "metadata_item_settings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "guid" varchar(255), "rating" float, "view_offset" integer, "view_count" integer, "last_viewed_at" datetime, "created_at" datetime, "updated_at" datetime,

Name	Туре	Schema
		"skip_count" integer DEFAULT 0,
		"last_skipped_at" datetime DEFAULT NULL, "changed_at" integer(8) DEFAULT 0, 'extra_data'
		varchar(255), 'last_rated_at' datetime)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
guid	varchar(255)	"guid" varchar(255)
rating	float	"rating" float
view_offset	integer	"view_offset" integer
view_count	integer	"view_count" integer
last_viewed_at	datetime	"last_viewed_at" datetime
created_at	datetime	"created at" datetime
updated_at	datetime	"updated_at" datetime
skip_count	integer	"skip_count" integer DEFAULT 0
last_skipped_at	datetime	"last_skipped_at" datetime DEFAULT NULL
changed_at	integer(8)	"changed_at" integer(8) DEFAULT 0
extra data	varchar(255)	"extra_data" varchar(255)
last rated at	datetime	"last_rated_at" datetime
metadata_item_views	datetine	CREATE TABLE "metadata item views" ("id" INTEGER
inetauata_item_views		PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "guid" varchar(255), "metadata_type" integer, "library_section_id" integer, "grandparent_title" varchar(255), "parent_index" integer, "parent_title" varchar(255), "index" integer, "title" varchar(255), "thumb_url" varchar(255), "viewed_at" datetime, 'grandparent_guid' varchar(255), 'originally_available_at' datetime, 'device_id' integer)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
guid	varchar(255)	"guid" varchar(255)
metadata_type	integer	"metadata_type" integer
library_section_id	integer	"library_section_id" integer
grandparent_title	varchar(255)	"grandparent_title" varchar(255)
parent_index	integer	"parent_index" integer
parent_title	varchar(255)	"parent_title" varchar(255)
index	integer	"index" integer
title	varchar(255)	"title" varchar(255)
thumb_url	varchar(255)	"thumb_url" varchar(255)
viewed_at	datetime	"viewed_at" datetime
grandparent_guid	varchar(255)	grandparent_guid" varchar(255)
originally_available_at	datetime	"originally_available_at" datetime
device_id	integer	"device_id" integer
metadata_items		CREATE TABLE "metadata_items" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_section_id" integer, "parent_id" integer, "metadata_type" integer, "guid" varchar(255), "media_item_count" integer, "title" varchar(255), "title_sort" varchar(255)

Name	Туре	Schema
Team C	Турс	COLLATE NOCASE, "original_title" varchar(255), "studio" varchar(255), "rating" float, "rating_count" integer, "tagline" varchar(255), "summary" text, "trivia" text, "quotes" text, "content_rating" varchar(255), "content_rating_age" integer, "index" integer, "absolute_index" integer, "duration" integer, "user_thumb_url" varchar(255), "user_art_url" varchar(255), "user_banner_url" varchar(255), "user_music_url" varchar(255), "user_fields" varchar(255), "tags_genre" varchar(255), "tags_collection" varchar(255), "tags_director" varchar(255), "tags_writer" varchar(255), "tags_star" varchar(255), "originally_available_at" datetime, "available_at" datetime, "expires_at" datetime, "refreshed_at" datetime, "gear" integer, "added_at" datetime, "created_at" datetime, "updated_at" datetime, "deleted_at" datetime, "tags_country" varchar(255), "extra_data" varchar(255), "hash" varchar(255), "audience_rating" float, "changed_at" integer(8) DEFAULT 0, "resources_changed_at" integer(8) DEFAULT 0, 'remote' integer)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
parent_id	integer	"parent_id" integer
metadata_type	integer	"metadata_type" integer
guid	varchar(255)	"guid" varchar(255)
media_item_count	integer	"media_item_count" integer
title	varchar(255)	"title" varchar(255)
title_sort	varchar(255)	"title_sort" varchar(255) COLLATE NOCASE
original_title	varchar(255)	"original_title" varchar(255)
studio	varchar(255)	"studio" varchar(255)
rating	float	"rating" float
rating_count	integer	"rating_count" integer
tagline	varchar(255)	"tagline" varchar(255)
summary	text	"summary" text
trivia	text	"trivia" text
quotes	text	"quotes" text
content_rating	varchar(255)	"content_rating" varchar(255)
content_rating_age	integer	"content_rating_age" integer
index	integer	"index" integer
absolute_index	integer	"absolute_index" integer
duration	integer	"duration" integer
user_thumb_url	varchar(255)	"user_thumb_url" varchar(255)
user_art_url	varchar(255)	"user_art_url" varchar(255)
user_banner_url	varchar(255)	"user_banner_url" varchar(255)
user_music_url	varchar(255)	"user_music_url" varchar(255)
user_fields	varchar(255)	"user_fields" varchar(255)
tags_genre	varchar(255)	"tags_genre" varchar(255)

Name	Туре	Schema
tags_collection	varchar(255)	"tags_collection" varchar(255)
tags_director	varchar(255)	"tags_director" varchar(255)
tags_writer	varchar(255)	"tags_writer" varchar(255)
tags_star	varchar(255)	"tags_star" varchar(255)
originally_available_at	datetime	"originally_available_at" datetime
available_at	datetime	"available_at" datetime
expires_at	datetime	"expires_at" datetime
refreshed_at	datetime	"refreshed_at" datetime
year	integer	"year" integer
added_at	datetime	"added_at" datetime
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
deleted_at	datetime	"deleted_at" datetime
tags_country	varchar(255)	"tags_country" varchar(255)
extra_data	varchar(255)	"extra_data" varchar(255)
hash	varchar(255)	"hash" varchar(255)
audience_rating	float	"audience_rating" float
changed_at	integer(8)	"changed_at" integer(8) DEFAULT 0
resources_changed_at	integer(8)	"resources_changed_at" integer(8) DEFAULT 0
remote	integer	"remote" integer
metadata_relations		CREATE TABLE "metadata_relations" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "metadata_item_id" integer, "related_metadata_item_id" integer, "relation_type" integer, "created_at" datetime,
	INTECED	"updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
metadata_item_id	integer	"metadata_item_id" integer
related_metadata_item_id	integer	"related_metadata_item_id" integer
relation_type	integer	"relation_type" integer "created at" datetime
updated_at	datetime	"updated_at" datetime
metadata_subscription_d esired_items		CREATE TABLE 'metadata_subscription_desired_items' ('sub_id' INTEGER, 'remote_id' VARCHAR(255))
sub_id	INTEGER	"sub_id" INTEGER
remote_id	VARCHAR(255)	"remote_id" VARCHAR(255)
play_queue_generators		CREATE TABLE "play_queue_generators" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "playlist_id" integer, "metadata_item_id" integer, "uri" varchar(255), "limit" integer, "continuous" boolean, "order" float, "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "changed_at" integer(8) DEFAULT 0, "recursive" boolean, "type" integer, "extra_data" varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
playlist_id	integer	"playlist_id" integer
metadata_item_id	integer	"metadata_item_id" integer

Name	Туре	Schema
uri	varchar(255)	"uri" varchar(255)
limit	integer	"limit" integer
continuous	boolean	"continuous" boolean
order	float	"order" float
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
changed_at	integer(8)	"changed_at" integer(8) DEFAULT 0
recursive	boolean	"recursive" boolean
type	integer	"type" integer
extra_data	varchar(255)	"extra_data" varchar(255)
play_queue_items		CREATE TABLE "play_queue_items" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "play_queue_id" integer, "metadata_item_id" integer, "order" float, "up_next" boolean, "play_queue_generator_id" integer)
id	INTEGER	"id" INTEGER NOT NULL
play_queue_id	integer	"play_queue_id" integer
metadata_item_id	integer	"metadata_item_id" integer
order	float	"order" float
up_next	boolean	"up_next" boolean
play_queue_generator_id	integer	"play_queue_generator_id" integer
play_queues		CREATE TABLE "play_queues" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "client_identifier" varchar(255), "account_id" integer, "playlist_id" integer, "sync_item_id" integer, "play_queue_generator_id" integer, "generator_start_index" integer, "generator_end_index" integer, "generator_items_count" integer, "generator_ids" blob, "seed" integer, "current_play_queue_item_id" integer, "last_added_play_queue_item_id" integer, "version" integer, "created_at" datetime, "updated_at" datetime, "metadata_type" integer, "total_items_count" integer, "generator_generator_ids" blob, 'extra_data' varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
client_identifier	varchar(255)	"client_identifier" varchar(255)
account_id	integer	"account_id" integer
playlist_id	integer	"playlist_id" integer
sync_item_id	integer	"sync_item_id" integer
play_queue_generator_id	integer	"play_queue_generator_id" integer
generator_start_index	integer	"generator_start_index" integer
generator_end_index	integer	"generator_end_index" integer
generator_items_count	integer	"generator_items_count" integer
generator_ids	blob	"generator_ids" blob
seed	integer	"seed" integer
current_play_queue_item_id	integer	"current_play_queue_item_id" integer
last_added_play_queue_item_id	integer	"last_added_play_queue_item_id" integer

Name	Туре	Schema
version	integer	"version" integer
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
metadata_type	integer	"metadata_type" integer
total_items_count	integer	"total_items_count" integer
generator_generator_ids	blob	"generator_generator_ids" blob
extra_data	varchar(255)	"extra_data" varchar(255)
plugin_permissions		CREATE TABLE "plugin_permissions" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "plugin_id" integer, "account_id" integer, "permission" integer)
id	INTEGER	"id" INTEGER NOT NULL
plugin_id	integer	"plugin_id" integer
account_id	integer	"account_id" integer
permission	integer	"permission" integer
plugin_prefixes		CREATE TABLE "plugin_prefixes" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "plugin_id" integer, "name" varchar(255), "prefix" varchar(255), "art_url" varchar(255), "thumb_url" varchar(255), "titlebar_url" varchar(255), "share" boolean, "has_store_services" boolean, "prefs" boolean)
id	INTEGER	"id" INTEGER NOT NULL
plugin_id	integer	"plugin_id" integer
name	varchar(255)	"name" varchar(255)
prefix	varchar(255)	"prefix" varchar(255)
art_url	varchar(255)	"art_url" varchar(255)
thumb_url	varchar(255)	"thumb_url" varchar(255)
titlebar_url	varchar(255)	"titlebar_url" varchar(255)
share	boolean	"share" boolean
has_store_services	boolean	"has_store_services" boolean
prefs	boolean	"prefs" boolean
plugins		CREATE TABLE "plugins" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "identifier" varchar(255), "framework_version" integer, "access_count" integer, "installed_at" datetime, "accessed_at" datetime, "modified_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
identifier	varchar(255)	"identifier" varchar(255)
framework_version	integer	"framework_version" integer
access_count	integer	"access_count" integer
installed_at	datetime	"installed_at" datetime
accessed_at	datetime	"accessed_at" datetime
modified_at	datetime	"modified_at" datetime
preferences		CREATE TABLE "preferences" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "name" varchar(255), "value" varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
name	varchar(255)	"name" varchar(255)

Name	Туре	Schema
value	varchar(255)	"value" varchar(255)
remote_id_translation		CREATE TABLE 'remote_id_translation' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'type' INTEGER, 'local_id' INTEGER, 'remote_id' VARCHAR(255))
id	INTEGER	"id" INTEGER NOT NULL
type	INTEGER	"type" INTEGER
local_id	INTEGER	"local_id" INTEGER
remote_id	VARCHAR(255)	"remote_id" VARCHAR(255)
schema_migrations		CREATE TABLE "schema_migrations" ("version" varchar(255) NOT NULL, 'rollback_sql' text default NULL, 'optimize_on_rollback' boolean default NULL)
version	varchar(255)	"version" varchar(255) NOT NULL
rollback_sql	text	"rollback_sql" text DEFAULT NULL
optimize_on_rollback	boolean	"optimize_on_rollback" boolean DEFAULT NULL
section_locations		CREATE TABLE "section_locations" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "library_section_id" integer, "root_path" varchar(255), "available" boolean DEFAULT 't', "scanned_at" datetime, "created_at" datetime, "updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
library_section_id	integer	"library_section_id" integer
root_path	varchar(255)	"root_path" varchar(255)
available	boolean	"available" boolean DEFAULT 't'
scanned_at	datetime	"scanned_at" datetime
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
spellfix_metadata_titles		CREATE VIRTUAL TABLE spellfix_metadata_titles USING spellfix1
spellfix_metadata_titles_ vocab		CREATE TABLE "spellfix_metadata_titles_vocab"(id INTEGER PRIMARY KEY, rank INT, langid INT, word TEXT, k1 TEXT, k2 TEXT)
id	INTEGER	"id" INTEGER
rank	INT	"rank" INT
langid	INT	"langid" INT
word	TEXT	"word" TEXT
k1	TEXT	"k1" TEXT
k2	TEXT	"k2" TEXT
spellfix_tag_titles		CREATE VIRTUAL TABLE spellfix_tag_titles USING spellfix1
spellfix_tag_titles_vocab		CREATE TABLE "spellfix_tag_titles_vocab"(id INTEGER PRIMARY KEY, rank INT, langid INT, word TEXT, k1 TEXT, k2 TEXT)
id	INTEGER	"id" INTEGER
rank	INT	"rank" INT
langid	INT	"langid" INT
word	TEXT	"word" TEXT

Name	Туре	Schema
k1	TEXT	"k1" TEXT
k2	TEXT	"k2" TEXT
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
sqlite_stat1		CREATE TABLE sqlite_stat1(tbl,idx,stat)
tbl		"tbl"
idx		"idx"
stat		"stat"
statistics_bandwidth		CREATE TABLE 'statistics_bandwidth' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'account_id' integer, 'device_id' integer, 'timespan' integer, 'at' datetime, 'lan' boolean, 'bytes' integer(8))
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
device_id	integer	"device_id" integer
timespan	integer	"timespan" integer
at	datetime	"at" datetime
lan	boolean	"lan" boolean
bytes	integer(8)	"bytes" integer(8)
statistics_media		CREATE TABLE 'statistics_media' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'account_id' integer, 'device_id' integer, 'timespan' integer, 'at' datetime, 'metadata_type' integer, 'count' integer, 'duration' integer)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
device_id	integer	"device_id" integer
timespan	integer	"timespan" integer
at	datetime	"at" datetime
metadata_type	integer	"metadata_type" integer
count	integer	"count" integer
duration	integer	"duration" integer
statistics_resources		CREATE TABLE 'statistics_resources' ('id' INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, 'timespan' integer, 'at' datetime, 'host_cpu_utilization' float, 'process_cpu_utilization' float, 'host_memory_utilization' float, 'process_memory_utilization' float)
id	INTEGER	"id" INTEGER NOT NULL
timespan	integer	"timespan" integer
at	datetime	"at" datetime
host_cpu_utilization	float	"host_cpu_utilization" float
process_cpu_utilization	float	"process_cpu_utilization" float
host_memory_utilization	float	"host_memory_utilization" float
process_memory_utilization	float	"process_memory_utilization" float

Name	Туре	Schema
stream_types		CREATE TABLE "stream_types" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "name"
id	INTEGER	varchar(255)) "id" INTEGER NOT NULL
	-	
sync_schema_versions	varchar(255)	<pre>"name" varchar(255) CREATE TABLE "sync_schema_versions" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "version" integer, "changed_at" integer(8))</pre>
id	INTEGER	"id" INTEGER NOT NULL
version	integer	"version" integer
changed_at	integer(8)	"changed_at" integer(8)
synced_ancestor_items		CREATE TABLE "synced_ancestor_items" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "sync_list_id" integer(8), "metadata_item_id" integer, "changed_at" integer(8), "reference_count" integer, "first_packaged_at" integer(8), 'parent_id' integer, 'state' integer)
id	INTEGER	"id" INTEGER NOT NULL
sync_list_id	integer(8)	"sync_list_id" integer(8)
metadata_item_id	integer	"metadata_item_id" integer
changed_at	integer(8)	"changed_at" integer(8)
reference_count	integer	"reference_count" integer
first_packaged_at	integer(8)	"first_packaged_at" integer(8)
parent_id	integer	"parent_id" integer
state	integer	"state" integer
synced_library_sections		CREATE TABLE "synced_library_sections" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "sync_list_id" integer(8), "library_section_id" integer, "changed_at" integer(8), "reference_count" integer, "first_packaged_at" integer(8), 'state' integer)
id	INTEGER	"id" INTEGER NOT NULL
sync_list_id	integer(8)	"sync_list_id" integer(8)
library_section_id	integer	"library_section_id" integer
changed_at	integer(8)	"changed_at" integer(8)
reference_count	integer	"reference_count" integer
first_packaged_at	integer(8)	"first_packaged_at" integer(8)
state	integer	"state" integer
synced_metadata_items		CREATE TABLE "synced_metadata_items" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "sync_list_id" integer(8), "sync_item_id" integer(8), "metadata_item_id" integer, "changed_at" integer(8), "first_packaged_at" integer(8), "state" integer, "state_context" integer, "selected_media_id" integer, "selected_part_id" integer, "media_decision" integer, "file_size" integer(8), "media_analysis_extra_data" varchar(255), 'parent_id' integer, 'library_section_id' integer)
id	INTEGER	"id" INTEGER NOT NULL

Name	Туре	Schema
sync_list_id	integer(8)	"sync_list_id" integer(8)
sync_item_id	integer(8)	"sync_item_id" integer(8)
metadata_item_id	integer	"metadata_item_id" integer
changed_at	integer(8)	"changed_at" integer(8)
first_packaged_at	integer(8)	"first_packaged_at" integer(8)
state	integer	"state" integer
state_context	integer	"state_context" integer
selected_media_id	integer	"selected_media_id" integer
selected_part_id	integer	"selected_part_id" integer
media_decision	integer	"media_decision" integer
file_size	integer(8)	"file_size" integer(8)
media_analysis_extra_data	varchar(255)	"media_analysis_extra_data" varchar(255)
parent_id	integer	"parent_id" integer
library_section_id	integer	"library_section_id" integer
synced_play_queue_gene rators		CREATE TABLE "synced_play_queue_generators" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "sync_list_id" integer(8), "sync_item_id" integer(8), "playlist_id" integer, "play_queue_generator_id" integer, "changed_at" integer(8), "state" integer, "state_context" integer, "first_packaged_at" integer(8))
id	INTEGER	"id" INTEGER NOT NULL
sync_list_id	integer(8)	"sync_list_id" integer(8)
sync_item_id	integer(8)	"sync_item_id" integer(8)
playlist_id	integer	"playlist_id" integer
play_queue_generator_id	integer	"play_queue_generator_id" integer
changed_at	integer(8)	"changed_at" integer(8)
state	integer	"state" integer
state_context	integer	"state_context" integer
first_packaged_at	integer(8)	"first_packaged_at" integer(8)
synchronization_files		CREATE TABLE "synchronization_files" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "client_identifier" varchar(255), "sync_list_id" integer(8), "sync_item_id" integer(8), "item_uri" varchar(255), "num_parts" integer, "state" integer, "state_context" integer, "extra_data" varchar(255))
id	INTEGER	"id" INTEGER NOT NULL
client_identifier	varchar(255)	"client_identifier" varchar(255)
sync_list_id	integer(8)	"sync_list_id" integer(8)
sync_item_id	integer(8)	"sync_item_id" integer(8)
item_uri	varchar(255)	"item_uri" varchar(255)
num_parts	integer	"num_parts" integer
state	integer	"state" integer
state_context	integer	"state_context" integer
extra_data	varchar(255)	"extra_data" varchar(255)
taggings		CREATE TABLE "taggings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "metadata_item_id" integer, "tag_id" integer, "index" integer,

Name	Туре	Schema
		"text" varchar(255), "time_offset" integer,
		"end_time_offset" integer, "thumb_url"
		<pre>varchar(255), "created_at" datetime, "extra_data" varchar(255))</pre>
id	INTEGER	"id" INTEGER NOT NULL
metadata_item_id	integer	"metadata_item_id" integer
tag_id	integer	"tag_id" integer
index	integer	"index" integer
text	varchar(255)	"text" varchar(255)
time_offset	integer	"time_offset" integer
end_time_offset	integer	"end_time_offset" integer
thumb_url	varchar(255)	"thumb_url" varchar(255)
created_at	datetime	"created_at" datetime
extra_data	varchar(255)	"extra_data" varchar(255)
tags		CREATE TABLE "tags" ("id" INTEGER PRIMARY KEY
		AUTOINCREMENT NOT NULL, "metadata_item_id"
		<pre>integer, "tag" varchar(255) COLLATE NOCASE, "tag_type" integer, "user_thumb_url"</pre>
		varchar(255), "user_art_url" varchar(255),
		"user_music_url" varchar(255), "created_at"
		datetime, "updated_at" datetime, "tag_value" integer, "extra_data" varchar(255), 'key'
		varchar(255), 'parent_id' integer)
id	INTEGER	"id" INTEGER NOT NULL
metadata_item_id	integer	"metadata_item_id" integer
tag	varchar(255)	"tag" varchar(255) COLLATE NOCASE
tag_type	integer	"tag_type" integer
user_thumb_url	varchar(255)	"user_thumb_url" varchar(255)
user_art_url	varchar(255)	"user_art_url" varchar(255)
user_music_url	varchar(255)	"user_music_url" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
tag_value	integer	"tag_value" integer
extra_data	varchar(255)	"extra_data" varchar(255)
key	varchar(255)	"key" varchar(255)
parent_id	integer	"parent_id" integer
versioned_metadata_ite		CREATE TABLE "versioned_metadata_items" ("id"
ms		INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL,
		<pre>"metadata_item_id" integer, "generator_id" integer, "target_tag_id" integer, "state"</pre>
		integer, "state_context" integer,
		"selected_media_id" integer, "version_media_id" integer, "media_decision" integer, "file_size"
		<pre>integer, "media_decision" integer, "file_size" integer(8))</pre>
id	INTEGER	"id" INTEGER NOT NULL
metadata_item_id	integer	"metadata_item_id" integer
generator_id	integer	"generator_id" integer
target_tag_id	integer	"target_tag_id" integer
state	integer	"state" integer
state_context	integer	"state_context" integer
	<u> </u>	

Name	Туре	Schema
selected_media_id	integer	"selected_media_id" integer
version_media_id	integer	"version_media_id" integer
media_decision	integer	"media_decision" integer
file_size	integer(8)	"file_size" integer(8)
view_settings		CREATE TABLE "view_settings" ("id" INTEGER PRIMARY KEY AUTOINCREMENT NOT NULL, "account_id" integer, "client_type" varchar(255), "view_group" varchar(255), "view_id" integer, "sort_id" integer, "sort_asc" boolean, "created_at" datetime, "updated_at" datetime)
id	INTEGER	"id" INTEGER NOT NULL
account_id	integer	"account_id" integer
client_type	varchar(255)	"client_type" varchar(255)
view_group	varchar(255)	"view_group" varchar(255)
view_id	integer	"view_id" integer
sort_id	integer	"sort_id" integer
sort_asc	boolean	"sort_asc" boolean
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime

Indices (183)

Name	Туре	Schema
index_accounts_on_name		CREATE INDEX "index_accounts_on_name" ON "accounts" ("name")
name		"name"
index_activities_on_pare nt_id		CREATE INDEX 'index_activities_on_parent_id' ON 'activities' ('parent_id')
'parent_id'		'parent_id'
index_activities_on_start ed_at		CREATE INDEX 'index_activities_on_started_at' ON 'activities' ('started_at')
'started_at'		'started_at'
index_blobs_on_linked_ty pe		CREATE INDEX 'index_blobs_on_linked_type' ON 'blobs' ('linked_type')
'linked_type'		'linked_type'
<pre>index_blobs_on_linked_ty pe_linked_guid_and_blob _type</pre>		CREATE UNIQUE INDEX 'index_blobs_on_linked_type_linked_guid_and_blob_type' ON 'blobs' ('linked_type', 'linked_guid', 'blob_type')
'linked_type'		'linked_type'
'linked_guid'		'linked_guid'
'blob_type'		'blob_type'
index_blobs_on_linked_ty pe_linked_id_and_blob_t ype		CREATE UNIQUE INDEX 'index_blobs_on_linked_type_linked_id_and_blob_type' ON 'blobs' ('linked_type', 'linked_id', 'blob_type')
'linked_type'		'linked_type'
'linked_id'		'linked_id'

Name	Туре	Schema
'blob_type'		'blob_type'
index_cloudsync_files_on _device_identifier_and_or iginal_url		CREATE INDEX "index_cloudsync_files_on_device_identifier_and_origina l_url" ON "cloudsync_files" ("device_identifier", "original_url")
device_identifier		"device_identifier"
original_url		"original_url"
index_devices_on_identifier		CREATE INDEX 'index_devices_on_identifier' ON 'devices' ('identifier')
'identifier'		'identifier'
index_directories_on_del eted_at		CREATE INDEX "index_directories_on_deleted_at" ON "directories" ("deleted_at")
deleted_at		"deleted_at"
index_directories_on_par ent_directory_id		CREATE INDEX 'index_directories_on_parent_directory_id' ON 'directories' ('parent_directory_id')
'parent_directory_id'		'parent_directory_id'
index_directories_on_pat h		CREATE INDEX "index_directories_on_path" ON "directories" ("path")
path		"path"
index_external_metadata _items_on_external_sour ce_id		CREATE INDEX 'index_external_metadata_items_on_external_source_id' ON 'external_metadata_items' ('external_metadata_source_id')
'external_metadata_source_id'		'external_metadata_source_id'
index_external_metadata _items_on_metadata_typ e		CREATE INDEX 'index_external_metadata_items_on_metadata_type' ON 'external_metadata_items' ('metadata_type')
'metadata_type'		'metadata_type'
index_external_metadata _items_on_parent_title		CREATE INDEX 'index_external_metadata_items_on_parent_title' ON 'external_metadata_items' ('parent_title')
'parent_title'		'parent_title'
index_external_metadata _items_on_title		CREATE INDEX 'index_external_metadata_items_on_title' ON 'external_metadata_items' ('title')
'title'		'title'
index_external_metadata _sources_on_online		CREATE INDEX 'index_external_metadata_sources_on_online' ON 'external_metadata_sources' ('online')
'online'		'online'
index_external_metadata _sources_on_uri		CREATE UNIQUE INDEX 'index_external_metadata_sources_on_uri' ON 'external_metadata_sources' ('uri')
'uri'		'uri'
index_hub_templates_on _section_and_home_visib ility		CREATE INDEX 'index_hub_templates_on_section_and_home_visibility' ON 'hub_templates' ('section','home_visibility')

Name	Туре	Schema
'section'	7.	'section'
'home_visibility'		'home_visibility'
index_library_section_per missions_on_account_id		CREATE INDEX "index_library_section_permissions_on_account_id" ON "library_section_permissions" ("account_id")
account_id		"account_id"
index_library_section_per missions_on_library_secti on_id		CREATE INDEX "index_library_section_permissions_on_library_section_i d" ON "library_section_permissions" ("library_section_id")
library_section_id		"library_section_id"
index_library_sections_on _changed_at		CREATE INDEX "index_library_sections_on_changed_at" ON "library_sections" ("changed_at")
changed_at		"changed_at"
index_library_sections_on _name		CREATE INDEX "index_library_sections_on_name" ON "library_sections" ("name")
name		"name"
index_library_sections_on _name_sort		CREATE INDEX "index_library_sections_on_name_sort" ON "library_sections" ("name_sort" collate nocase)
"name_sort" COLLATE nocase		"name_sort" COLLATE nocase
index_library_timeline_e ntries_on_library_section _id		CREATE INDEX "index_library_timeline_entries_on_library_section_id" ON "library_timeline_entries" ("library_section_id")
library_section_id		"library_section_id"
index_library_timeline_e ntries_on_metadata_item _id		CREATE INDEX "index_library_timeline_entries_on_metadata_item_id" ON "library_timeline_entries" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_library_timeline_e ntries_on_state		CREATE INDEX "index_library_timeline_entries_on_state" ON "library_timeline_entries" ("state")
state		"state"
index_library_timeline_e ntries_on_updated_at		CREATE INDEX "index_library_timeline_entries_on_updated_at" ON "library_timeline_entries" ("updated_at")
updated_at		"updated_at"
index_locatables_on_geo coding_version		CREATE INDEX 'index_locatables_on_geocoding_version' ON 'locatables' ('geocoding_version')
'geocoding_version'		'geocoding_version'
<pre>index_locatables_on_loca table_id_and_locatable_t ype</pre>		CREATE INDEX 'index_locatables_on_locatable_id_and_locatable_type' ON 'locatables' ('locatable_id', 'locatable_type')
'locatable_id'		'locatable_id'
'locatable_type'		locatable_type'
index_locatables_on_loca		CREATE UNIQUE INDEX 'index_locatables_on_location_id_and_locatable_id_and_l

Name	Туре	Schema
tion_id_and_locatable_id _and_locatable_type		ocatable_type' ON 'locatables' ('location_id', 'locatable_id', 'locatable_type')
'location_id'		'location_id'
'locatable_id'		'locatable_id'
'locatable_type'		'locatable_type'
index_location_places_on _location_id_and_guid		CREATE UNIQUE INDEX 'index_location_places_on_location_id_and_guid' ON 'location_places' ('location_id', 'guid')
'location_id'		'location_id'
'guid'		'guid'
index_media_item_settin gs_on_account_id		CREATE INDEX "index_media_item_settings_on_account_id" ON "media_item_settings" ("account_id")
account_id		"account_id"
index_media_item_settin gs_on_media_item_id		CREATE INDEX "index_media_item_settings_on_media_item_id" ON "media_item_settings" ("media_item_id")
media_item_id		"media_item_id"
index_media_items_on_b egins_at		CREATE INDEX 'index_media_items_on_begins_at' ON 'media_items' ('begins_at')
'begins_at'		'begins_at'
index_media_items_on_c hannel_id		CREATE INDEX 'index_media_items_on_channel_id' ON 'media_items' ('channel_id')
'channel_id'		'channel_id'
index_media_items_on_c hannel_id_and_begins_at		CREATE INDEX 'index_media_items_on_channel_id_and_begins_at' ON 'media_items' ('channel_id','begins_at')
'channel_id'		'channel_id'
'begins_at'		'begins_at'
<pre>index_media_items_on_d eleted_at</pre>		CREATE INDEX "index_media_items_on_deleted_at" ON "media_items" ("deleted_at")
deleted_at		"deleted_at"
index_media_items_on_e nds_at		CREATE INDEX 'index_media_items_on_ends_at' ON 'media_items' ('ends_at')
'ends_at'		'ends_at'
index_media_items_on_li brary_section_id		CREATE INDEX "index_media_items_on_library_section_id" ON "media_items" ("library_section_id")
library_section_id		"library_section_id"
index_media_items_on_ media_analysis_version		CREATE INDEX "index_media_items_on_media_analysis_version" ON "media_items" ("media_analysis_version")
media_analysis_version		"media_analysis_version"
index_media_items_on_ metadata_item_id		CREATE INDEX "index_media_items_on_metadata_item_id" ON "media_items" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
		CREATE INDEX "index_media_part_settings_on_account_id"

Name	Туре	Schema
index_media_part_settin		ON "media_part_settings" ("account_id")
gs_on_account_id		
account_id		"account_id"
index_media_part_settin		CREATE INDEX "index_media_part_settings_on_changed_at"
gs_on_changed_at		ON "media_part_settings" ("changed_at")
changed_at		"changed_at"
index_media_part_settin		CREATE INDEX
gs_on_media_part_id		"index_media_part_settings_on_media_part_id" ON "media_part_settings" ("media_part_id")
media_part_id		"media_part_id"
index_media_parts_on_d		CREATE INDEX "index_media_parts_on_deleted_at" ON
eleted_at		"media_parts" ("deleted_at")
deleted_at		"deleted_at"
index_media_parts_on_directory_id		CREATE INDEX "index_media_parts_on_directory_id" ON "media_parts" ("directory_id")
directory_id		"directory_id"
index_media_parts_on_fil		CREATE INDEX "index_media_parts_on_file" ON
e		"media_parts" ("file")
file		"file"
index_media_parts_on_h		CREATE INDEX "index_media_parts_on_hash" ON
ash		"media_parts" ("hash")
hash		"hash"
index_media_parts_on_m edia_item_id		CREATE INDEX "index_media_parts_on_media_item_id" ON "media_parts" ("media_item_id")
media_item_id		"media_item_id"
index_media_parts_on_si ze		CREATE INDEX "index_media_parts_on_size" ON "media_parts" ("size")
size		"size"
index media stream sett		CREATE UNIQUE INDEX
ings_on_media_stream_i		<pre>'index_media_stream_settings_on_media_stream_id_and_acc ount_id' ON 'media_stream_settings' ('media_stream_id',</pre>
d_and_account_id		'account_id')
'media_stream_id'		'media_stream_id'
'account_id'		'account_id'
index_media_streams_on		CREATE INDEX "index_media_streams_on_language" ON "media_streams" ("language")
_language		"media_streams" ("language")
language		"language"
index_media_streams_on _media_item_id		CREATE INDEX "index_media_streams_on_media_item_id" ON "media_streams" ("media_item_id")
media_item_id		"media_item_id"
index_media_streams_on		CREATE INDEX "index_media_streams_on_media_part_id" ON
_media_part_id		"media_streams" ("media_part_id")
media_part_id		"media_part_id"

Name	Туре	Schema
index_metadata_item_ac counts_on_account_id		CREATE INDEX "index_metadata_item_accounts_on_account_id" ON "metadata_item_accounts" ("account_id")
account_id		"account_id"
index_metadata_item_ac counts_on_metadata_ite m_id		CREATE INDEX "index_metadata_item_accounts_on_metadata_item_id" ON "metadata_item_accounts" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_metadata_item_clu sterings_on_metadata_it em_cluster_id		CREATE INDEX 'index_metadata_item_clusterings_on_metadata_item_clust er_id' ON 'metadata_item_clusterings' ('metadata_item_cluster_id')
'metadata_item_cluster_id'		'metadata_item_cluster_id'
index_metadata_item_clu sterings_on_metadata_it em_id		CREATE INDEX 'index_metadata_item_clusterings_on_metadata_item_id' ON 'metadata_item_clusterings' ('metadata_item_id')
'metadata_item_id'		'metadata_item_id'
index_metadata_item_clu sterings_on_version		CREATE INDEX 'index_metadata_item_clusterings_on_version' ON 'metadata_item_clusterings' ('version')
'version'		'version'
index_metadata_item_clu sters_on_library_section_ id		CREATE INDEX 'index_metadata_item_clusters_on_library_section_id' ON 'metadata_item_clusters' ('library_section_id')
'library_section_id'		'library_section_id'
index_metadata_item_clu sters_on_title		CREATE INDEX 'index_metadata_item_clusters_on_title' ON 'metadata_item_clusters' ('title')
'title'		'title'
index_metadata_item_clu sters_on_zoom_level		CREATE INDEX 'index_metadata_item_clusters_on_zoom_level' ON 'metadata_item_clusters' ('zoom_level')
'zoom_level'		'zoom_level'
index_metadata_item_se tting_markers_on_metad ata_item_setting_id		CREATE INDEX 'index_metadata_item_setting_markers_on_metadata_item_s etting_id' ON 'metadata_item_setting_markers' ('metadata_item_setting_id')
'metadata_item_setting_id'		'metadata_item_setting_id'
index_metadata_item_se tting_markers_on_update d_at		CREATE INDEX 'index_metadata_item_setting_markers_on_updated_at' ON 'metadata_item_setting_markers' ('updated_at')
'updated_at'		'updated_at'
index_metadata_item_se ttings_on_account_id		CREATE INDEX "index_metadata_item_settings_on_account_id" ON "metadata_item_settings" ("account_id")
account_id		"account_id"
index_metadata_item_se ttings_on_changed_at		CREATE INDEX "index_metadata_item_settings_on_changed_at" ON

Name	Туре	Schema
		"metadata_item_settings" ("changed_at")
changed_at		"changed_at"
index_metadata_item_se ttings_on_guid		CREATE INDEX "index_metadata_item_settings_on_guid" ON "metadata_item_settings" ("guid")
guid		"guid"
index_metadata_item_se ttings_on_last_viewed_at		CREATE INDEX "index_metadata_item_settings_on_last_viewed_at" ON "metadata_item_settings" ("last_viewed_at")
last_viewed_at		"last_viewed_at"
index_metadata_item_se ttings_on_rating		CREATE INDEX "index_metadata_item_settings_on_rating" ON "metadata_item_settings" ("rating")
rating		"rating"
index_metadata_item_se ttings_on_skip_count		CREATE INDEX "index_metadata_item_settings_on_skip_count" ON "metadata_item_settings" ("skip_count")
skip_count		"skip_count"
index_metadata_item_se ttings_on_view_count		CREATE INDEX "index_metadata_item_settings_on_view_count" ON "metadata_item_settings" ("view_count")
view_count		"view_count"
index_metadata_item_se ttings_on_view_offset		CREATE INDEX "index_metadata_item_settings_on_view_offset" ON "metadata_item_settings" ("view_offset")
view_offset		"view_offset"
index_metadata_item_vi ews_on_grandparent_gui d		CREATE INDEX 'index_metadata_item_views_on_grandparent_guid' ON 'metadata_item_views' ('grandparent_guid')
'grandparent_guid'		'grandparent_guid'
index_metadata_item_vi ews_on_guid		CREATE INDEX "index_metadata_item_views_on_guid" ON "metadata_item_views" ("guid")
guid		"guid"
index_metadata_item_vi ews_on_library_section_i d		CREATE INDEX "index_metadata_item_views_on_library_section_id" ON "metadata_item_views" ("library_section_id")
library_section_id		"library_section_id"
index_metadata_item_vi ews_on_viewed_at		CREATE INDEX "index_metadata_item_views_on_viewed_at" ON "metadata_item_views" ("viewed_at")
viewed_at		"viewed_at"
index_metadata_items_o n_absolute_index		CREATE INDEX 'index_metadata_items_on_absolute_index' ON 'metadata_items' ('absolute_index')
'absolute_index'		'absolute_index'
index_metadata_items_o n_added_at		CREATE INDEX "index_metadata_items_on_added_at" ON "metadata_items" ("added_at")
added_at		"added_at"
		CREATE INDEX "index_metadata_items_on_changed_at" ON

Name	Туре	Schema
index_metadata_items_o n_changed_at		"metadata_items" ("changed_at")
changed_at		"changed_at"
index_metadata_items_o n_created_at		CREATE INDEX "index_metadata_items_on_created_at" ON "metadata_items" ("created_at")
created_at		"created_at"
index_metadata_items_o n_deleted_at		CREATE INDEX "index_metadata_items_on_deleted_at" ON "metadata_items" ("deleted_at")
deleted_at		"deleted_at"
index_metadata_items_o n_guid		CREATE INDEX "index_metadata_items_on_guid" ON "metadata_items" ("guid")
guid		"guid"
index_metadata_items_o n_hash		CREATE INDEX "index_metadata_items_on_hash" ON "metadata_items" ("hash")
hash		"hash"
index_metadata_items_o n_index		CREATE INDEX "index_metadata_items_on_index" ON "metadata_items" ("index")
index		"index"
index_metadata_items_o n_library_section_id		CREATE INDEX "index_metadata_items_on_library_section_id" ON "metadata_items" ("library_section_id")
library_section_id		"library_section_id"
index_metadata_items_o n_library_section_id_and _metadata_type_and_ad ded_at		CREATE INDEX "index_metadata_items_on_library_section_id_and_metadat a_type_and_added_at" ON "metadata_items" ("library_section_id", "metadata_type", "added_at")
library_section_id		"library_section_id"
metadata_type		"metadata_type"
added_at		"added_at"
index_metadata_items_o n_metadata_type		CREATE INDEX "index_metadata_items_on_metadata_type" ON "metadata_items" ("metadata_type")
metadata_type		"metadata_type"
index_metadata_items_o n_original_title		CREATE INDEX 'index_metadata_items_on_original_title' ON 'metadata_items' ('original_title')
'original_title'		'original_title'
index_metadata_items_o n_originally_available_at		CREATE INDEX "index_metadata_items_on_originally_available_at" ON "metadata_items" ("originally_available_at")
originally_available_at		"originally_available_at"
index_metadata_items_o n_parent_id		CREATE INDEX "index_metadata_items_on_parent_id" ON "metadata_items" ("parent_id")
parent_id		"parent_id"
index_metadata_items_o		CREATE INDEX 'index_metadata_items_on_remote' ON

Name	Туре	Schema
n_remote		'metadata_items' ('remote')
'remote'		'remote'
index_metadata_items_o n_resources_changed_at		CREATE INDEX "index_metadata_items_on_resources_changed_at" ON "metadata_items" ("resources_changed_at")
resources_changed_at		"resources_changed_at"
index_metadata_items_o n_title		CREATE INDEX "index_metadata_items_on_title" ON "metadata_items" ("title")
title		"title"
index_metadata_items_o n_title_sort		CREATE INDEX "index_metadata_items_on_title_sort" ON "metadata_items" ("title_sort")
title_sort		"title_sort"
index_metadata_relation s_on_metadata_item_id		CREATE INDEX "index_metadata_relations_on_metadata_item_id" ON "metadata_relations" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_metadata_relation s_on_related_metadata_i tem_id		CREATE INDEX "index_metadata_relations_on_related_metadata_item_id" ON "metadata_relations" ("related_metadata_item_id")
related_metadata_item_id		"related_metadata_item_id"
index_metadata_relation s_on_relation_type		CREATE INDEX "index_metadata_relations_on_relation_type" ON "metadata_relations" ("relation_type")
relation_type		"relation_type"
index_metadata_subscrip tion_desired_items_on_re mote_id		CREATE INDEX 'index_metadata_subscription_desired_items_on_remote_id ' ON 'metadata_subscription_desired_items' ('remote_id')
'remote_id'		'remote_id'
index_metadata_subscrip tion_desired_items_on_s ub_id		CREATE INDEX 'index_metadata_subscription_desired_items_on_sub_id' ON 'metadata_subscription_desired_items' ('sub_id')
'sub_id'		'sub_id'
index_play_queue_gener ators_on_changed_at		CREATE INDEX "index_play_queue_generators_on_changed_at" ON "play_queue_generators" ("changed_at")
changed_at		"changed_at"
index_play_queue_gener ators_on_metadata_item _id		CREATE INDEX "index_play_queue_generators_on_metadata_item_id" ON "play_queue_generators" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_play_queue_gener ators_on_order		CREATE INDEX "index_play_queue_generators_on_order" ON "play_queue_generators" ("order")
order		"order"
index_play_queue_gener		CREATE INDEX "index_play_queue_generators_on_playlist_id" ON

Name	Туре	Schema
ators_on_playlist_id		"play_queue_generators" ("playlist_id")
playlist_id		"playlist id"
index_play_queue_items_ on_metadata_item_id		CREATE INDEX "index_play_queue_items_on_metadata_item_id" ON "play_queue_items" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_play_queue_items_ on_order		CREATE INDEX "index_play_queue_items_on_order" ON "play_queue_items" ("order")
order		"order"
index_play_queue_items_ on_play_queue_id		CREATE INDEX "index_play_queue_items_on_play_queue_id" ON "play_queue_items" ("play_queue_id")
play_queue_id		"play_queue_id"
index_play_queues_on_a ccount_id		CREATE INDEX "index_play_queues_on_account_id" ON "play_queues" ("account_id")
account_id		"account_id"
index_play_queues_on_cl ient_identifier_and_accou nt_id_and_metadata_typ e		CREATE UNIQUE INDEX "index_play_queues_on_client_identifier_and_account_id_ and_metadata_type" ON "play_queues" ("client_identifier", "account_id", "metadata_type")
client_identifier		"client_identifier"
account_id		"account_id"
metadata_type		"metadata_type"
index_play_queues_on_pl aylist_id		CREATE INDEX "index_play_queues_on_playlist_id" ON "play_queues" ("playlist_id")
playlist_id		"playlist_id"
index_play_queues_on_sy nc_item_id		CREATE INDEX "index_play_queues_on_sync_item_id" ON "play_queues" ("sync_item_id")
sync_item_id		"sync_item_id"
index_plugin_permissions _on_account_id		CREATE INDEX "index_plugin_permissions_on_account_id" ON "plugin_permissions" ("account_id")
account_id		"account_id"
index_plugin_permissions _on_plugin_id		CREATE INDEX "index_plugin_permissions_on_plugin_id" ON "plugin_permissions" ("plugin_id")
plugin_id		"plugin_id"
index_plugin_prefixes_on _plugin_id		CREATE INDEX "index_plugin_prefixes_on_plugin_id" ON "plugin_prefixes" ("plugin_id")
plugin_id		"plugin_id"
index_preferences_on_na me		CREATE UNIQUE INDEX "index_preferences_on_name" ON "preferences" ("name")
name		"name"
index_statistics_bandwidt h_on_account_id_and_ti		CREATE INDEX 'index_statistics_bandwidth_on_account_id_and_timespan_ and_at' ON 'statistics_bandwidth' ('account_id',

Name	Туре	Schema
mespan_and_at		'timespan', 'at')
'account_id'		'account_id'
'timespan'		'timespan'
'at'		'at'
index_statistics_bandwidt h_on_at		CREATE INDEX 'index_statistics_bandwidth_on_at' ON 'statistics_bandwidth' ('at')
'at'		'at'
index_statistics_media_o n_account_id_and_timesp an_and_at		CREATE INDEX 'index_statistics_media_on_account_id_and_timespan_and_ at' ON 'statistics_media' ('account_id', 'timespan', 'at')
'account_id'		'account_id'
'timespan'		'timespan'
'at'		'at'
index_statistics_media_o n_at		CREATE INDEX 'index_statistics_media_on_at' ON 'statistics_media' ('at')
'at'		'at'
index_statistics_resource s_on_at		CREATE INDEX 'index_statistics_resources_on_at' ON 'statistics_resources' ('at')
'at'		'at'
index_statistics_resource s_on_timespan		CREATE INDEX 'index_statistics_resources_on_timespan' ON 'statistics_resources' ('timespan')
'timespan'		'timespan'
index_sync_schema_versions_on_changed_at		CREATE INDEX "index_sync_schema_versions_on_changed_at" ON "sync_schema_versions" ("changed_at")
changed_at		"changed_at"
index_synced_ancestor_it ems_on_changed_at		CREATE INDEX "index_synced_ancestor_items_on_changed_at" ON "synced_ancestor_items" ("changed_at")
changed_at		"changed_at"
index_synced_ancestor_it ems_on_metadata_item_i d		CREATE INDEX "index_synced_ancestor_items_on_metadata_item_id" ON "synced_ancestor_items" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_synced_ancestor_it ems_on_reference_count		CREATE INDEX "index_synced_ancestor_items_on_reference_count" ON "synced_ancestor_items" ("reference_count")
reference_count		"reference_count"
index_synced_ancestor_it ems_on_sync_list_id		CREATE INDEX "index_synced_ancestor_items_on_sync_list_id" ON "synced_ancestor_items" ("sync_list_id")
sync_list_id		"sync_list_id"
index_synced_ancestor_it ems_on_sync_list_id_and _metadata_item_id		CREATE UNIQUE INDEX "index_synced_ancestor_items_on_sync_list_id_and_metada ta_item_id" ON "synced_ancestor_items" ("sync_list_id", "metadata_item_id")

Name	Туре	Schema
sync_list_id		"sync_list_id"
metadata_item_id		"metadata_item_id"
index_synced_ancestor_it ems_parent_id		CREATE INDEX 'index_synced_ancestor_items_parent_id' ON 'synced_ancestor_items' ('parent_id')
'parent_id'		'parent_id'
index_synced_ancestor_it ems_state		CREATE INDEX 'index_synced_ancestor_items_state' ON 'synced_ancestor_items' ('state')
'state'		'state'
index_synced_library_sec tions_on_changed_at		CREATE INDEX "index_synced_library_sections_on_changed_at" ON "synced_library_sections" ("changed_at")
changed_at		"changed_at"
<pre>index_synced_library_sec tions_on_library_section_ id</pre>		CREATE INDEX "index_synced_library_sections_on_library_section_id" ON "synced_library_sections" ("library_section_id")
library_section_id		"library_section_id"
index_synced_library_sec tions_on_reference_count		CREATE INDEX "index_synced_library_sections_on_reference_count" ON "synced_library_sections" ("reference_count")
reference_count		"reference_count"
index_synced_library_sec tions_on_sync_list_id		CREATE INDEX "index_synced_library_sections_on_sync_list_id" ON "synced_library_sections" ("sync_list_id")
sync_list_id		"sync_list_id"
index_synced_library_sec tions_on_sync_list_id_an d_library_section_id		CREATE UNIQUE INDEX "index_synced_library_sections_on_sync_list_id_and_libr ary_section_id" ON "synced_library_sections" ("sync_list_id", "library_section_id")
sync_list_id		"sync_list_id"
library_section_id		"library_section_id"
index_synced_library_sec tions_state		CREATE INDEX 'index_synced_library_sections_state' ON 'synced_library_sections' ('state')
'state'		'state'
index_synced_metadata_i tems_library_section_id		CREATE INDEX 'index_synced_metadata_items_library_section_id' ON 'synced_metadata_items' ('library_section_id')
'library_section_id'		'library_section_id'
<pre>index_synced_metadata_i tems_on_changed_at</pre>		CREATE INDEX "index_synced_metadata_items_on_changed_at" ON "synced_metadata_items" ("changed_at")
changed_at		"changed_at"
<pre>index_synced_metadata_i tems_on_first_packaged_ at</pre>		CREATE INDEX "index_synced_metadata_items_on_first_packaged_at" ON "synced_metadata_items" ("first_packaged_at")
first_packaged_at		"first_packaged_at"
index_synced_metadata_i		CREATE INDEX "index_synced_metadata_items_on_metadata_item_id" ON

Name	Туре	Schema
tems_on_metadata_item _id		"synced_metadata_items" ("metadata_item_id")
metadata_item_id		"metadata_item_id"
index_synced_metadata_i tems_on_state		CREATE INDEX "index_synced_metadata_items_on_state" ON "synced_metadata_items" ("state")
state		"state"
index_synced_metadata_i tems_on_sync_item_id		CREATE INDEX "index_synced_metadata_items_on_sync_item_id" ON "synced_metadata_items" ("sync_item_id")
sync_item_id		"sync_item_id"
index_synced_metadata_i tems_on_sync_list_id		CREATE INDEX "index_synced_metadata_items_on_sync_list_id" ON "synced_metadata_items" ("sync_list_id")
sync_list_id		"sync_list_id"
index_synced_metadata_i tems_on_sync_list_id_an d_metadata_item_id		CREATE UNIQUE INDEX "index_synced_metadata_items_on_sync_list_id_and_metada ta_item_id" ON "synced_metadata_items" ("sync_list_id", "metadata_item_id")
sync_list_id		"sync_list_id"
metadata_item_id		"metadata_item_id"
index_synced_metadata_i tems_parent_id		CREATE INDEX 'index_synced_metadata_items_parent_id' ON 'synced_metadata_items' ('parent_id')
'parent_id'		'parent_id'
index_synced_play_queue _generators_on_changed _at		CREATE INDEX "index_synced_play_queue_generators_on_changed_at" ON "synced_play_queue_generators" ("changed_at")
changed_at		"changed_at"
index_synced_play_queue _generators_on_play_que ue_generator_id		CREATE INDEX "index_synced_play_queue_generators_on_play_queue_gener ator_id" ON "synced_play_queue_generators" ("play_queue_generator_id")
play_queue_generator_id		"play_queue_generator_id"
index_synced_play_queue _generators_on_playlist_i d		CREATE INDEX "index_synced_play_queue_generators_on_playlist_id" ON "synced_play_queue_generators" ("playlist_id")
playlist_id		"playlist_id"
index_synced_play_queue _generators_on_state		CREATE INDEX "index_synced_play_queue_generators_on_state" ON "synced_play_queue_generators" ("state")
state		"state"
index_synced_play_queue _generators_on_sync_ite m_id		CREATE INDEX "index_synced_play_queue_generators_on_sync_item_id" ON "synced_play_queue_generators" ("sync_item_id")
sync_item_id		"sync_item_id"
index_synced_play_queue _generators_on_sync_list		CREATE INDEX "index_synced_play_queue_generators_on_sync_list_id" ON "synced_play_queue_generators" ("sync_list_id")

Name	Туре	Schema	
_id			
sync_list_id		"sync_list_id"	
index_synced_play_queue _generators_on_sync_list _id_and_play_queue_gen erator_id		CREATE UNIQUE INDEX "index_synced_play_queue_generators_on_sync_list_id_and _play_queue_generator_id" ON "synced_play_queue_generators" ("sync_list_id", "play_queue_generator_id")	
sync_list_id		"sync_list_id"	
play_queue_generator_id		"play_queue_generator_id"	
index_synchronization_fil es_on_client_identifier		CREATE INDEX "index_synchronization_files_on_client_identifier" ON "synchronization_files" ("client_identifier")	
client_identifier		"client_identifier"	
index_synchronization_files_on_item_uri		CREATE INDEX "index_synchronization_files_on_item_uri" ON "synchronization_files" ("item_uri")	
item_uri		"item_uri"	
index_synchronization_fil es_on_sync_item_id		CREATE INDEX "index_synchronization_files_on_sync_item_id" ON "synchronization_files" ("sync_item_id")	
sync_item_id		"sync_item_id"	
index_synchronization_fil es_on_sync_list_id		CREATE INDEX "index_synchronization_files_on_sync_list_id" ON "synchronization_files" ("sync_list_id")	
sync_list_id		"sync_list_id"	
index_taggings_on_meta data_item_id		CREATE INDEX "index_taggings_on_metadata_item_id" ON "taggings" ("metadata_item_id")	
metadata_item_id		"metadata_item_id"	
index_taggings_on_tag_i d		CREATE INDEX "index_taggings_on_tag_id" ON "taggings" ("tag_id")	
tag_id		"tag_id"	
index_tags_on_key		CREATE INDEX 'index_tags_on_key' ON 'tags' ('key')	
'key'		'key'	
index_tags_on_parent_id		CREATE INDEX 'index_tags_on_parent_id' ON 'tags' ('parent_id')	
'parent_id'		'parent_id'	
index_tags_on_tag		CREATE INDEX "index_tags_on_tag" ON "tags" ("tag")	
tag		"tag"	
index_tags_on_tag_type		CREATE INDEX "index_tags_on_tag_type" ON "tags" ("tag_type")	
tag_type		"tag_type"	
<pre>index_tags_on_tag_type_ and_tag</pre>		CREATE INDEX "index_tags_on_tag_type_and_tag" ON "tags" ("tag_type", "tag")	
tag_type		"tag_type"	
tag		"tag"	
index_title_sort_icu		CREATE INDEX 'index_title_sort_icu' ON 'metadata_items' ('title_sort' COLLATE icu_root)	

Name	Туре	Schema		
'title_sort' COLLATE icu_root		'title_sort' COLLATE icu_root		
index_versioned_metadat a_items_on_generator_id		CREATE INDEX "index_versioned_metadata_items_on_generator_id" ON "versioned_metadata_items" ("generator_id")		
generator_id		"generator_id"		
index_versioned_metadat a_items_on_metadata_it em_id		CREATE INDEX "index_versioned_metadata_items_on_metadata_item_id" ON "versioned_metadata_items" ("metadata_item_id")		
metadata_item_id		"metadata_item_id"		
index_versioned_metadat a_items_on_selected_me dia_id		CREATE INDEX "index_versioned_metadata_items_on_selected_media_id" ON "versioned_metadata_items" ("selected_media_id")		
selected_media_id		"selected_media_id"		
index_versioned_metadat a_items_on_target_tag_i d		CREATE INDEX "index_versioned_metadata_items_on_target_tag_id" ON "versioned_metadata_items" ("target_tag_id")		
target_tag_id		"target_tag_id"		
index_versioned_metadat a_items_on_version_medi a_id		CREATE INDEX "index_versioned_metadata_items_on_version_media_id" ON "versioned_metadata_items" ("version_media_id")		
version_media_id		"version_media_id"		
index_view_settings_on_ client_type		CREATE INDEX "index_view_settings_on_client_type" ON "view_settings" ("client_type")		
client_type		"client_type"		
index_view_settings_on_ view_group		CREATE INDEX "index_view_settings_on_view_group" ON "view_settings" ("view_group")		
view_group		"view_group"		
media_grabs_on_created _at		CREATE INDEX 'media_grabs_on_created_at' on 'media_grabs' ('created_at')		
'created_at'		'created_at'		
media_grabs_on_metadat a_item_id		CREATE INDEX 'media_grabs_on_metadata_item_id' on 'media_grabs' ('metadata_item_id')		
'metadata_item_id'		'metadata_item_id'		
media_grabs_on_uuid		CREATE UNIQUE INDEX 'media_grabs_on_uuid' on 'media_grabs' ('uuid')		
'uuid'		'uuid'		
media_provider_resource s_on_identifier		CREATE INDEX 'media_provider_resources_on_identifier' on 'media_provider_resources' ('identifier')		
'identifier'		'identifier'		
media_provider_resource s_on_parent_id		CREATE INDEX 'media_provider_resources_on_parent_id' on 'media_provider_resources' ('parent_id')		
'parent_id'		'parent_id'		
		CREATE INDEX 'media_provider_resources_on_type' on		

Name	Туре	Schema	
media_provider_resource s_on_type		'media_provider_resources' ('type')	
'type'		'type'	
media_provider_resource s_on_uuid		CREATE UNIQUE INDEX 'media_provider_resources_on_uuid' on 'media_provider_resources' ('uuid')	
'uuid'		'uuid'	
media_subscriptions_on_ order		CREATE INDEX 'media_subscriptions_on_order' on 'media_subscriptions' ('order')	
'order'		'order'	
media_subscriptions_on_t arget_metadata_item_id		CREATE INDEX 'media_subscriptions_on_target_metadata_item_id' on 'media_subscriptions' ('target_metadata_item_id')	
'target_metadata_item_id'		'target_metadata_item_id'	
remote_id_translation_on _local_id		CREATE INDEX 'remote_id_translation_on_local_id' ON 'remote_id_translation' ('local_id')	
'local_id'		'local_id'	
remote_id_translation_on _remote_id		CREATE INDEX 'remote_id_translation_on_remote_id' ON 'remote_id_translation' ('remote_id')	
'remote_id'		'remote_id'	
spellfix_metadata_titles_ vocab_index_langid_k2		CREATE INDEX "spellfix_metadata_titles_vocab_index_langid_k2" ON "spellfix_metadata_titles_vocab"(langid,k2)	
langid		"langid"	
k2		"k2"	
spellfix_tag_titles_vocab _index_langid_k2		CREATE INDEX "spellfix_tag_titles_vocab_index_langid_k2" ON "spellfix_tag_titles_vocab"(langid,k2)	
langid		"langid"	
k2		"k2"	
unique_schema_migrations		CREATE UNIQUE INDEX "unique_schema_migrations" ON "schema_migrations" ("version")	
version		"version"	

Views (0) Name Type Schema

Triggers (8)

Name	Туре	Schema
fts4_metadata_titles_after_insert_icu		CREATE TRIGGER fts4_metadata_titles_after_insert_icu AFTER INSERT ON metadata_items BEGIN INSERT INTO fts4_metadata_titles_icu(docid, title, title_sort, original_title) VALUES(new.rowid, new.title, new.title_sort, new.original_title);

Name	Туре	Schema
		END
fts4_metadata_titles_after_update_icu		CREATE TRIGGER fts4_metadata_titles_after_update_icu AFTER UPDATE ON metadata_items BEGIN INSERT INTO fts4_metadata_titles_icu(docid, title, title_sort, original_title) VALUES(new.rowid, new.title, new.title_sort, new.original_title); END
fts4_metadata_titles_before_delete_icu		CREATE TRIGGER fts4_metadata_titles_before_delete_icu BEFORE DELETE ON metadata_items BEGIN DELETE FROM fts4_metadata_titles_icu WHERE docid=old.rowid; END
fts4_metadata_titles_before_update_icu		CREATE TRIGGER fts4_metadata_titles_before_update_icu BEFORE UPDATE ON metadata_items BEGIN DELETE FROM fts4_metadata_titles_icu WHERE docid=old.rowid; END
fts4_tag_titles_after_insert_icu		CREATE TRIGGER fts4_tag_titles_after_insert_icu AFTER INSERT ON tags BEGIN INSERT INTO fts4_tag_titles_icu(docid, tag) VALUES(new.rowid, new.tag); END
fts4_tag_titles_after_update_icu		CREATE TRIGGER fts4_tag_titles_after_update_icu AFTER UPDATE ON tags BEGIN INSERT INTO fts4_tag_titles_icu(docid, tag) VALUES(new.rowid, new.tag); END
fts4_tag_titles_before_delete_icu		CREATE TRIGGER fts4_tag_titles_before_delete_icu BEFORE DELETE ON tags BEGIN DELETE FROM fts4_tag_titles_icu WHERE docid=old.rowid; END
fts4_tag_titles_before_update_icu		CREATE TRIGGER fts4_tag_titles_before_update_icu BEFORE UPDATE ON tags BEGIN DELETE FROM fts4_tag_titles_icu WHERE docid=old.rowid; END