IR - FLIGHT

Revision 4

Page: 13

BALI INTERNATIONAL FLIGHT ACADEMY

Effective: May. 2019

Mission 13

PREPARATION FOR INSTRUMENT RATING CHECKRIDE # 1

STUDENT: YEGGYA	DATE 1: 25 - 7 - 2022	DATE 2:
INSTRUCTOR: Capt. 140	A/C REG: PK - ROE	A/C REG:
A/C TYPE: C172	DURATION: 1:30	DURATION:

	EXERCISES	1 2	COMMENTS:
R-	Engine Start Procedures	9	preflight brief: 15 mms.
R-	Cockpit Instruments Check	5	
R-	Radio and Nav Aids Check	2.	
	9		Improved,
R-	Full Panel Instrument Flying	S.	
R-	Holding Pattern Entry	53	und corretion during
R-	Holding		J
	- Standard		12115m2 110 200 1 5 1 1 1 1 1 1 1
	 Non-Standard 	1	Holding: He overshoot inbound
R-	Wind Correction in the Hold	S13	9
			Holding track twice, NP
	Instrument Approach Briefing	5.	9
R-	VOR Approach	59	conpensation for south wind
R-	Missed App. Procedures (VOR)	3	
R-	NDB Approach	19/2	Balana Tuta
R-	Missed App. Procedures (NDB)	Mr -	Review holary Entry
	ILS Approach Procedure	15	
	Missed App. Procedures (ILS)		procedure
R-	Wind Correction during Approach		
R-	Loss of Glideslope on Approach /		0 1 10 11 10 10 10 11
	Localizer Only Approach		Good situational Avareness!
R-	The state of the s		
R-			
R-	Transitioning to Visual Flight	1	Ale slows down anough bolds
R-	Correct use of Checklist	2	as I am Tlanc
	Copying and Reading Back	5	As he was extending Flaps.
	Clearance		Started descending FAF Lit
R-	Compliance with Clearance	5	The state of the s
			to early, make from manta-
			Jare Mania
			FAR Crissad liter Hoose Earl
			I VOIC
			1245 Approach 26 Complete

COMPLETION STANDARDS:

- a. The student must be able to demonstrate competency in full and partial panel instrument approaches and associated procedures as selected by the instructor in preparation for the instrument rating initial issue practical test.
- b. Student must be able to maintain minimum altitudes within +100ft/-0ft, heading within ± 10° and speed within ±5kts.

SYLLABUS TIMES:

Total	Dual	FTD	X/C	IF	Ldgs	Night
22:20	1:30			1:20	1	
	1:30			1:20	1 .	

Student Signature	Instructor Signature	
Student Signature	mstructor dignature	