

WADE AD 2.1 AERODROME LOCATION INDICATOR AND NAME

WADE – BULELENG / Letkol Wisnu

WADE AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | |
|--|---|
| ARP coordinates and site at AD | 080825S 1143718E |
| Direction and distance from (City) | 261°, 27km from Gilimanuk |
| Elevation/Reference temperature | 16 ft / 32°C |
| Geoid undulation at AD ELEV PSN | NIL |
| MAG VAR/Annual change | 1°E(2015)/0.03° Decreasing ← |
| AD Operator, address, telephone, telefax, telex, e-mail, AFS & website..... | D.G.C.A - Dinas Perhubungan Kabupaten Buleleng, Desa Sumberkima, Kecamatan Grogak, Kabupaten Buleleng, Bali Telephone : 08814626961 Telefax : NIL Telex : NIL E-mail : mustandamade@yahoo.co.id bandarawisnu@gmail.com AFS : NIL Website : NIL |
| Type of traffic permitted (IFR/VFR)..... | VFR |
| Remarks | NIL |

WADE AD 2.3 OPERATIONAL HOURS

| | |
|-------------------------------|---|
| Aerodrome Operator | 0000 – 0600 ← |
| Customs and immigration | NIL |
| Health and sanitation | NIL |
| AIS Briefing Office | NIL |
| ATS Reporting Office | 0000 – 0600 ← |
| MET Briefing Office | NIL |
| ATS | 0000 – 0600 ← |
| Fuelling | NIL |
| Handling | NIL |
| Security | H24 ← |
| De-icing | Not Applicable |
| Remarks | - Local Time: UTC +8 HR - AIS available at AIS Denpasar Regional Office H24 |

WADE AD 2.4 HANDLING SERVICES AND FACILITIES

| | |
|---|--------------------------------|
| Cargo Handling facilities | NIL |
| Fuel / oil type | Available ← |
| Fuelling facilities/Capacity | NIL |
| De-icing facilities | Not Applicable |
| Hangar space for visiting aircraft | Hangar Dimension 25 m x 30 m ← |
| Repair facilities for visiting aircraft | NIL |
| Remarks | NIL |

WADE AD 2.5 PASSENGER FACILITIES

| | |
|----------------------------|--------------------|
| Hotels | Near the AD |
| Restaurants | Near the AD |
| Transportation | Rent Car |
| Medical facilities | Clinic Near the AD |
| Bank and Post Office | In the City |
| Tourist Office | In the City |
| Remarks | NIL |

WADE AD 2.6 RESCUE AND FIRE FIGHTING

| | |
|---|--------------------|
| AD category for fire fighting..... | Category 2 ← |
| Rescue equipment | 1 Unit Foam Tender |
| | 1 Unit Ambulance |
| Capability for removal of disabled aircraft.... | NIL |
| Remarks | NIL |

WADE AD 2.7 SEASONAL AVAILABILITY - CLEARING

| | |
|-----------------------------------|----------------|
| Types of clearing equipment | Not Applicable |
| Clearance priorities | Not Applicable |
| Remarks | NIL |

WADE AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

APRON SURFACE AND STRENGTH

| | |
|-------------|-----------|
| Designation | = Apron |
| Surface | = Asphalt |
| Strength | = 4000kg |

TAXIWAY WIDTH, SURFACE AND STRENGTH

| | |
|-------------|-----------|
| Designation | = Taxiway |
| Width | = 15 m |
| Surface | = Asphalt |
| Strength | = 4000kg |

| | |
|---|----------------------------------|
| Altimeter checkpoint location and elevation.. | NIL |
| VOR checkpoints..... | NIL |
| INS checkpoints | NIL |
| Remarks | Dimension of Apron 60 m x 40 m ← |

WADE AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKING

| | |
|---|-------------|
| Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands | Available ← |
| RWY and TWY markings and LGT | NIL |
| Stop bars | NIL |
| Remarks | NIL |

WADE AD 2.10 AERODROME OBSTACLES

| In Area 2 | | | | | |
|-------------------------|--------------|------------------|----------|--------------------------|---------|
| OBST ID/ Designation | OBST type | OBST position | ELEV/HGT | Markings/Type, colour | Remarks |
| a | b | c | d | e | f |
| NIL | NIL | NIL | NIL | NIL | NIL |

| In Area 3 | | | | | |
|-------------------------|--------------|------------------|----------|--------------------------|---------|
| OBST ID/ Designation | OBST type | OBST position | ELEV/HGT | Markings/Type, colour | Remarks |
| a | b | c | d | e | f |
| NIL | Hill ← | NIL | NIL | NIL | 7km ← |

WADE AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | |
|--|----------------------------|
| Associated MET Office | NIL |
| Hours of service MET Office outside hours .. | NIL |
| Office responsible for TAF preparation | NIL |
| Periods of validity | NIL |
| Trend forecast and Interval of issuance | NIL |
| Briefing/consultation provided | NIL |
| Flight documentation - Language(s) used ... | NIL |
| Charts and other information available for briefing or consultation | NIL |
| Supplementary equipment available for providing information | Weather Fortable (DAVIS) ← |
| ATS units provided with information | NIL |
| Additional information (limitation of service, etc.) | NIL |

WADE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | True BRG | Dimensions of RWY (M) | Strength (PCN) and surface of RWY and SWY | THR coordinate RWY end coordinates THR geoid undulation |
|------------------------|----------|--------------------------|---|---|
| 1 | 2 | 3 | 4 | 5 |
| 14 | NIL | 900 x 18 | Asphalt 4000kg | NIL |
| 32 | NIL | 900 x 18 | Asphalt 4000kg | NIL |

| THR elevation and highest elevation of TDZ of precision APP RWY | Slope of RWY-SWY | SWY dimensions (M) | CWY dimensions (M) | Strip dimensions (M) |
|---|------------------|--------------------|--------------------|----------------------|
| 6 | 7 | 8 | 9 | 10 |
| NIL | NIL | NIL | 90 x 60 | 1080 x 60 |
| NIL | NIL | 60 x 18 | 150 x 60 | 1080 x 60 |

| RESA dimensions (M) | Location and description of arresting system | OFZ | Remarks |
|---------------------|--|-----|---------|
| 11 | 12 | 13 | 14 |
| NIL | NIL | NIL | NIL |
| NIL | NIL | NIL | NIL |

WADE AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (M) | TODA (M) | ASDA (M) | LDA (M) | Remarks |
|----------------|----------|----------|----------|---------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 14 | 900 | 990 | 900 | 900 | NIL |
| 32 | 900 | 1050 | 960 | 900 | NIL |

WADE AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | THR LGT colour WBAR | VASIS (MEHT) PAPI | TDZ, LGT LEN |
|----------------|-------------------------|---------------------|-------------------|--------------|
| 1 | 2 | 3 | 4 | 5 |
| 14 | NIL | NIL | NIL | NIL |
| 32 | NIL | NIL | NIL | NIL |

| RWY Centre Line LGT LEN, spacing, colour, INTST | RWY Edge LGT LEN, spacing colour INTST | RWY End LGT colour WBAR | SWY LGT LEN (M) Colour | Remarks |
|---|--|-------------------------|------------------------|---------|
| 6 | 7 | 8 | 9 | 10 |
| NIL | NIL | NIL | NIL | NIL |
| NIL | NIL | NIL | NIL | NIL |

WADE AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | |
|--|--------------|
| ABN/IBN location, characteristics and hours of operation | NIL |
| LDI location and LGT Anemometer location and LGT | NIL |
| TWY edge and centre line lighting | NIL |
| Secondary power supply/Switch over time | NIL |
| Remarks | Genset 5 kVA |

WADE AD 2.16 HELICOPTER LANDING AREA

| | |
|---|-----|
| Coordinates TLOF or THR of FATO Geoid undulation | NIL |
| TLOF and/or FATO elevation M/FT | NIL |
| TLOF and FATO area dimensions, surface, strength, marking | NIL |
| True BRG of FATO | NIL |
| Declared distance available | NIL |
| APP and FATO lighting | NIL |
| Remarks | NIL |

WADE AD 2.17 ATS AIRSPACE

| | |
|--------------------------------------|-----|
| Designation and lateral limits | NIL |
| Vertical limits | NIL |
| Airspace classification | NIL |
| ATS unit call sign | NIL |
| Language(s) | NIL |
| Transition Altitude | NIL |
| Remarks | NIL |

WADE AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Channel | Hours of operation | Remarks |
|---------------------|-----------|---------|--------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| NIL | NIL | NIL | NIL | NIL |

WADE AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination) | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|---|-----|-----------|--------------------|--|---------------------------------------|---------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| NIL | NIL | NIL | NIL | NIL | NIL | A/G Freq 122.55 MHz |

WADE AD 2.20 LOCAL TRAFFIC REGULATIONS*Reserved***WADE AD 2.21 NOISE ABATEMENT PROCEDURES***Reserved***WADE AD 2.22 FLIGHT PROCEDURES***Reserved***WADE AD 2.23 ADDITIONAL INFORMATION***Reserved***WADE AD 2.24 CHARTS RELATED TO THE AERODROME***Reserved*