Page: 12

# BALI INTERNATIONAL FLIGHT ACADEMY

Revision 4

Effective: May. 2019

#### Mission 12

# INSTRUMENT APPROACHES REVIEW

STUDENT: SMILETINA P	DATE 1: 27/01/12	DATE 2:
NSTRUCTOR: CHOTON BYO	A/C REG: PX-POD	A/C REG:
	DURATION: 01:20	DURATION:

	EXERCISES	1	2	COMMENTS
R-	Engine Start Procedures	5	4	COMMENTS.
K-	Cockpit Instruments Check	Ti	-	me fight I waller . 15 mins.
R-	Radio and Nav Aids Check	-11	-	pefight briefly = 15 mins.
		-11	-	
R-	Full Panel Instrument Flying	-11-	1	
R-	Holding Pattern Entry	-	$\vdash$	
R-	Holding	-		
	- Standard	$\top$		
	<ul> <li>Non-Standard</li> </ul>	_	-	
R-	Wind Correction in the Hold	_		
		_	1	Roblesed In
R-	Instrument Approach Briefing	1		Replaced by
R-	VOR Approach	# C		Lec approach
R-	Missed App. Procedures (VOR)	C	1	
	NDB Approach	1		
R-	Missed App. Procedures (NDB)	W	1	nears as you reach your
R-	ILS Approach Procedure	13,	1	- inde stant and big
R-	Missed App. Procedures (ILS)	1/	1	hears or you have here
R-	Wind Correction during Approach	1	1	The total long
R-	Loss of Glideslope on Approach /	T		marked and an arrived
	Localizer Only Approach			Malman, Revie Missel
R-	Partial Panel Approach			1001 00 1
R-	Partial Panel Missed Approach			Approach zamidiately
R-	Transitioning to Visual Flight			
		$\perp$		
	Correct use of Checklist	-	_	
R-	Copying and Reading Back	$\dashv$	_	
	Clearance	- .	1	
R-	Compliance with Clearance	45	_	
7		—⊢'	-	Concette
- 1		$\perp$	_	Confecc
3		_	1	
	7. 7. 3.		-	

## **COMPLETION STANDARDS:**

 The student must be able to demonstrate competency in full and partial panel instrument approaches and associated procedures as selected by the instructor.

Student must be able to maintain minimum altitudes within +100ft/-0ft, heading within ± 10° and
 speed within ± 5kts for full panel instrument flight and within ±100ft, heading within ±15° and speed within ± 10 kts for partial panel instrument flight.

## **SYLLABUS TIMES:**

Total	Dual	FTD	X/C	iF.	Ldgs	Night
20:50	1:30	1 V4. 9		1:20	1	
The property of	01:30			01:20		

Student Signature ...

Instructor Signature .....