```
[Running] python -u "/tmp/tempCodeRunnerFile.python"
DataFrame:
  Student Name  Marks
0        Alice     85
1          Bob     90
2      Charlie     78
3        David     92

Datatypes:
Student Name    object
Marks            int64
dtype: object
```

```
[Running] python -u "/tmp/tempCodeRunnerFile.python"
Array: [10 20 30 40 50]
Shape: (5,)
Datatype: int64
```

```
[Running] python -u "/home/swaraj/Documents/import pandas as pd.py"
First 5 records:
   id     name favorite_snack    superpower  mood_level
0   1    Alice          Pizza  Invisibility           8
1   2      Bob      Chocolate   Time Travel           6
2   3  Charlie          Mango     Telepathy           9
3   4    Diana          Fries   Super Speed           7
4   5      Eve      Ice Cream  Mind Control           5

Last 5 records:
   id     name favorite_snack    superpower  mood_level
1   2      Bob      Chocolate   Time Travel           6
2   3  Charlie          Mango     Telepathy           9
3   4    Diana          Fries   Super Speed           7
4   5      Eve      Ice Cream  Mind Control           5
5   6    Frank        Biryani  Fire Control          10
```

```
[Running] python -u "/tmp/tempCodeRunnerFile.python"
Array: [18 80  5 52 38 61 76 37 38 93 47 23 65 77 56 40 20 26 50 72]
Minimum: 5
Maximum: 93
Mean: 48.7
Sum: 974
```

```
[Running] python -u "/home/swaraj/Documents/import pandas as pd.py"
Dataset Info:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6 entries, 0 to 5
Data columns (total 5 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   id              6 non-null      int64
 1   name            6 non-null      object
 2   favorite_snack  6 non-null      object
 3   superpower      6 non-null      object
 4   mood_level      5 non-null      float64
dtypes: float64(1), int64(1), object(3)
memory usage: 372.0+ bytes

Number of Rows: 6
Number of Columns: 5

Missing Values in Each Column:
id               0
name             0
favorite_snack   0
superpower       0
mood_level       1
dtype: int64
```

```
[Running] python -u "/tmp/tempCodeRunnerFile.python"
Original Array:
[ 1  2  3  4  5  6  7  8  9 10 11 12]
Shape: (12,)

Reshaped Array (3x4):
[[ 1  2  3  4]
 [ 5  6  7  8]
 [ 9 10 11 12]]
Shape: (3, 4)
```

```
[Running] python -u "/tmp/tempCodeRunnerFile.python"
3x3 Zero Matrix:
[[0. 0. 0.]
 [0. 0. 0.]
 [0. 0. 0.]]
Shape: (3, 3)

2x5 Ones Matrix:
[[1. 1. 1. 1. 1.]
 [1. 1. 1. 1. 1.]]
Shape: (2, 5)
```