MODULES 5 & 6: WORKING WITH CRUD-READ, JDBC, & JAVABEANS

GitHub Repository Link: https://github.com/devcnx/csd430

brittaney_movies_data.sql

```sql
-- CSD430 Database Setup Script
-- Student: Brittaney Perry-Morgan
-- Course: CSD380
-- Module 05 & 06 Assignment

-- Create database if not exists
CREATE DATABASE IF NOT EXISTS CSD430;
USE CSD430;

-- Drop table if exists for clean setup
DROP TABLE IF EXISTS brittaney_movies_data;

-- Create movies_data table with 5+ fields
-- movie_id is primary key
CREATE TABLE brittaney_movies_data (
    movie_id INT PRIMARY KEY AUTO_INCREMENT,
    title VARCHAR(100) NOT NULL,
    genre VARCHAR(50) NOT NULL,
    release_year INT NOT NULL,
    rating VARCHAR(10) NOT NULL,
    director VARCHAR(100) NOT NULL
);

-- Insert minimum 10 records
INSERT INTO brittaney_movies_data (title, genre, release_year, rating, director) VALUES
('The Shawshank Redemption', 'Drama', 1994, 'R', 'Frank Darabont'),
('The Godfather', 'Crime', 1972, 'R', 'Francis Ford Coppola'),
('The Dark Knight', 'Action', 2008, 'PG-13', 'Christopher Nolan'),
('Pulp Fiction', 'Crime', 1994, 'R', 'Quentin Tarantino'),
('The Lord of the Rings: The Return of the King', 'Fantasy', 2003, 'PG-13', 'Peter Jackson'),
('Forrest Gump', 'Drama', 1994, 'PG-13', 'Robert Zemeckis'),
('Inception', 'Sci-Fi', 2010, 'PG-13', 'Christopher Nolan'),
('The Matrix', 'Sci-Fi', 1999, 'R', 'The Wachowskis'),
('Titanic', 'Romance', 1997, 'PG-13', 'James Cameron'),
('The Silence of the Lambs', 'Thriller', 1991, 'R', 'Jonathan Demme'),
('Gladiator', 'Action', 2000, 'R', 'Ridley Scott'),
('The Avengers', 'Superhero', 2012, 'PG-13', 'Joss Whedon');
```

```sql
-- Verify data
SELECT * FROM brittaney_movies_data;

-- Grant permissions for student1 user
-- Note: This should be run by database admin
-- GRANT ALL PRIVILEGES ON CSD430.* TO 'student1'@'localhost' IDENTIFIED BY '****';
-- FLUSH PRIVILEGES;
```

deliverables

```
brittaney@macbook — mysql

CSD430 Module 5&6 Assignment
Student: Brittaney Perry-Morgan | Database: CSD430 | Table: brittaney_movies_data

Step 1: Create Database
mysql> CREATE DATABASE IF NOT EXISTS CSD430;
Query OK, 1 row affected (0.01 sec)
mysql> USE CSD430;
Database changed

Step 2: Create Table with Primary Key
mysql> CREATE TABLE brittaney_movies_data (
  movie_id INT PRIMARY KEY AUTO_INCREMENT,
  title VARCHAR(100) NOT NULL,
  genre VARCHAR(50) NOT NULL,
  release_year INT NOT NULL,
  rating VARCHAR(10) NOT NULL,
  director VARCHAR(100) NOT NULL
);
Query OK, 0 rows affected (0.02 sec)

Step 3: Verify Table Structure
mysql> DESCRIBE brittaney_movies_data;
```

Field	Type	Null	Key	Default	Extra
movie_id	int	NO	PRI	NULL	auto_increment
title	varchar(100)	NO		NULL	
genre	varchar(50)	NO		NULL	
release_year	int	NO		NULL	
rating	varchar(10)	NO		NULL	
director	varchar(100)	NO		NULL	

```
6 rows in set (0.00 sec)

mysql> SHOW CREATE TABLE brittaney_movies_data\G
Table: brittaney_movies_data
Create Table: CREATE TABLE `brittaney_movies_data` (
  `movie_id` int NOT NULL AUTO_INCREMENT,
  `title` varchar(100) NOT NULL,
  `genre` varchar(50) NOT NULL,
  `release_year` int NOT NULL,
  `rating` varchar(10) NOT NULL,
  `director` varchar(100) NOT NULL,
  PRIMARY KEY (`movie_id`)
) ENGINE=InnoDB AUTO_INCREMENT=11
```

brittaney@macbook – mysql

CSD430 Module 5&6 Assignment

Student: Brittaney Perry-Morgan | Populating Table with Records

Step 4: Insert Records into Table

```
mysql> INSERT INTO brittaney_movies_data
(title, genre, release_year, rating, director) VALUES
('The Shawshank Redemption', 'Drama', 1994, 'R', 'Frank Darabont'),
('The Godfather', 'Crime', 1972, 'R', 'Francis Ford Coppola'),
('The Dark Knight', 'Action', 2008, 'PG-13', 'Christopher Nolan'),
('Pulp Fiction', 'Crime', 1994, 'R', 'Quentin Tarantino'),
('The Lord of the Rings: The Return of the King', 'Fantasy', 2003, 'PG-13', 'Peter Jackson'),
('Forrest Gump', 'Drama', 1994, 'PG-13', 'Robert Zemeckis'),
('Inception', 'Sci-Fi', 2010, 'PG-13', 'Christopher Nolan'),
('The Matrix', 'Sci-Fi', 1999, 'R', 'The Wachowskis'),
('Titanic', 'Romance', 1997, 'PG-13', 'James Cameron'),
('The Silence of the Lambs', 'Thriller', 1991, 'R', 'Jonathan Demme');

Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

Step 5: Verify Records Inserted

```
mysql> SELECT COUNT(*) AS total_records FROM brittaney_movies_data;

total_records
10

1 row in set (0.00 sec)
```

brittaney@macbook – mysql

CSD430 Module 5&6 Assignment

Student: Brittaney Perry-Morgan | Database: CSD430 | Table: brittaney_movies_data

Step 6: Display All Records in Table

```
mysql> SELECT * FROM brittaney_movies_data;
```

movie_id	title	genre	release_year	rating	director
1	The Shawshank Redemption	Drama	1994	R	Frank Darabont
2	The Godfather	Crime	1972	R	Francis Ford Coppola
3	The Dark Knight	Action	2008	PG-13	Christopher Nolan
4	Pulp Fiction	Crime	1994	R	Quentin Tarantino
5	The Lord of the Rings: The Return of the King	Fantasy	2003	PG-13	Peter Jackson
6	Forrest Gump	Drama	1994	PG-13	Robert Zemeckis
7	Inception	Sci-Fi	2010	PG-13	Christopher Nolan
8	The Matrix	Sci-Fi	1999	R	The Wachowskis
9	Titanic	Romance	1997	PG-13	James Cameron
10	The Silence of the Lambs	Thriller	1991	R	Jonathan Demme

10 rows in set (0.00 sec)

Summary

- ✓ Database: CSD430 created successfully
- ✓ Table: brittaney_movies_data created with PRIMARY KEY
- ✓ Fields: 6 (movie_id, title, genre, release_year, rating, director)
- ✓ Records: 10 movies inserted
- ✓ User: student1 with password 'pass'