

# Water Wars\*

Devis Decet<sup>†</sup> Andrea Marcucci<sup>‡</sup>

NOVEMBER 20, 2025

[Click here for latest version](#)

## Abstract

This paper studies the relationship between access to water resources and local violence in Africa. Due to limited irrigation, rural communities rely on water from rainfall and rivers for their economic needs. When rainfall is scarcer, river water becomes more valuable, potentially fueling violence in areas with greater control over its flow. We test this hypothesis by combining high-resolution data on hydrography, river network structure, rainfall, and conflict in Africa from 1997 to 2021. Low rainfall in a location increases conflict in neighboring areas that are water-rich and located upstream along the river network. The effects are stronger where water distribution among ethnic groups is more unequal and weaker in countries with better governance. The increase in conflicts is more pronounced in regions facing a long-term decline in river water availability. These findings suggest that water access can drive local violence, a risk that may grow as climate change increases the frequency of droughts and reshapes river water distribution.

**Keywords:** Conflict, water, climate change, rivers, resource competition, Africa.

**JEL-Classification:** D74, Q25, N47, O13, Q34.

---

\*We are grateful for helpful comments from Leander Heldring, Rama Dasi Mariani, Ameet Morjaria, Bernhard Nöbauer, Dominic Rohner, Edoardo Teso, Oliver Vanden Eynde, Stephanos Vlachos, from participants at the Northwestern Applied Micro and Developments Lunch, Prato Summer School in Development Economics 2023, the "Economics of Global Interactions" 2023 conference at University of Bari, the workshop in Networks and Political Economy 2024 at Paris 1 Panthéon-Sorbonne, the Applied-micro Workshop 2024 at Free University of Bozen, the CEPR workshop in Geoeconomics, Geopolitics and Preventing Conflict Studies at Bocconi University, the Annual Congress 2024 of the Swiss Society of Economics at University of Luzern, the DEVPEC 2024 conference at Stanford, the EAYE Annual Meeting 2024 at Paris School of Economics, the NOVAFRICA conference 2024 at NOVA Lisboa, the EEA Conference 2024 at Erasmus University Rotterdam, and the PACDEV conference 2025 at USC.

<sup>†</sup>LEAP Bocconi University [devis.decet@unibocconi.it](mailto:devis.decet@unibocconi.it).

<sup>‡</sup>Department of Economics Università della Svizzera Italiana [andrea.marcucci@usi.ch](mailto:andrea.marcucci@usi.ch)

# 1 Introduction

Access to water is essential for human life and economic activity. Estimates suggest that four billion people experience at least one month per year without sufficient water (Mekonnen and Hoekstra, 2016). Climate change is likely to exacerbate this situation, drawing attention to the potential for conflicts over water access (United Nations, 2023; World Economic Forum, 2023). This concern is natural given that water is often used as an open-access resource without well-defined property rights (Carleton et al., 2024), and given the established role of climatic shocks and resource competition in fostering violence (Burke, Hsiang and Miguel, 2015; McGuirk and Burke, 2020; Vanden Eynde and Vargas, 2025). However, systematic evidence on whether and how climatic shocks induce conflicts over water resources remains limited.

This paper systematically investigates the occurrence of conflicts over water resources in Africa from 1997 to 2021. We test the hypothesis that when rainfall is scarce, violence is more likely in areas with greater control over river water. Leveraging high-resolution data on hydrography, river network structure, weather, and local violence, we show that competition over water resources can trigger conflict. Our findings highlight how geographic inequality in water access and river network structure shape the spatial diffusion of climatic shocks into violence.

The African continent is an ideal context for studying the relationship between access to water and local violence. The economy is largely dependent on farming and pastoralism. Due to the lack of large irrigation infrastructures, these economic activities rely mainly on rainfall, wells and surface water. In this context, those residing close to rivers and lakes can use surface water for their needs. For instance, farmers construct irrigation channels from rivers or practice recession agriculture, which involves cultivating lands enriched by river sediments. Similarly, pastoralists exploit these water bodies as drinking points for their livestock. Because of weak property rights over land and water, different groups may end up competing for access to the same water bodies and this may fuel violence.

There are specific locations and time periods where we expect conflicts over water resources to occur. They are more likely to arise during years of low rainfall, when access to surface water becomes more valuable. During such years, drought-affected groups may seek access to water in adjacent, water-abundant cells. Moreover, the groups experiencing a drought primarily compete for access to upstream locations, where they can exert greater control over river flow. This is in line with evidence from Pakistan in Haseeb (2024), documenting how farmers upstream are better able to cope with rainfall scarcity by diverting more water into their fields. Summing up this

argument, we expect a location to be more prone to conflict over water resources if it is water rich and a drought occurs in a downstream region.

In our empirical analysis, we bring this argument to the data. Utilizing cells of  $0.5^\circ \times 0.5^\circ$  degrees in latitude and longitude as units of observation, we measure the incidence of conflict using geocoded event data across all African countries from Armed Conflict Location Events Data Project (ACLED), which provides details on the date, location, and type of conflicts. We measure water availability using high-resolution rainfall and hydrological time-varying data. Additionally, we leverage information on the structure of the river network to determine for each pair of cells their up-downstream relationship.

For each cell, we define its neighborhood as all surrounding cells within a 180 km radius and assign a measure of water richness to the cell itself. Our preferred measure is *Water Discharge*, representing the annual average water flow through a cell. We assess whether the impact on violence of low rainfall in a downstream neighboring cell is amplified in cells that are *water rich*. By employing geographically disaggregated data, we can estimate a specification that includes grid-cell fixed effects, to account for local time-invariant factors, and country-year fixed effects, to control for common macro-level factors that vary by country and year. Our approach also allows us to control for any direct effects of rainfall occurring in the grid-cell itself.

We first document the importance of surface water resources in coping with rainfall scarcity using satellite data on phytomass. Phytomass captures plant growth, proxying for agricultural productivity and livestock forage availability. We find that rainfall scarcity reduces phytomass, but these effects are attenuated in cells with higher *Water Discharge*. This buffering effect is weaker when upstream cells also experience rainfall scarcity, consistent with upstream communities extracting more water and reducing downstream availability. Together, these results indicate that locations with higher *Water Discharge* and more upstream positions in the river network are more valuable during droughts.

Our main result is that negative rainfall shocks in a downstream cell increase the likelihood of conflict differentially more in locations that have higher *Water Discharge*. Our preferred specification implies that when a downstream cell experiences a rainfall shock, the likelihood of conflict is 0.6 percentage points larger for a cell with high *Water Discharge*, compared to one with low *Water Discharge*, corresponding to 7.30% of the conflict incidence mean.<sup>1</sup> These findings are robust to alternative measures of water richness and rainfall shocks, different neighborhood definitions, spatial correlation in

---

<sup>1</sup>High and low discharge correspond to the third and first quartiles of the discharge distribution, respectively.

the error term, alternative conflict data, and controlling for potential confounders like temperature and population.

In the second part of the paper, we explore factors associated with higher conflict risk. To understand the economic incentives behind water-related conflicts, we test whether conflict risk is higher in agricultural areas, where the returns to water access are larger. We show that the effects of downstream droughts are entirely driven by water rich cells with agricultural land use. To unpack the specific roots of conflict in agricultural lands, we compare different types of economic activity in the areas experiencing the shock. Violence increases in water-rich cells when downstream agricultural cells experience drought, with larger effects during growing seasons (Harari and Ferrara, 2018). This suggests that farming communities compete for land with better water access and seek to prevent upstream communities from excessive water extraction.

Water resource distribution and river network structure also mediate farmer-herders conflict. Similarly to McGuirk and Nunn (2025), we observe that pastoralists' invasion of water-abundant agricultural cells due to rainfall scarcity leads to violence only during growing seasons. Moreover, we also find evidence that droughts lead farmers to invade water-rich territories inhabited by pastoralists (Eberle et al., 2025).

Surface water resources may be distributed unequally across space, yet different groups can cooperate and manage them together. We thus expect that conflict arises in contexts in which the costs of cooperation are higher (Haseeb, 2024). To explore this possibility, we use data from Giuliano and Nunn (2018) to identify the linguistic groups residing in each cell. Ethnic grievances might imply too high cooperation costs. Indeed, we observe that effects are stronger in areas with more unequal distribution of water resources across different ethnic groups. This evidence highlights the importance of informal institutions for cooperation in water management.

We then turn to the role of formal institutions for mitigating conflicts over water resources. Stronger states might enforce cooperation over water access, build infrastructure to redistribute water, or exert their monopoly of violence to prevent local conflict from erupting. Considering various measures of institutional quality, such as democratic governance, rule of law, absence of corruption and government effectiveness, reveals a consistent pattern: conflicts triggered by droughts are primarily a concern in countries with relatively weaker institutions.

In the final section of the paper, we turn to the possibility that climate change exacerbates the risk of violence over water resources. Climate change is not only likely to increase the frequency of droughts—which can trigger more violence—but also to alter the distribution of surface water across the continent. We leverage the full length of

our time-series data on river water, and find that the effect of droughts on conflict over water resources is stronger in areas where water availability has diminished the most over the past forty years. These findings suggest that adaptation costs exacerbate the problem, and that conflict over water resources may become a more urgent issue as climate change intensifies the desertification process in certain regions.

**Related Literature** Our research contributes to the literature on climate and conflict by presenting new evidence that identifies a precise mechanism through which climate change (Hsiang and Burke, 2014; Burke, Hsiang and Miguel, 2015) and climatic shocks (Miguel et al., 2004; Sarsons, 2015; Almer et al., 2017; Unfried et al., 2022) influence local violence. Recent works by Eberle et al. (2025) and McGuirk and Nunn (2025) have emphasized the impact of heat and changing rainfall patterns on conflicts between farmers and pastoralists. In our study, we focus on the effects of low rainfall years, which are becoming more frequent in Africa due to climate change, and how they increase competition for accessing and controlling surface water resources. A key aspect of our analysis involves investigating spillovers, wherein low rainfall in one area leads to more conflict in water-rich territories located upstream. By identifying this specific mechanism, we provide insights into the spatial spillovers observed in existing climate-conflict research (Harari and Ferrara, 2018). In doing so, we complement the specific mechanisms of conflicts diffusion studied by König et al. (2017) and McGuirk and Nunn (2025).

We also speak more broadly to the literature on the determinants of conflict, which has focused on the importance of ethnic or social factors (Esteban et al., 2012; Rohner et al., 2013; Depetris-Chauvin and Özak, 2020; Moscona et al., 2020; Arbatlı et al., 2020), of historical factors (Besley and Reynal-Querol, 2014; Michalopoulos and Papaioannou, 2016; Depetris-Chauvin, 2015), and economic factors, especially shocks to resources value and conflict opportunity cost (Dube and Vargas, 2013; Berman et al., 2017; McGuirk and Burke, 2020; Adhvaryu et al., 2021; Vanden Eynde and Vargas, 2025). We are particularly related to recent papers highlighting violence over control of land (Depetris-Chauvin and Özak, 2020; Berman et al., 2021; Eberle et al., 2025; Le Rossignol et al., 2024; Sonno, 2025) and groundwater (Sekhri, 2014; Couttenier et al., 2025). Our findings show that competition over land with better access to surface water resources can lead to violence.

In a nutshell, our paper contribution to the literature is manifold. To the best of our knowledge, we are the first to show that the control of surface water resources is a mechanism linking climate shocks and conflict. Additionally, we find that, under unfavorable climatic conditions, water can induce a resource curse. Finally, leveraging

on new fine-grained data, we document how the rivers network structure can shape the spatial spillovers observed in existing climate-conflict research.

The rest of the paper is organized as follows. Section 2 provides a description of the context and of how rivers and lakes' water is used for economic activity in rural Africa. In Section 3 we introduce our data sources and we detail how we build the variables used in the analysis. Section 4 describes the empirical strategy and the results of the paper. Finally, Section 5 concludes.

## 2 Context

### 2.1 Water resources and economic production

Water is an essential resource for farming, pastoralism, and daily consumption. In rural Africa, the absence of infrastructures such as piped water and irrigation systems necessitates heavy reliance on rainfall, wells, and surface water. In this context, we provide examples illustrating how households utilize surface water resources for their economic activities and everyday life. Our aim here is to illustrate concretely the significance of controlling water resources.

An example is flood-based farming systems (for more details refer to Puertas et al., 2021). This agricultural practice capitalizes on the nutrient-rich soil deposited by river floods. Another variant of this approach is the use of inundation canals, where land is irrigated through canals supplied by temporary high water levels in rivers. These methods become particularly crucial during low rainfall periods, stressing the importance for farmers to maintain control over land near surface water sources, enabling them to effectively utilize these agricultural techniques.

The construction of canals plays a vital role in bringing water from rivers to arid regions. An example of this is the initiative undertaken by the World Food Programme in Kenya, where paved canals have been built from the Turkwell River. These canals efficiently channel water to farms in neighboring areas, benefiting over 45,000 farmers. As a result, farmers can effectively irrigate their fields even during seasons with limited rainfall (World Food Programme, 2023). Farmers located near rivers have the advantage of lower canal construction costs and can harness the water flowing through them to a greater extent.

Likewise, water resources are crucial for pastoralists. Rivers and lakes act as natural hydration points for livestock, and the areas around these water bodies often maintain vegetation even in dry seasons. This availability of vegetation enables herders to

provide reliable nourishment for their livestock.

Securing land along a river grants farmers enhanced access to water resources, yet such control can significantly affect water availability further downstream. One extreme example is the Omo River which flows between Ethiopia and Kenya (Climate Diplomacy, 2023c). In the rural communities of the Lower Omo River Valley, a combination of flood recession agriculture and pastoralism is practiced, both of which depend on the seasonal floods of the Omo River to replenish crop and grazing lands along the riverbank. The establishment of irrigated sugar plantations in Ethiopia (situated upstream) has the potential to impact the water availability in these regions, as water diversion for these plantations can disrupt the natural flow downstream.

## 2.2 Climate change and conflicts over water resources

Freshwater resources may be distributed unequally, yet different groups can cooperate and manage them together. For instance, according to the hydraulic theory, the formation of early states was partly motivated by the necessity of institutions for large-scale irrigation projects.<sup>2</sup> Moreover, a symbiotic system has often existed between farmers and herders, with herders migrating to farmers' land during dry seasons. This traditional arrangement, especially when farmers' land is situated near rivers, can be seen as a norm that enables efficient sharing of water resources among different groups during periods of limited rainfall.

However, climate change-induced rainfall scarcity in Africa is undermining these established water-sharing institutions, leading to their deterioration. For instance, herders migrate earlier to water-rich lands, causing conflicts with farmers still cultivating crops (Eberle et al., 2025 and McGuirk and Nunn, 2025). Additionally, farmers may extract more water for irrigation during rainfall shortages, reducing downstream water flow. As it has been recently documented in Laikipia county, in Kenya, or in Fayoum, in Egypt, this can induce groups located downstream to resort to violence to destroy the irrigation infrastructure or scare the farmers upstream, especially if the government does not take actions (Nation, 2023, Monitor, 2022).

Climate change also creates new situations requiring cooperation over water resources without preexisting arrangements. A notable example of this is observed when droughts force pastoral groups to modify their migratory routes, often leading to competition with other pastoralists over the same water sources. An illustration of this situation can be found in the Lower Omo and Turkana region along the Kenyan-Ethiopian border. Local communities in search of water and grazing land

---

<sup>2</sup>See Allen et al. (2020) for econometric evidence supporting this theory in the case of ancient Mesopotamia.

have expanded their ranges, leading to increased proximity and frequent clashes with other groups over these resources. From 1989 to 2011, conflicts between the Nyangatom, Daasanach, and Turkana groups alone resulted in over 600 direct deaths (Climate Diplomacy, 2023b).

## 3 Data

This section describes the data sources and the construction of the variables used in the analysis. Our empirical analysis is based on a geo-referenced, annual panel that divides the African continent into 10,229 grid cells (see Figure A.2). These grid cells have a size of  $0.5^\circ \times 0.5^\circ$  degrees, equivalent to approximately 55 km  $\times$  55 km at the equator. Throughout our analysis, the unit of observation is a cell-year pair.

### 3.1 Data Sources

**Conflict** Our study utilizes georeferenced conflict events from the Armed Conflict Location & Event Data Project (ACLED) covering the period from 1997 to 2021 (Raleigh et al., 2010). The ACLED data has no requirement for a specific number of fatalities within a calendar year or for a conflict event. As a result, the ACLED data is very apt for capturing smaller-scale, localized conflict events. ACLED gathers information on conflict events from multiple sources, including regional and national media outlets, NGOs, and humanitarian organizations. The ACLED data includes the date and geographic coordinates of each event. We retain only events that are precisely geolocalized. In our main analysis, we consider only events categorized as "battles", and "violence against civilians", excluding thereby less violent events like "riots" and "protests". In fact, according to the mechanism we are considering when a shock occurs, individuals tend to move upstream to access water resources, resulting in the emergence of more lethal and intense conflicts compared to mere riots or protests.<sup>3</sup> Figure A.3 reports the average yearly incidence for ACLED conflict data.

In some robustness checks, we use georeferenced conflict events from the Uppsala Conflict Data Program (UCDP) (Sundberg and Melander, 2013) covering the period from 1989 to 2020. In the UCDP data, conflict events are characterized as either two-sided battles or one-sided attacks that fulfill specific criteria. In order to be included, a conflict event must involve at least one fatality, and the conflict dyad (i.e., the pair of actors involved) must have caused a minimum of 25 fatalities within at least one

---

<sup>3</sup>In Table A.5 we show that we do not observe any effect using riots or protests incidence as dependent variables.

calendar year during the series. Moreover, at least one of the actors involved must be an "organized actor," such as a state or a politically organized rebel group or militia. These data are compiled following a two-step process, by which global newswire sources are consulted first, and then confirmed consulting local/specialized sources, such as translations of local news performed by the BBC, local media, NGO reports, and field reports. Like ACLED data, UCDP data includes the date and geographic coordinates of each event. We consider only precisely geolocalized events.<sup>4</sup>

By utilizing the date and geographic location (longitude and latitude) we are able to assign each event to a specific cell-year pair. For both data sources, we aggregate the information at the cell-year level. We code conflict incidence as 1 if any conflict event occurred within a cell-year and as 0 otherwise.

**Hydrology** In our analysis, we include data on river discharge obtained from the Global Floods Awareness System.<sup>5</sup> River discharge refers to the volume of water passing through the section of a river per unit of time, measured in cubic meters per second. The data we utilize provides daily average river discharge on a global scale, with a spatial resolution of  $0.05^\circ \times 0.05^\circ$  decimal degrees. The data are produced by combining information from satellites, in-situ measurements, and hydrological models. Notice that the quantity of water reported in the data takes into account all types of surface water bodies, including lakes, ponds, rivers and streams. We aggregate this information at the cell-year level (see Figure A.4).

To incorporate information on the river network topology, we rely on the HydroBASINS dataset.<sup>6</sup> This dataset offers a shapefile of drainage basins, which are globally consistent geospatial units frequently employed in environmental and hydrology studies.<sup>7</sup> Each basin represents the land area that collects and channels precipitation, such as a valley. We allocate each cell to a specific basin based on the amount of water in the overlapping area.

Specifically, for every intersection between a river basin and a square grid cell, we assign the cell to the basin if that particular intersection contains the greatest amount of water. Then, we construct a matrix that describes the relationship between each pair of cells along the rivers' network exploiting the Pfafstetter coding system.<sup>8</sup> This ma-

---

<sup>4</sup>To be more specific, our analysis includes only those events that have been geolocated with a minimum precision of the town level (precision level 3).

<sup>5</sup> Accessible from Harrigan et al. (2020).

<sup>6</sup>Part of the HydroSHEDS environment and accessible from <https://www.hydrosheds.org/>; for further details, see Döll et al. (2003).

<sup>7</sup>The shapefiles are available at different levels of aggregation. We use level 7, that is the most similar in the average area of a basin to the size of a cell.

<sup>8</sup>The Pfafstetter coding system is widely used in hydrology to determine the up-downstream rela-

trix enables us to identify whether a pair of cells is connected upstream, downstream, or not connected at all.<sup>9</sup> We are the first, to the best of our knowledge, to use the Pfafstetter coding system to pin down the upstream-downstream relationships between uniform squared cells. This allows us to employ the standard units of observations from the conflict literature and at the same time to integrate them with the spatial structure imposed by the rivers network.

**Rainfall** Following Harari and Ferrara (2018) we use precipitation data from ERA5 (Hersbach et al., 2023). ERA5, a reanalysis dataset, offers comprehensive weather data for the period 1959 through 2021. It provides data at various grid resolutions and temporal resolutions as fine as 6 hours. The dataset is derived from a combination of high-frequency observations collected from diverse sources, including weather stations, satellites, and probes. ERA5 represents a notable improvement over gauge data, particularly in regions with limited weather station coverage like Africa. In fact, it is important for us not to rely exclusively on raw gauge data for two reasons. Firstly, due to the scarcity of weather stations across Africa, extensive interpolation would be required, potentially resulting in artificial patterns of spatial correlation in weather shocks. Secondly, the availability of gauge data itself may be influenced by the presence of conflict.

**Other Data** We assign ethnic groups to territories across the continent using the geographic distribution of linguistic groups from Giuliano and Nunn (2018). These data are built by linking manually ethnic groups to languages and dialects; the geographic distribution of languages and dialects is from Gordon and Grimes (2009). Additionally, we use data on agricultural land cover from the replication package of McGuirk and Burke (2020), as well as information on the presence of transhumant pastoralist ethnic groups from McGuirk and Nunn (2025). Moreover, we use dry matter vegetation (i.e. phytomass) data for the years 1999-2019 from the replication package of McGuirk and Nunn (2025) and originally from satellite images provided by the Copernicus Global Land Service. Temperature data are from Hersbach et al. (2023). Population data are from Center for International Earth Science Information Network - CIESIN - Columbia University (2018). Finally, institutional quality indicators are taken from Kaufmann et al., 2011.

---

tionship between rivers' basins, see for example Verdin and Verdin (1999).

<sup>9</sup>See appendix Section A.1 for further details about the construction of the river network matrix.

### 3.2 Variables Definition

**Neighborhood** For each cell of our grid, we define a neighborhood as all the cells in a 180 km radius. We choose this buffer following the seminal work of Harari and Ferrara (2018). In the top panel of Figure A.1 we report an example of how we build a neighborhood (all the highlighted cells) around the reference cell (in dark yellow). Then, as a way of example, we overlap hydrographic data of a section of the Niger River with our grid, showing how we establish which cells are upstream (orange) or downstream (red) to the reference cell (see appendix Section A.1 for further details).

**Water Richness** We propose different definitions of water richness. Notice that these measures change over time, because of the time-varying dimension of our hydrological data. Our preferred measure of water presence is *Water Discharge*, a continuous measure of water abundance corresponding to the natural logarithm of the mean amount of freshwater present in a cell during a year (see Figure A.4). More precisely, it is the sum of the water passing through the sections of all the rivers flowing in a given cell, measured in cubic meters per second.

In order to understand the impact of shocks in places that are water rich relative to their neighboring cells, we also consider two alternative measures. *Water Monopolist* (see Figure A.5) is an indicator variable equal to one for cells that have the highest *Water Discharge* within their neighborhood. That is, a cell  $i$  in neighborhood  $n$  is assigned a value of one if its *Water Discharge* exceeds that of all other cells in  $n$ . *Water Monopolist +* (see Figure A.6) adds the condition that the cell is also water-abundant in absolute terms. Specifically, it equals one for cells classified as *Water Monopolists* whose *Water Discharge* is above the continental median in a given year.

**Rainfall Shocks** To identify rainfall shocks, we adopt the methodology outlined in Burke, Gong and Jones (2015) and Corno et al. (2020). For each cell, we fit a gamma distribution to long-term time series on rainfall spanning from 1959 to 2021. This distribution estimation allows us to characterize the typical rainfall patterns for a specific location. Using the estimated gamma distribution, we code as rainfall shocks years in which rainfall levels is below the 15th percentile of the cell-specific distribution.

## 4 Rainfall Scarcity and conflict over water resources

## 4.1 Empirical Strategy

Our objective is to test systematically the occurrence of conflicts related to water resources at a local level. There are specific locations and time periods where we expect conflicts over water resources to occur. They are more likely to arise during years of low rainfall, when the value of surface water increases. It is in such cases that individuals affected by drought conditions are more inclined to seek access to water in neighboring cells, particularly if these cells are abundant in water. Additionally, those experiencing a drought primarily contend for access to water in upstream locations, as upstream they can exert more control over the river flow and water is normally more abundant and of higher quality. Summing up this argument, we expect that a cell is more likely to experience conflict over water resources if it is water rich and a drought happens in a cell located downstream.

We present here our baseline equation which estimates whether adverse rainfall shocks in downstream territories have a differentially higher impact on cells that are water rich.

$$y_{it} = \lambda_1 \text{Water Rich}_{it} + \lambda_2 \text{Shock}_{it}^{Down} + \beta \text{Shock}_{it}^{Down} \times \text{Water Rich}_{it} + \mu_i + \mu_{ct} + \varepsilon_{it} \quad (1)$$

Where  $y_{it}$  is an indicator for conflict incidence in cell  $i$  during year  $t$ ,  $\text{Water Rich}_{it}$  is a time varying measure of water richness in a given cell, and  $\text{Shock}_{it}^{Down}$  takes value one if any cell in the neighborhood located downstream to cell  $i$  is hit by a rainfall shock during year  $t$ . We include in the regression cell fixed effects  $\mu_i$  and country-year fixed effects  $\mu_{ct}$  to account for time invariant cell characteristics and country specific yearly shocks that might affect conflicts. In some specifications, we control for rainfall shocks happening in cell  $i$ , which may have direct effects on local violence. We also show that results are unaffected by including rainfall shocks happening in cells located upstream to  $i$ , and we allow them to have differential impact depending on water presence ( $\text{Water Rich}_{it}$ ). In sensitivity analysis we include additional time varying controls, that we introduce in Section 4.4.

Our hypothesis is that if a drought happens downstream, water rich cells are more likely to experience conflict. Thus, we expect  $\beta > 0$ .

## 4.2 Rainfall Scarcity, Water Resources, and Phytomass

We examine the importance of surface water resources in coping with rainfall scarcity using satellite data on phytomass. Phytomass captures plant growth, proxying for

agricultural productivity and the availability of livestock forage. Column 1 of Table A.2 shows that cells with higher surface water availability (*Water Discharge*) have greater phytomass.<sup>10</sup> Column 2 shows that cells experiencing negative rainfall shocks have lower phytomass. Columns 3 and 4 include both variables and their interaction. The estimates confirm that higher discharge increases phytomass while rainfall scarcity decreases it. However, the negative effects of rainfall scarcity are attenuated in cells with higher discharge, indicating that surface water resources can buffer against low rainfall.

Column 5 also includes rainfall scarcity in upstream cells. The buffering effect of high discharge is attenuated when upstream cells also experience rainfall scarcity, consistent with upstream communities extracting more water and reducing availability downstream. Column 6 confirms this interpretation: downstream rainfall scarcity does not affect the reference cell, as downstream extraction cannot influence upstream water availability.

In summary, this analysis shows that cells with abundant water resources and located upstream are better able to cope with rainfall scarcity. They motivate our argument that these cells exert greater control over river flow and more valuable during droughts. In the next section, we investigate whether violence concentrates in these more valuable locations during droughts.

### 4.3 Rainfall Scarcity and Conflict over Water Resources

In Table 1 we present results with our preferred measure of water richness: *Water Discharge*. *Water Discharge* corresponds to the average quantity of water present in a cell during a given year. In column 1 we estimate the main regression Equation 1, testing our hypothesis that a cell is more likely to experience conflict over water resources if it is water rich and a drought happens in a cell located downstream. The coefficient  $\beta$  is positive and statistically significant at the 1% level.

In column 2 we check whether our hypothesis that only downstream shocks have an impact on conflict incidence is valid interacting our measure of water presence with shocks happening upstream. We cannot find any significant impact of upstream shocks on conflict. In columns 3 and 4 we control for any direct effect of rainfall shock happening in the cell, results are unaffected. Finally, in column 5 we test whether groups located downstream and upstream have different incentives to fight when hit by a drought, including both shocks in the same regression. We can appreciate how

---

<sup>10</sup>The sample in Table A.2 is the intersection between our sample analysis and the one in McGuirk and Nunn (2025), from which we get the data used for this exercise. For this reason, we have fewer cells and we use only data in the period 1999-2019.

upstream shocks do not display the same patterns as downstream shocks. Moreover, our coefficient of interest is very stable and, if anything, it becomes larger and more precisely estimated.

Interpreting the magnitude of the coefficient in our preferred specification (column 5) we have that when a downstream cell experiences a rainfall shock, the likelihood of conflict is 0.6 percentage points higher for a cell with high *Water Discharge*, compared to one with low *Water Discharge*,<sup>11</sup> corresponding to 7.3% of the dependent variable mean. This is in line with a predatory mechanism of seeking control over the water flow of the river when the resource becomes scarcer.

Table 1: Precipitation shocks and water discharge

	Incidence (ACLED)				
	(1)	(2)	(3)	(4)	(5)
Water Discharge	0.0010 (0.0009)	0.0007 (0.0010)	0.0010 (0.0009)	0.0009 (0.0009)	0.0009 (0.0009)
Water Discharge × Shock Down	0.0011*** (0.0004)		0.0011*** (0.0004)		0.0012*** (0.0004)
Water Discharge × Shock Up		0.0003 (0.0005)		0.0003 (0.0005)	-0.0002 (0.0005)
Shock Down	0.0008 (0.0017)		0.0010 (0.0018)		0.0009 (0.0018)
Shock Up		-0.0018 (0.0020)		-0.0024 (0.0021)	-0.0014 (0.0021)
Shock Own			-0.0005 (0.0017)	0.0020 (0.0016)	0.0000 (0.0017)
Cell FE	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42101	0.42095	0.42101	0.42096	0.42101
Cells	10,228	10,228	10,228	10,228	10,228
Observations	255,700	255,700	255,700	255,700	255,700

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

---

<sup>11</sup>High and low discharge correspond to the third and first quartiles of the discharge distribution, respectively.

## 4.4 Sensitivity Analysis

**Alternative Measures of Water Richness** In Table 2 we estimate equation 1 using all the three measures of water presence. Column 1 corresponds to column 5 of Table 1, while in columns 2 and 3 we interact weather shocks with a binary variable. Specifically, in column 2, *Water Measure* takes value one if a cell is the one with the highest water discharge in its neighborhood during a given year. Finally, in column 3, we focus on cells that not only have the highest water discharge in their neighborhood but also exceed the median value in the sample. This methodology effectively excludes cells with minimal discharge, in particularly desert areas. In all columns, we observe a positive coefficient for the interaction term between downstream precipitation shocks and water presence. In cells with particularly high levels of water presence (column 3) a precipitation shock causes an increase in conflicts of 3.4 percentage points, which corresponds to about 42% of the dependent variable mean. Reassuringly, all the three measures aimed at capturing water richness deliver consistent results.

**Alternative conflict dataset** In Table A.4 we replicate our baseline analysis using alternative conflict data from the UCDP georeferenced Event Dataset (Sundberg and Melander, 2013) that focuses on violence perpetrated by larger-scale and more structured groups. Our coefficient of interest remains positive, large and precisely estimated in all three specifications.

**Alternative inference** In Table A.3, we include the same specifications of Table 1 but reporting spatially clustered standard errors, allowing for a spatial correlation within a 500 km radius of a cell's centroid and infinite serial correlation (Conley, 1999). While the estimates become generally less precise, the coefficient  $\beta$  from equation 1 retains statistical significance at the 5% level.

**Alternative conflict definitions** In Table A.5 we replicate our main regression results using different conflict categories from the ACLED dataset. In column 1 we replicate column 5 of Table 1, in column 2 we consider only battles (the most deadly type of conflicts present in our data) in column 3 other kind of violent attacks against civilians by organized groups, while in the last two columns we look at less intense and deadly conflict types like protests (column 4) and riots (column 5). In line with the mechanism we have in mind, we observe an effect only for larger scale type of conflicts. Individuals do not move upstream just for rioting or protesting against the government, but to fight over access to water resources.

Table 2: Precipitation shocks all measures

	Water Discharge (1)	Water Monopolist (2)	Incidence (ACLED) Water Monopolist + (3)
Water Measure	0.0009 (0.0009)	0.0120 (0.0098)	0.0151 (0.0106)
Water Measure × Shock Down	0.0012*** (0.0004)	0.0181 (0.0123)	0.0336** (0.0170)
Water Measure × Shock Up	-0.0002 (0.0005)	-0.0020 (0.0118)	-0.0046 (0.0144)
Shock Own	0.0000 (0.0017)	-0.0004 (0.0017)	-0.0004 (0.0017)
Shock Down	0.0009 (0.0018)	0.0049*** (0.0015)	0.0048*** (0.0015)
Shock Up	-0.0014 (0.0021)	-0.0018 (0.0017)	-0.0018 (0.0017)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42101	0.42101	0.42103
Cells	10,228	10,228	10,228
Observations	255,700	255,700	255,700

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Measure* indicates generically a measure of water quantity which varies between columns. In column (1) it is the natural logarithm of the average water discharge present in a cell during a given year (*Water Discharge*). In column (2) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year (*Water Monopolist*). In column (3) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year and the discharge is higher than the median level in the sample for that year (*Water Monopolist +*). *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

**Additional controls** In Table A.10 we show that our results are robust to controlling for other factors which have been associated with conflict. Specifically, we control for (log) population, yearly average temperature and yearly average temperature during the day. Finally, we check whether results are robust to controlling for lagged conflict incidence. The estimates of our main coefficient of interest are unaffected by the inclusion of the controls.

**Alternative neighborhood and rainfall shocks** In the appendix, from Table A.6 to Table A.9, we conduct additional robustness checks to ensure that our results are not influenced by the specific parameter choices we have made. Specifically, Tables A.6 and A.7 explore alternative thresholds for defining a rainfall shock, using different percentiles as cutoff points in the distribution. Conversely, Tables A.8 and A.9 examine the effects of using alternate radii of 160 km and 200 km, respectively, to define a cell

neighborhood. Across all these analyses, our primary coefficient of interest maintains a magnitude and significance level similar to that estimated in our main specification (column 5 of Table 1).

## 4.5 Factors exacerbating the risk of conflicts over water resources

In this section, we explore the characteristics that increase the likelihood of conflicts arising over water resources. We start by documenting the importance of water use in the primary sector of the economy, the role of farming and pastoralism, and the importance of seasonality. Then we turn to the role of formal and informal institutions. Finally, we investigate the role of long-term process of desertification.

**Agricultural land and returns to water access** To better understand the economic incentives behind conflicts over water resources, we test whether there is a higher risk of conflict in areas where the returns of water access are larger. As agriculture is the most water-intensive sector Carleton et al. (2024), to scrutinize this channel we split the sample between cells with high and low level of agricultural ground cover. In particular, in columns 1 and 2 of Table 3 we split the sample according to whether agriculture is present or totally absent in the cell. On the other hand, in columns 3 and 4 we separate the sample according to whether agricultural ground cover is above or below the continental median. The impact of downstream shocks is entirely driven by cells where there is at least a minimum level of agriculture, and it is stronger in cells with more agriculture. This finding is consistent with these conflicts being driven by competition over control of factors of economic production (McGuirk and Burke, 2020). Indeed, agricultural land with access to water are particularly attractive targets for invasion in case of droughts downstream.

To unpack the specific roots of conflict in agricultural lands, we differentiate between economic activities in the reference cell and surrounding cells. Column 1 of Table 4 shows that when agricultural cells are hit by rainfall scarcity, nearby upstream agricultural cells with abundant water are more likely to experience violence. This suggests two possible channels consistent with the qualitative evidence in Section 2. First, farming communities may compete for control of land with better water access. Second, they may seek to prevent upstream communities from excessive water extraction. Column 4 shows that drought impacts are stronger during growing seasons. These results are in line with Harari and Ferrara (2018) and clarify the role of water resource distribution and river network structure in mediating the diffusion of climatic shocks.

Table 3: Agricultural Land

	Incidence (ACLED)			
	Agri Yes (1)	Agri No (2)	Agri50 H (3)	Agri50 L (4)
Water Discharge	0.0010 (0.0012)	0.0019** (0.0009)	0.0016 (0.0015)	0.0010 (0.0011)
Water Discharge $\times$ Shock Down	0.0014** (0.0006)	0.0001 (0.0019)	0.0018** (0.0007)	0.0010 (0.0007)
Water Discharge $\times$ Shock Up	-0.0003 (0.0006)	0.0000 (0.0020)	-0.0005 (0.0008)	-0.0008 (0.0007)
Shock Own	-0.0024 (0.0023)	0.0000 (0.0013)	-0.0028 (0.0028)	-0.0015 (0.0017)
Shock Down	-0.0009 (0.0033)	0.0008 (0.0016)	-0.0058 (0.0046)	0.0025 (0.0017)
Shock Up	-0.0010 (0.0038)	0.0001 (0.0016)	0.0016 (0.0053)	-0.0007 (0.0018)
Cell FE	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓
Dep. Var. Mean	0.11341	0.00995	0.13336	0.03066
R <sup>2</sup>	0.41907	0.28129	0.43298	0.33517
Cells	7,124	3,104	5,114	5,114
Observations	178,100	77,600	127,850	127,850

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. In columns (1) and (2) we split the sample according to the presence or absence of agricultural land. In columns (3) and (4) we split the sample according to higher-lower than the median presence of agricultural land. Data for agricultural land are taken from McGuirk and Burke (2020). *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

**Farmer-herder conflict** We next investigate the role of water resources and river network structure in explaining ethnic conflicts between farmers and herders. Recent literature shows that these conflicts arise from competition over alternative land uses and intensify with climatic shocks. McGuirk and Nunn (2025) show that reduced rainfall forces herders to migrate earlier, before harvest completion, triggering conflicts with farmers. Eberle et al. (2025) show that violence increases in areas where both groups are present in years characterized by extreme heat.

We further examine the dynamics of these inter-ethnic conflicts. In line with the results in McGuirk and Nunn (2025), columns 2 and 5 of Table 4 show that droughts in downstream cells inhabited by transhumant pastoralists increase violence in water-rich upstream cells only during the growing season. Annual specifications yield no significant effect, whereas growing-season coefficients are approximately twice as large and significant at the 1% level.

Additionally, when a cell inhabited by farmers experiences drought, the likelihood of conflict increases in upstream water-rich territories inhabited by pastoralists. This effect is larger during the growing season but remains precisely estimated in other periods, consistent with farmers' incentives to secure permanent access to water resources.<sup>12</sup>

These findings yield two key insights. First, our main specification (column 5 of Table 1) captures not only inter-ethnic tensions between pastoralists and farmers but also other conflicts over water access. Second, the distribution of water resources and river network structure plays an important role in shaping farmer-herder violence.

Second, regarding conflicts over water resources, the farmer-herder symbiosis is more severely disrupted when droughts occur during the growing season. At these times of the year, farmers are less willing to share water with transhumant pastoralists, leading to more violence when downstream herders move upstream along the river to search for water. By contrast, when shocks hit downstream farmers, we detect a large and significant coefficient both for yearly shocks (column 3) and for shocks during the growing season (column 6).

**Ethnic inequality in water access and cooperation costs** Freshwater resources may be distributed unequally, yet different groups can still cooperate and manage them together. For instance, according to the hydraulic theory, the formation of early states was partly motivated by the necessity of institutions for large-scale irrigation projects (Allen et al., 2020; Haseeb, 2024). Moreover, a symbiotic system has often existed between farmers and herders, with herders migrating to farmers' land during dry seasons. This traditional arrangement, especially when farmers' land is situated near rivers, can be seen as a norm that enables efficient sharing of water resources among different groups during periods of limited rainfall. Scarce rainfall in Africa due to climate change threatens established water-sharing institutions, leading to their collapse.

To explore this mechanism, we calculate various indexes of inequality in water control within each neighborhood among different ethnic groups. We use the geographic distribution of linguistic groups from Giuliano and Nunn (2018) and overlap it with each cell's neighborhood. This allows us to compute the amount of water controlled by each linguistic group within each neighborhood. We build three neighborhood-level indexes of inequality in water control. Our preferred measure is the polarization index originally proposed by Reynal-Querol (2002). Differently from the original measure, which relies on population shares, our approach considers water shares as a

---

<sup>12</sup>This mechanism is absent from McGuirk and Nunn (2025), which focuses solely on transhumant pastoralists invading agricultural lands.

Table 4: Farming herding and seasonal shocks

	Incidence (ACLED)					
	(1)	All Year	(2)	(3)	(4)	Growing Season
						(5)
Water Discharge	0.0010 (0.0009)	0.0010 (0.0010)	0.0008 (0.0010)	0.0004 (0.0010)	0.0006 (0.0011)	0.0007 (0.0010)
Water Discharge × Shock Up Agriculture vs Agriculture	-0.0002 (0.0007)			-0.0006 (0.0006)		
Water Discharge × Shock Down Agriculture vs Agriculture	0.0012** (0.0006)			0.0024*** (0.0006)		
Water Discharge × Shock Up Pastoralist vs Agriculture		0.0011 (0.0011)			-0.0002 (0.0012)	
Water Discharge × Shock Down Pastoralist vs Agriculture		0.0015 (0.0010)			0.0035*** (0.0010)	
Water Discharge × Shock Up Agriculture vs Pastoralist			0.0006 (0.0014)			-0.0005 (0.0014)
Water Discharge × Shock Down Agriculture vs Pastoralist			0.0028** (0.0011)			0.0037*** (0.0012)
Shock Own	-0.0002 (0.0016)	0.0004 (0.0015)	0.0013 (0.0016)	-0.0030 (0.0020)	0.0001 (0.0021)	0.0003 (0.0020)
Cell FE	✓	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓	✓
Dep. Var. Mean	0.08201	0.08106	0.08165	0.08608	0.08681	0.08602
R <sup>2</sup>	0.42107	0.41959	0.42271	0.39261	0.39140	0.39335
Cells	10,229	10,094	10,229	6,473	5,648	6,473
Observations	255,725	252,350	248,660	161,825	141,200	156,488

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. Columns 1 to 3 report estimates for the full year, while columns 4 to 6 all variables are measured during the growing season for a given cell, derived from Fischer et al. (2021). The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year (growing season). *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year (growing season). *Shock Up (Down) Agriculture vs Agriculture* is an indicator variable taking value 1 if an agricultural cell located upstream (downstream) experiences a drought (as defined in Section 3), and the main cell has agriculture. *Shock Up (Down) Pastoralist vs Agriculture* is an indicator variable taking value 1 if a cell with presence of a pastoralist ethnic group as defined by McGuirk and Nunn (2025) located upstream (downstream) experiences a drought (as defined in Section 3), and the main cell has agriculture. *Shock Up (Down) Agriculture vs Pastoralist* is an indicator variable taking value 1 if an agricultural cell located upstream (downstream) experiences a drought (as defined in Section 3), and the main cell a cell has the presence of a pastoralist ethnic group as defined by McGuirk and Nunn (2025). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

proportion of the total water quantity in a neighborhood. Consequently, the index takes its maximum value if in a given area there are only two groups owning 50% of the total water amount. As alternative measures we also compute the Gini and Theil indexes. We report the spatial distribution of these three variables in Figure A.7.

Table 5 considers these three different measures of inequality in water control. In columns 1 and 2 we split the sample between cells belonging to neighborhoods with high-low levels of polarization in water access between different ethnic groups. The more polarized the access to water is, the higher should be the incentive for groups to appropriate the resource from other populations when they are hit by a shock. As we can observe in Table 5 we only can detect an impact of rainfall shocks in highly polarized neighborhoods. In columns 3 to 6 we do a similar exercise splitting the sample on the basis of the Gini and Theil indexes in water ownership. As expected, only shocks happening in markets where inequality in water access is higher have an

impact on conflicts incidence. The coefficients corresponding to the interaction *Water Discharge*  $\times$  *Shock Down* are larger and more precisely estimated in odd columns. Overall, these findings indicates the ethnic inequality in access to water across different ethnic groups can make peaceful water sharing unfeasible.

Table 5: Ethnic diversity and cooperation costs

	RQ H (1)	RQ L (2)	Incidence (ACLED)		
	Gini H (3)	Gini L (4)	Theil H (5)	Theil L (6)	
Water Discharge	0.0014 (0.0013)	0.0016 (0.0015)	0.0010 (0.0016)	0.0022** (0.0011)	0.0017 (0.0016)
Water Discharge $\times$ Shock Down	0.0017*** (0.0007)	0.0003 (0.0006)	0.0017** (0.0007)	0.0006 (0.0007)	0.0018*** (0.0007)
Water Discharge $\times$ Shock Up	-0.0001 (0.0007)	-0.0008 (0.0006)	-0.0006 (0.0008)	-0.0004 (0.0007)	-0.0008 (0.0008)
Shock Own	-0.0010 (0.0025)	-0.0012 (0.0024)	-0.0033 (0.0027)	0.0007 (0.0020)	-0.0031 (0.0027)
Shock Down	-0.0026 (0.0031)	0.0028 (0.0023)	-0.0029 (0.0040)	0.0022 (0.0019)	-0.0044 (0.0039)
Shock Up	0.0028 (0.0034)	-0.0031 (0.0026)	0.0022 (0.0046)	-0.0018 (0.0022)	0.0036 (0.0045)
Cell FE	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓
Dep. Var. Mean	0.08727	0.07869	0.11787	0.04808	0.11907
R <sup>2</sup>	0.41479	0.44586	0.42949	0.39843	0.42989
Cells	5,054	5,052	5,054	5,052	5,054
Observations	126,350	126,300	126,350	126,300	126,350

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. In columns (1) and (2) we split the sample according to high-low value of Reynal-Querol polarization index, computed as detailed in Section 3. In columns (3) and (4) we split the sample according to high-low values of Gini index, computed as detailed in Section 3. In columns (5) and (6) we split the sample according to high-low values of the Theil index computed as detailed in Section 3. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

**Formal Institutions** A key aspect that might ease the consequences of a drought is the ability of the state to redistribute resources, build infrastructures apt to prevent crises and ensuring property rights protection to avoid violent appropriation of water. In line with the research by Michalopoulos and Papaioannou (2014), we employ the Worldwide Governance Indicator from the World Bank (Kaufmann et al., 2011) as measures of institutional quality,<sup>13</sup> recognizing its potential significance in facilitating water redistribution under conditions of scarcity. Our analysis primarily considers

<sup>13</sup>In order to avoid reverse causality issues we consider values of the indexes for the pre-sample period (year 1996).

four key elements: the type of institutional governance, rule of law guarantee, absence of corruption and government effectiveness.

In the first two columns of Table 6 we split the sample according to high-low level of democratic governance in a country.<sup>14</sup> We explore whether more democratic systems, characterized by stability and participatory governance, are better equipped to encourage cooperative responses to climate-related challenges. In columns 3 and 4 the focus shifts on high-low levels of rule of law. A better definition and enforcement of property rights are fundamental to managing resources efficiently and resolving disputes. In columns 5 and 6 we look into a metric of state capacity, government effectiveness, reflecting the quality of public services and the efficacy of policy formulation and implementation. Higher government effectiveness might contribute to the construction of appropriate infrastructures to cope with climate shocks, but also to respond more rapidly to crises. Lastly, in columns 7 and 8 we split the sample according to high-low levels of corruption. The underlying idea is that property rights protection and government effectiveness necessitate an environment free from corruption.

Across all these dimensions, we observe a sizable and significant effect for our primary coefficient of interest only in even columns, indicating countries with weaker institutional quality metrics. Even if this is mostly correlational evidence and despite we do not have specific data related to effectiveness in water management by states, these results seem to suggest that better institutions might be effective in preventing local violence for water resources in case of climate shocks.

**Long-term depletion of water resources** Climate change might generate an increase in conflicts over water resources not just through more frequent droughts, but also by depleting the quantity of water present in a given area. Desertification processes are well known to affect some areas of the continent like the Sahel region. A decrease in water quantity in certain areas may disrupt existing economic equilibria among populations living along water bodies.

To investigate this mechanism, we construct a measure of water stress at the cell level. Specifically, we consider the difference in discharge between the average water presence in a cell during our sample period and the first 10 years for which discharge data are available (1979–1988). Looking at the spatial distribution of the variable (see Figure A.8) we can notice how, in most of the continent, there has been a reduction in water quantity over the last 40 years. In columns 1 and 2 of Table 7 we divide the sample according to higher or lower than the median increase in water presence, while

---

<sup>14</sup>In particular, we create a measure of democratic governance by computing the mean between "voice and accountability" and "political stability" indexes at country level.

Table 6: Institutional Quality

	Incidence (ACLED)							
	Dem H (1)	Dem L (2)	RLaw H (3)	RLaw L (4)	Gov Eff H (5)	Gov Eff L (6)	Corrupt H (7)	Corrupt L (8)
Water Discharge	0.0004 (0.0008)	0.0016 (0.0022)	-0.0007 (0.0009)	0.0031 (0.0019)	0.0018** (0.0009)	-0.0007 (0.0023)	-0.0008 (0.0009)	0.0036* (0.0020)
Water Discharge × Shock Down	0.0001 (0.0006)	0.0017*** (0.0006)	0.0006 (0.0007)	0.0016*** (0.0006)	0.0005 (0.0007)	0.0017*** (0.0006)	0.0005 (0.0006)	0.0012** (0.0006)
Water Discharge × Shock Up	0.0003 (0.0007)	-0.0005 (0.0007)	0.0005 (0.0007)	-0.0006 (0.0007)	-0.0004 (0.0007)	0.0002 (0.0007)	-0.0003 (0.0006)	-0.0001 (0.0007)
Shock Own	0.0012 (0.0023)	-0.0015 (0.0025)	-0.0011 (0.0024)	0.0007 (0.0024)	0.0036 (0.0023)	-0.0033 (0.0025)	-0.0015 (0.0020)	0.0012 (0.0027)
Shock Down	-0.0027 (0.0022)	0.0056* (0.0029)	-0.0025 (0.0024)	0.0049* (0.0027)	0.0027 (0.0022)	-0.0006 (0.0030)	-0.0015 (0.0019)	0.0052 (0.0033)
Shock Up	-0.0041 (0.0025)	0.0010 (0.0033)	-0.0035 (0.0027)	0.0003 (0.0032)	0.0015 (0.0024)	-0.0050 (0.0034)	-0.0017 (0.0022)	-0.0008 (0.0037)
Cell FE	✓	✓	✓	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓	✓	✓	✓
Dep. Var. Mean	0.05527	0.11018	0.06696	0.09751	0.06949	0.09575	0.05603	0.10840
R <sup>2</sup>	0.36197	0.44512	0.37419	0.45222	0.41544	0.42323	0.41074	0.41853
Cells	5,247	4,981	5,188	5,040	5,351	4,877	5,154	5,074
Observations	131,175	124,525	129,700	126,000	133,775	121,925	128,850	126,850

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. In different columns we split the sample according to higher or lower than the median values in the sample of different variables indicating institutional quality. In particular in columns (1) and (2) we consider democratic governance (which takes into account measures of political stability and voice and accountability), in columns (3) and (4) rule of law, in columns (5) and (6) government effectiveness and in columns (7) and (8) corruption. The indexes are taken from Kaufmann et al. (2011). *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997–2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

in columns 3 and 4 we split the sample according to a positive or negative change over time in discharge. The effects of droughts on conflict over water resources are stronger in those cells which have experienced a reduction in water presence over time.

Table 7: Water Stress

	Incidence (ACLED)			
	Above Median Change (1)	Below Median Change (2)	Positive Change (3)	Negative Change (4)
Water Discharge	0.0017* (0.0010)	-0.0013 (0.0023)	0.0019* (0.0010)	0.0007 (0.0019)
Water Discharge $\times$ Shock Down	0.0001 (0.0007)	0.0019*** (0.0006)	-0.0007 (0.0010)	0.0015*** (0.0005)
Water Discharge $\times$ Shock Up	0.0003 (0.0007)	-0.0004 (0.0006)	0.0012 (0.0010)	-0.0005 (0.0006)
Shock Own	-0.0007 (0.0026)	-0.0002 (0.0023)	0.0064** (0.0028)	-0.0046** (0.0021)
Shock Down	0.0055** (0.0026)	-0.0028 (0.0026)	0.0023 (0.0028)	-0.0001 (0.0024)
Shock Up	-0.0004 (0.0028)	-0.0023 (0.0030)	-0.0025 (0.0028)	-0.0007 (0.0029)
Cell FE	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓
Dep. Var. Mean	0.08827	0.07593	0.07136	0.08813
R <sup>2</sup>	0.43971	0.41519	0.42857	0.42647
Cells	5,106	5,105	3,670	6,541
Observations	127,650	127,625	91,750	163,525

Notes: The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. In columns (1) and (2) we split the sample according to higher-lower than the median water stress as defined in Section 4. In columns (3) and (4) we split the sample according to positive or negative change in water presence between our sample period and the first ten years of water discharge data (1979-1988). *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

## 5 Conclusion

This paper examines how competition for water resources influences local violence across the African continent from 1997 to 2021. By combining detailed data on hydrology, river network topology, and weather patterns, we show that rainfall scarcity fuels violence in upstream areas with abundant water resources. When a downstream cell experiences a rainfall shock, the likelihood of conflict is 0.6 percentage points larger for a cell with high water presence with respect to a cell where water is scarce. This translates to a 7.30% increase in conflict likelihood with respect to the mean conflict incidence in our sample. The key takeaway is that access to water resources can lead to local violence.

Violence is more likely in agricultural areas, where the returns to water access are larger. Moreover, our findings suggest that climatic shocks trigger violence among farming communities competing for land with better water access and seeking to prevent upstream communities from excessive water extraction. Additionally, water resource distribution and river network structure also mediate farmer-herders conflict (McGuirk and Nunn, 2025; Eberle et al., 2025).

Our analysis also offers some insights on how policymakers can confront this issue. We show that both formal and informal institutions matter. The risk of conflict is higher in regions characterized by more ethnic inequality in water access and in countries with less effective governments. This indicates that, while traditional institutions rooted in ethnic identity may be effective at managing water internally to their territory, they may struggle to do so when cooperation with other groups is needed. At the same time, strengthening formal institutions and state capacity can enforce cooperation and peace. Our findings also suggest that the risk of conflict over water resources may increase in the future as climate change alters the distribution of surface water, possibly destabilizing pre-existing equilibria in terms of water sharing and management.

Finally, our findings highlight the importance for policymakers of taking into account the unequal distribution of freshwater resources when thinking about climate-conflict relationship. In particular, the structure of river networks emerges as a key transmission channel for climate shocks. While we focus on local violence, this structure can shape the relationship between water scarcity and conflict at a larger scale. A prime example is the ongoing geopolitical tensions surrounding the construction of the Grand Ethiopian Renaissance Dam (Climate Diplomacy, 2023a). More generally, taking into account the river network is key to understanding how water management policies and large-scale agricultural projects will affect neighboring regions and coun-

tries. This is crucial in a future where climate-related shocks are expected to become increasingly frequent and water scarcity a more acute problem.

## References

- Adhvaryu, A., Fenske, J., Khanna, G. and Nyshadham, A. (2021), 'Resources, conflict, and economic development in africa', *Journal of Development Economics* **149**, 102598.
- Allen, R. C., Bertazzini, M. C. and Heldring, L. (2020), 'The economic origins of government'.
- Almer, C., Laurent-Lucchetti, J. and Oechslin, M. (2017), 'Water scarcity and rioting: Disaggregated evidence from sub-saharan africa', *Journal of Environmental Economics and Management* **86**, 193–209.
- Arbatlı, C. E., Ashraf, Q. H., Galor, O. and Klemp, M. (2020), 'Diversity and conflict', *Econometrica* **88**(2), 727–797.
- Berman, N., Couttenier, M., Rohner, D. and Thoenig, M. (2017), 'This mine is mine! how minerals fuel conflicts in africa', *American Economic Review* **107**(6), 1564–1610.
- Berman, N., Couttenier, M. and Soubeyran, R. (2021), 'Fertile ground for conflict', *Journal of the European Economic Association* **19**(1), 82–127.
- Besley, T. and Reynal-Querol, M. (2014), 'The legacy of historical conflict: Evidence from africa', *American Political Science Review* **108**(2), 319–336.
- Burke, M., Gong, E. and Jones, K. (2015), 'Income shocks and hiv in africa', *The Economic Journal* **125**(585), 1157–1189.
- Burke, M., Hsiang, S. M. and Miguel, E. (2015), 'Climate and conflict', *Annu. Rev. Econ.* **7**(1), 577–617.
- Carleton, T., Crews, L. and Nath, I. (2024), Is the world running out of fresh water?, in 'AEA Papers and Proceedings', Vol. 114, American Economic Association 2014 Broadway, Suite 305, Nashville, TN 37203, pp. 31–35.
- Center for International Earth Science Information Network - CIESIN - Columbia University (2018), 'Gridded Population of the World, Version 4 (GPWv4): Population Count, Revision 11', Palisades, New York: NASA Socioeconomic Data and Applications Center (SEDAC). Accessed on 26-May-2023.  
**URL:** <https://doi.org/10.7927/H4JW8BX5>
- Climate Diplomacy (2023a), 'Disputes over the grand ethiopian renaissance dam (gerd)', Website.  
**URL:** <https://climate-diplomacy.org/case-studies/disputes-over-grand-ethiopian-renaissance-dam-gerd>
- Climate Diplomacy (2023b), 'Pastoralist and farmer-herder conflicts in the sahel', Website.  
**URL:** <https://climate-diplomacy.org/case-studies/pastoralist-and-farmer-herder-conflicts-sahel>

Climate Diplomacy (2023c), 'Security implications of the gilgel gibe iii dam in ethiopia', Website.

**URL:** <https://climate-diplomacy.org/case-studies/security-implications-gilgel-gibe-iii-dam-ethiopia>

Conley, T. G. (1999), 'Gmm estimation with cross sectional dependence', *Journal of econometrics* **92**(1), 1–45.

Corno, L., Hildebrandt, N. and Voena, A. (2020), 'Age of marriage, weather shocks, and the direction of marriage payments', *Econometrica* **88**(3), 879–915.

Couttenier, M., Jedwab, R. and Laugrette, L. (2025), 'Groundwater, climate change and conflict: Empirical evidence from africa'.

Depetris-Chauvin, E. (2015), 'State history and contemporary conflict: Evidence from sub-saharan africa', Available at SSRN 2679594 .

Depetris-Chauvin, E. and Özak, Ö. (2020), 'Borderline disorder:(de facto) historical ethnic borders and contemporary conflict in africa', Available at SSRN 3541025 .

Döll, P., Kaspar, F. and Lehner, B. (2003), 'A global hydrological model for deriving water availability indicators: model tuning and validation', *Journal of Hydrology* **270**(1-2), 105–134.

Dube, O. and Vargas, J. F. (2013), 'Commodity price shocks and civil conflict: Evidence from colombia', *Review of Economic studies* **80**(4), 1384–1421.

Eberle, U. J. (2020), 'Cep discussion paper no 1694 may 2020 damned by dams? infrastructure and conflict'.

Eberle, U. J., Rohner, D. and Thoenig, M. (2025), 'Heat and hate: Climate security and farmer-herder conflicts in africa', *Review of Economics and Statistics* pp. 1–47.

Esteban, J., Mayoral, L. and Ray, D. (2012), 'Ethnicity and conflict: An empirical study', *American Economic Review* **102**(4), 1310–1342.

Fischer, G., Nachtergael, F. O., Van Velthuizen, H., Chiozza, F., Francheschini, G., Henry, M., Muchoney, D. and Tramberend, S. (2021), 'Global agro-ecological zones (gaez v4)-model documentation'.

Giuliano, P. and Nunn, N. (2018), 'Ancestral characteristics of modern populations', *Economic History of Developing Regions* **33**(1), 1–17.

Gordon, R. G. and Grimes, B. F. (2009), 'Ethnologue: Languages of the world. 2005', Dallas, Texas: SIL International, Fifteenth .

Harari, M. and Ferrara, E. L. (2018), 'Conflict, climate, and cells: a disaggregated analysis', *Review of Economics and Statistics* **100**(4), 594–608.

Harrigan, S., Zsoter, E., Alfieri, L., Prudhomme, C., Salamon, P., Wetterhall, F.,

- Barnard, C., Cloke, H. and Pappenberger, F. (2020), 'Glofas-era5 operational global river discharge reanalysis 1979–present', *Earth System Science Data* **12**(3), 2043–2060.
- Haseeb, M. (2024), 'Resources scarcity and cooperation'.
- Hersbach, H., Bell, B., Berrisford, P., Biavati, G., Horányi, A., Muñoz Sabater, J., Nicolas, J., Peubey, C., Radu, R., Rozum, I., Schepers, D., Simmons, A., Soci, C., Dee, D. and Thépaut, J.-N. (2023), 'ERA5 monthly averaged data on single levels from 1940 to present', Copernicus Climate Change Service (C3S) Climate Data Store (CDS). Accessed on 26-May-2023.
- Hsiang, S. M. and Burke, M. (2014), 'Climate, conflict, and social stability: what does the evidence say?', *Climatic change* **123**, 39–55.
- Kaufmann, D., Kraay, A. and Mastruzzi, M. (2011), 'The worldwide governance indicators: Methodology and analytical issues1', *Hague journal on the rule of law* **3**(2), 220–246.
- König, M. D., Rohner, D., Thoenig, M. and Zilibotti, F. (2017), 'Networks in conflict: Theory and evidence from the great war of africa', *Econometrica* **85**(4), 1093–1132.
- Le Rossignol, E., Lowes, S. and Montero, E. (2024), Fallow lengths and the structure of property rights, Technical report, National Bureau of Economic Research.
- McGuirk, E. and Burke, M. (2020), 'The economic origins of conflict in africa', *Journal of Political Economy* **128**(10), 3940–3997.
- McGuirk, E. F. and Nunn, N. (2025), 'Transhumant pastoralism, climate change, and conflict in africa', *Review of Economic Studies* **92**(1), 404–441.
- Mekonnen, M. M. and Hoekstra, A. Y. (2016), 'Four billion people facing severe water scarcity', *Science advances* **2**(2), e1500323.
- Michalopoulos, S. and Papaioannou, E. (2014), 'National institutions and subnational development in africa', *The Quarterly journal of economics* **129**(1), 151–213.
- Michalopoulos, S. and Papaioannou, E. (2016), 'The long-run effects of the scramble for africa', *American Economic Review* **106**(7), 1802–1848.
- Miguel, E., Satyanath, S. and Sergenti, E. (2004), 'Economic shocks and civil conflict: An instrumental variables approach', *Journal of political Economy* **112**(4), 725–753.
- Monitor, M. E. (2022), 'Egypt farmers fear rising social tensions over scarce water', Website.
- URL:** <https://www.middleeastmonitor.com/20221031-egypt-farmers-fear-rising-social-tensions-over-scarce-water/>
- Moscona, J., Nunn, N. and Robinson, J. A. (2020), 'Segmentary lineage organization and conflict in sub-saharan africa', *Econometrica* **88**(5), 1999–2036.
- Nation (2023), 'Laikipia large-scale farmers accused of diverting rivers into farms',

Website.

**URL:** <https://nation.africa/kenya/counties/laikipia/laikipia-large-scale-farmers-accused-of-diverting-rivers-into-farms-4126256>

Puertas, D. G.-L., van Steenbergen, F., Haile, A. M., Kool, M. and Embaye, T.-a. G. (2021), 'Flood-based farming in africa', PDF.

Raleigh, C., Linke, A., Hegre, H. and Karlsen, J. (2010), 'Introducing acled: an armed conflict location and event dataset: special data feature', *Journal of peace research* **47**(5), 651–660.

Reynal-Querol, M. (2002), 'Ethnicity, political systems, and civil wars', *Journal of conflict resolution* **46**(1), 29–54.

Rohner, D., Thoenig, M. and Zilibotti, F. (2013), 'War signals: A theory of trade, trust, and conflict', *Review of Economic Studies* **80**(3), 1114–1147.

Sarsons, H. (2015), 'Rainfall and conflict: A cautionary tale', *Journal of development Economics* **115**, 62–72.

Sekhri, S. (2014), 'Wells, water, and welfare: the impact of access to groundwater on rural poverty and conflict', *American Economic Journal: Applied Economics* **6**(3), 76–102.

Sonno, T. (2025), 'Globalization and conflicts: the good, the bad, and the ugly of corporations in africa', *The Economic Journal* **135**(668), 1108–1140.

Strobl, E. and Strobl, R. O. (2011), 'The distributional impact of large dams: Evidence from cropland productivity in africa', *Journal of development Economics* **96**(2), 432–450.

Sundberg, R. and Melander, E. (2013), 'Introducing the ucdp georeferenced event dataset', *Journal of Peace Research* **50**(4), 523–532.

Unfried, K., Kis-Katos, K. and Poser, T. (2022), 'Water scarcity and social conflict', *Journal of Environmental Economics and Management* **113**, 102633.

United Nations (2023), 'UN 2023 Water Conference', <https://sdgs.un.org/sites/default/files/2023-05/FINAL%20EDITED%20-%20PGA77%20Summary%20for%20Water%20Conference%202023.pdf>.

Vanden Eynde, O. and Vargas, J. (2025), 'Climate change, natural resources, and conflict'.

Verdin, K. L. and Verdin, J. P. (1999), 'A topological system for delineation and codification of the earth's river basins', *Journal of Hydrology* **218**(1-2), 1–12.

World Economic Forum (2023), 'Global risks report 2023', <https://www.weforum.org/reports/global-risks-report-2023/digest/>.

World Food Programme (2023), 'A women's day on the canal: Green dreams of a farmer amid kenya's drought', Website.

**URL:** [\*https://www.wfp.org/stories/womens-day-canal-greens-dreams-farmer-amid-kenyas-drought\*](https://www.wfp.org/stories/womens-day-canal-greens-dreams-farmer-amid-kenyas-drought)

# A Appendix


## A.1 Upstream - Downstream

In this section we describe in detail the construction of the rivers network relationships between grid cells sample units. From the hydrology literature (Harrigan et al., 2020), as mentioned in section 3, we take the spatial breakdown of the entire African continent in river basins. A basin can be defined as the area of land drained by a river and its branches. The basins shapefiles are available at different levels of disaggregation; following Eberle (2020) and Strobl and Strobl (2011) we choose level 7 whose basins have an average area comparable to the cells we use in the analysis. Following the Pfafstetter classification system (see Verdin and Verdin, 1999 for a comprehensive explanation about how the system works), for each basin we have information about its position along the river network. In order to understand the relative positioning of our grid cells in terms of up-downstream relationship, we need to assign each cell to a river basin. Given the irregular shape of river basins, there are many different criteria one can use to perform this matching. Since our main objective is to study the interdependence of water resources between different regions, our main criterion to assign a cell to basin is the relative importance in terms of water discharge of the cell's area drained by the basin. In particular, for each intersection between river basins and a given cell we compute the average discharge quantity; then, we assign each cell to the basin whose intersection contains the highest water amount.

We illustrate the methodology by taking as example the confluence of Niger and Benue rivers. In the top panel of Figure A.1 we overlay the neighborhood of all the cells whose centroid is within 180 Km from the dark yellow cell at the center of the figure, with the river basins present in the area. The orange grid represents the neighborhood of cells, while the basins are colored on the basis of the average discharge presence. In the bottom panel we display the corresponding assignment of the cells. In light yellow are represented cells whose centroid is located within 180 Km from the reference cell (the cell in the middle in dark yellow) and that do not have any up-downstream relationship with respect to it. The orange (red) cells are those located upstream (downstream) according to our definition. The blue lines represent the rivers with highest water presence in the area (which are indeed the Niger and Benue).


## A.2 Additional Figures

Figure A.1: Niger river upstream and downstream relationship




*Notes:* The figure shows, by way of example, a section of Niger river to illustrate how we build the upstream-downstream relationships. In the top panel we superimpose the grid for the neighborhood (cells within 180 Km radius) of the yellow cell in the center of the figure with the river basins shapefile colored according to the average water discharge present in each of them. In the bottom panel we show the resulting upstream-downstream relationships between the different cells according to the methodology explained in appendix A.1. Orange cells are those located upstream within the neighborhood of the main cell (in dark yellow), while the red cell are those that we consider downstream with respect to it. Light yellow cells are those coded as neither upstream nor downstream with respect to the main cell.

Figure A.2: The grid




Notes: Grid of  $0.5^\circ \times 0.5^\circ$  cells covering the African continent that we use for the analysis.

Figure A.3: Conflict (ACLED)



*Notes:* Spatial distribution of our main dependent variable, conflict incidence, for the period 1997-2021. Darker shadings indicate cells with a higher proportion of years with at least one conflict incident, based on data from the Armed Conflict Location and Event Data Project (ACLED).

Figure A.4: Average discharge (cell level)




Notes: Cell-level (Log) average yearly discharge in m<sup>3</sup>/s over the sample period 1997-2021. Darker color indicates areas with higher average discharge. Water discharge data have been taken from Harrigan et al. (2020).

Figure A.5: Water Monopolist



*Notes:* In the map are represented in blue cells which are coded as water monopolist (see Section 3 for details on the definition) for the majority of the years during the sample period 1997-2021.


Figure A.6: Water Monopolist +




*Notes:* In the map are represented in blue cells which are coded as water monopolist + (see Section 3 for details on the definition) for the majority of the years during the sample period 1997-2021.

Figure A.7: Water Inequality and Polarization


(a) Polarization index



(b) Gini index




(c) Theil index



*Notes:* The maps display the spatial distribution of three different measures of water allocation between different ethnic groups at neighborhood level. In top panel (a), we report polarization measure of water ownership, in panel (b) the Gini index, while in panel (c) we report the Theil index distribution. Darker colors indicate higher values of the respective indexes. Grey cells represent missing values.

Figure A.8: Water Stress



*Notes:* The map displays the spatial distribution of the measure of water stress that we use. Darker colors indicate higher level of long term negative changes in water availability. The construction of the measure is detailed in section 4. Discharge data are taken from Harrigan et al. (2020).

### A.3 Additional Tables

Table A.1: Summary statistics

Variable	Mean	SD	Min	Median	Max	N
<i>Panel A: Conflicts</i>						
Incidence (ACLED)	0.0820	0.2744	0	0	1.0000	255,700
Incidence Battles	0.0543	0.2266	0	0	1.0000	255,700
Incidence Violence	0.0557	0.2293	0	0	1.0000	255,700
Incidence Protests	0.0415	0.1995	0	0	1.0000	255,700
Incidence Riots	0.0351	0.1840	0	0	1.0000	255,700
Incidence (GED)	0.0304	0.1716	0	0	1.0000	337,524
<i>Panel B: Water measures</i>						
Water Discharge (ln)	3.6334	3.2151	0	3.0318	14.131	255,700
Water Monopolist	0.0172	0.1299	0	0	1.0000	255,700
Water Monopolist +	0.0125	0.1113	0	0	1.0000	255,700
<i>Panel C: Rainfall shocks</i>						
Shock Down	0.2556	0.4362	0	0	1.0000	255,700
Shock Down p10	0.1742	0.3793	0	0	1.0000	255,700
Shock Down p20	0.3337	0.4715	0	0	1.0000	255,700
Shock Own	0.1971	0.3978	0	0	1.0000	255,700
Shock Own p10	0.1273	0.3333	0	0	1.0000	255,700
Shock Own p20	0.2664	0.4421	0	0	1.0000	255,700
Shock Up	0.1755	0.3804	0	0	1.0000	255,700
Shock Up p10	0.1225	0.3278	0	0	1.0000	255,700
Shock Up p20	0.2235	0.4166	0	0	1.0000	255,700
<i>Panel D: Other variables</i>						
Agricultural Cover	15.889	24.458	0	2.3642	99.917	255,700
Discharge Long Diff	195.79	2,479.2	-100.00	-16.739	99,670	255,275
Democratic	-0.9225	0.8486	-2.2008	-0.9961	0.9389	255,700
Rule of Law	-0.9089	0.6794	-2.1447	-1.0216	0.5845	255,700
Government Effectiveness	-0.7418	0.6503	-1.9599	-0.9236	1.0205	255,700
Corruption	-0.7347	0.6259	-1.6479	-0.8607	0.8180	255,700
RQ Index	0.5050	0.3053	0	0.5665	1.0000	252,650
Gini Index	0.5614	0.2472	0	0.6171	0.9712	252,650
Theil Index	0.8042	0.5596	0	0.7192	3.3539	252,650
Temperature (day)	27.306	3.4748	10.836	27.239	37.245	255,700
Temperature	24.462	3.4479	8.1089	24.596	34.057	255,700
Population	94,578	317,839	0	20,116	18,604,352	255,700

*Notes:* The table reports summary statistics for the main variables used in the analysis. The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. In *Panel A* we report summary statistics for the measures of conflicts used as dependent variables. In *Panel B* we report the summary statistics for the measures of water presence. In *Panel C* we report summary statistics for the measures of rainfall shocks. Finally, in *Panel D* we report summary statistics for the rest of the variables used for the heterogeneity analysis or as controls.

Table A.2: Precipitation shocks, water discharge, and phytomass

	Phytomass					
	(1)	(2)	(3)	(4)	(5)	(6)
Water Discharge	0.0336*** (0.0009)		0.0298*** (0.0010)	0.0296*** (0.0010)	0.0287*** (0.0010)	0.0281*** (0.0010)
Water Discharge $\times$ Shock Own				0.0010*** (0.0003)	0.0031*** (0.0005)	0.0031*** (0.0007)
Water Discharge $\times$ Shock Up					-0.0002 (0.0004)	-0.0001 (0.0004)
Water Discharge $\times$ Shock Own $\times$ Shock Up					-0.0025*** (0.0006)	-0.0024*** (0.0006)
Water Discharge $\times$ Shock Down						-0.0007* (0.0004)
Water Discharge $\times$ Shock Own $\times$ Shock Down						0.0003 (0.0007)
Shock Own	-0.0411*** (0.0011)	-0.0322*** (0.0011)	-0.0360*** (0.0020)	-0.0376*** (0.0027)	-0.0300*** (0.0038)	
Shock Up					-0.0213*** (0.0028)	-0.0185*** (0.0029)
Shock Own $\times$ Shock Up					0.0101** (0.0040)	0.0076* (0.0040)
Shock Down						-0.0151*** (0.0023)
Shock Own $\times$ Shock Down						-0.0008 (0.0042)
Cell FE	✓	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓	✓
Dep. Var. Mean	2.2877	2.2877	2.2877	2.2877	2.2877	2.2877
R <sup>2</sup>	0.99462	0.99459	0.99465	0.99465	0.99466	0.99466
Cells	9,691	9,691	9,691	9,691	9,691	9,691
Observations	203,511	203,511	203,511	203,511	203,511	203,511

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is the average phytomass mass (in kg/ha/day, logged) in a cell and year. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in Section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the subsample of cells and the years (1999–2019) for which have data on phytomass. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.3: Conley standard errors

	Incidence (ACLED)				
	(1)	(2)	(3)	(4)	(5)
Water Discharge	0.0010 (0.0013)	0.0007 (0.0013)	0.0010 (0.0012)	0.0009 (0.0012)	0.0009 (0.0012)
Water Discharge × Shock Down	0.0011** (0.0006)		0.0011** (0.0006)		0.0012** (0.0006)
Water Discharge × Shock Up		0.0003 (0.0006)		0.0003 (0.0006)	-0.0002 (0.0006)
Shock Down	0.0008 (0.0024)		0.0010 (0.0024)		0.0009 (0.0023)
Shock Up		-0.0018 (0.0025)		-0.0024 (0.0025)	-0.0014 (0.0024)
Shock Own			-0.0005 (0.0021)	0.0020 (0.0021)	0.0000 (0.0021)
Cell FE	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42101	0.42095	0.42101	0.42096	0.42101
Cells	10,228	10,228	10,228	10,228	10,228
Observations	255,700	255,700	255,700	255,700	255,700

Notes: The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997-2021. Conley standard errors with a spatial lag of 500 Km and infinite serial correlation are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.4: Alternative data on conflict

	Water Discharge (1)	Incidence (GED Geo3) Water Monopolist (2)	Water Monopolist + (3)
Water Measure	-0.0003 (0.0006)	0.0147** (0.0072)	0.0129* (0.0070)
Water Measure $\times$ Shock Down	0.0005* (0.0003)	0.0143* (0.0086)	0.0305** (0.0124)
Water Measure $\times$ Shock Up	-0.0004 (0.0003)	-0.0018 (0.0079)	-0.0058 (0.0095)
Shock Own	0.0012 (0.0011)	0.0012 (0.0011)	0.0012 (0.0011)
Shock Down	0.0001 (0.0011)	0.0017* (0.0010)	0.0016* (0.0010)
Shock Up	-0.0007 (0.0013)	-0.0021* (0.0011)	-0.0021** (0.0011)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.03039	0.03039	0.03039
R <sup>2</sup>	0.28764	0.28768	0.28771
Cells	10,228	10,228	10,228
Observations	337,524	337,524	337,524

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. Differently from our main analysis we construct the dependent variable using GED dataset. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1989-2020. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.5: Alternative conflict categories

	Incidence (ACLED) (1)	Incidence Battles (2)	Incidence Violence (3)	Incidence Protests (4)	Incidence Riots (5)
Water Discharge	0.0009 (0.0009)	0.0013* (0.0008)	-0.0008 (0.0008)	0.0006 (0.0007)	-0.0006 (0.0006)
Water Discharge $\times$ Shock Down	0.0012*** (0.0004)	0.0013*** (0.0004)	0.0011*** (0.0004)	0.0001 (0.0003)	0.0001 (0.0003)
Water Discharge $\times$ Shock Up	-0.0002 (0.0005)	-0.0003 (0.0004)	0.0002 (0.0004)	0.0002 (0.0003)	0.0005 (0.0003)
Shock Own	0.0000 (0.0017)	0.0004 (0.0015)	-0.0011 (0.0015)	-0.0011 (0.0013)	-0.0030** (0.0012)
Shock Down	0.0009 (0.0018)	0.0005 (0.0016)	0.0001 (0.0015)	-0.0004 (0.0014)	-0.0010 (0.0012)
Shock Up	-0.0014 (0.0021)	-0.0032* (0.0018)	-0.0011 (0.0018)	-0.0007 (0.0016)	-0.0016 (0.0014)
Cell FE	✓	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓	✓
Dep. Var. Mean	0.08201	0.05431	0.05570	0.04152	0.03507
R <sup>2</sup>	0.42101	0.36651	0.38268	0.39875	0.37082
Cells	10,228	10,228	10,228	10,228	10,228
Observations	255,700	255,700	255,700	255,700	255,700

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one conflict event occurs in a cell and year. In column (1) we report estimates using our main dependent variable which includes ACLED battles and violence against civilians. In columns (2) and (3) we separate the two components of the main dependent variables and consider battles and violence against civilians separately. In columns (4) and (5) we consider less deadly type of conflict events such as protests and riots. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1989-2020. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.6: Alternative rainfall shocks G10

	Water Discharge (1)	Incidence (ACLED) Water Monopolist (2)	Water Monopolist + (3)
Water Measure	0.0010 (0.0009)	0.0125 (0.0095)	0.0163 (0.0104)
Water Measure × Shock Down	0.0014*** (0.0005)	0.0275** (0.0137)	0.0458*** (0.0172)
Water Measure × Shock Up	0.0003 (0.0005)	-0.0073 (0.0120)	-0.0104 (0.0138)
Shock Own	0.0006 (0.0020)	0.0002 (0.0020)	0.0002 (0.0020)
Shock Down	-0.0003 (0.0022)	0.0043** (0.0017)	0.0043** (0.0017)
Shock Up	-0.0008 (0.0024)	0.0009 (0.0020)	0.0009 (0.0020)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42102	0.42101	0.42103
Cells	10,228	10,228	10,228
Observations	255,700	255,700	255,700

Notes: The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Measure* indicates generically a measure of water quantity which varies between columns. In column (1) it is the natural logarithm of the average water discharge present in a cell during a given year (*Water Discharge*). In column (2) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year (*Water Monopolist*). In column (3) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year and the discharge is higher than the median level in the sample for that year (*Water Monopolist +*). *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). Differently from the main analysis we define precipitation shocks as precipitation level in a cell-year below the 10th percentile in the long term distribution (see 3 for further details in the construction of precipitation shocks). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.7: Alternative rainfall shocks G20

	Water Discharge (1)	Incidence (ACLED) Water Monopolist (2)	Water Monopolist + (3)
Water Measure	0.0010 (0.0010)	0.0095 (0.0100)	0.0115 (0.0108)
Water Measure × Shock Down	0.0013*** (0.0004)	0.0218** (0.0104)	0.0386*** (0.0143)
Water Measure × Shock Up	-0.0007 (0.0005)	-0.0009 (0.0105)	-0.0027 (0.0128)
Shock Own	0.0031** (0.0015)	0.0028* (0.0015)	0.0028* (0.0015)
Shock Down	-0.0031* (0.0017)	0.0008 (0.0014)	0.0008 (0.0014)
Shock Up	0.0003 (0.0019)	-0.0023 (0.0016)	-0.0023 (0.0016)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42100	0.42100	0.42103
Cells	10,228	10,228	10,228
Observations	255,700	255,700	255,700

Notes: The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Measure* indicates generically a measure of water quantity which varies between columns. In column (1) it is the natural logarithm of the average water discharge present in a cell during a given year (*Water Discharge*). In column (2) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year (*Water Monopolist*). In column (3) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year and the discharge is higher than the median level in the sample for that year (*Water Monopolist +*). *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). Differently from the main analysis we define precipitation shocks as precipitation level in a cell-year below the 20th percentile in the long term distribution (see 3 for further details in the construction of precipitation shocks). The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.8: Alternative radius 160 Km

	Incidence (ACLED)		
	Water Discharge (1)	Water Monopolist (2)	Water Monopolist + (3)
Water Measure	0.0009 (0.0009)	0.0102 (0.0080)	0.0125 (0.0087)
Water Measure × Shock Down	0.0014*** (0.0005)	0.0133 (0.0109)	0.0224 (0.0144)
Water Measure × Shock Up	-0.0001 (0.0005)	-0.0059 (0.0104)	-0.0066 (0.0125)
Shock Own	-0.0001 (0.0017)	-0.0005 (0.0017)	-0.0005 (0.0017)
Shock Down	0.0002 (0.0020)	0.0049*** (0.0016)	0.0049*** (0.0016)
Shock Up	-0.0015 (0.0022)	-0.0015 (0.0018)	-0.0016 (0.0018)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42102	0.42100	0.42101
Cells	10,228	10,228	10,228
Observations	255,700	255,700	255,700

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. Differently from the main analysis, as robustness exercise, we use 160 Km radius to define a cell neighborhood. *Water Measure* indicates generically a measure of water quantity which varies between columns. In column (1) it is the natural logarithm of the average water discharge present in a cell during a given year (*Water Discharge*). In column (2) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year (*Water Monopolist*). In column (3) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year and the discharge is higher than the median level in the sample for that year (*Water Monopolist +*). *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997–2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.9: Alternative radius 200 Km

	Incidence (ACLED)		
	Water Discharge (1)	Water Monopolist (2)	Water Monopolist + (3)
Water Measure	0.0009 (0.0009)	0.0104 (0.0106)	0.0093 (0.0112)
Water Measure × Shock Down	0.0010** (0.0004)	0.0217* (0.0123)	0.0341** (0.0168)
Water Measure × Shock Up	-0.0001 (0.0005)	-0.0053 (0.0114)	-0.0061 (0.0133)
Shock Own	0.0003 (0.0017)	-0.0001 (0.0017)	-0.0001 (0.0017)
Shock Down	0.0008 (0.0018)	0.0042*** (0.0015)	0.0041*** (0.0015)
Shock Up	-0.0018 (0.0020)	-0.0018 (0.0017)	-0.0019 (0.0017)
Cell FE	✓	✓	✓
Country-Year FE	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201
R <sup>2</sup>	0.42100	0.42100	0.42101
Cells	10,228	10,228	10,228
Observations	255,700	255,700	255,700

*Notes:* The table reports estimated coefficients from equation (1). The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. Differently from the main analysis, as robustness exercise, we use 200 Km radius to define a cell neighborhood. *Water Measure* indicates generically a measure of water quantity which varies between columns. In column (1) it is the natural logarithm of the average water discharge present in a cell during a given year (*Water Discharge*). In column (2) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year (*Water Monopolist*). In column (3) it is an indicator variable equal to 1 if the cell is the one with the highest water discharge in a neighborhood in a given year and the discharge is higher than the median level in the sample for that year (*Water Monopolist +*). *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). The sample covers the years in the interval 1997–2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.10: Additional Controls

	Incidence (ACLED)			
	(1)	(2)	(3)	(4)
Water Discharge	0.0009 (0.0009)	0.0013 (0.0010)	0.0015 (0.0010)	0.0008 (0.0009)
Water Discharge × Shock Down	0.0012*** (0.0004)	0.0012*** (0.0004)	0.0012*** (0.0004)	0.0011** (0.0004)
Water Discharge × Shock Up	-0.0001 (0.0005)	-0.0002 (0.0005)	-0.0002 (0.0005)	-0.0002 (0.0005)
Shock Own	0.0000 (0.0017)	-0.0004 (0.0017)	-0.0006 (0.0017)	-0.0002 (0.0017)
Shock Down	0.0009 (0.0018)	0.0007 (0.0018)	0.0005 (0.0018)	0.0004 (0.0018)
Shock Up	-0.0014 (0.0021)	-0.0015 (0.0021)	-0.0015 (0.0021)	-0.0002 (0.0020)
Log pop.	0.0046 (0.0048)			
Temp.		0.0044** (0.0022)		
Temp. (day)			0.0059*** (0.0020)	
Lagged Incidence				0.1701*** (0.0051)
Cell FE	✓	✓	✓	✓
Country-Year FE	✓	✓	✓	✓
Dep. Var. Mean	0.08201	0.08201	0.08201	0.08366
R <sup>2</sup>	0.42102	0.42103	0.42104	0.44153
Cells	10,228	10,228	10,228	10,228
Observations	255,700	255,700	255,700	245,472

Notes: The table reports estimated coefficients from equation (1) with additional controls. The unit of observation is a  $0.5^\circ \times 0.5^\circ$  grid cell and year. The dependent variable is a dummy that takes value 1 if at least one violent conflict occurs in a cell and year. *Water Discharge* is the natural logarithm of the average water discharge present in a cell during a given year. *Shock* is an indicator variable taking value 1 if a location experiences a drought (as defined in section 3), upstream (*Up*), downstream (*Down*) or within the unit of observation (*Own*). In different columns we introduce additional controls to our baseline regression equation. In particular in column (1) we control for (Log) population in the cell, in column (2) we control for average temperature over the year, in column (3) we control for average daily temperature over the year and in column (4) we control for conflicts happening in the previous year. The sample covers the years in the interval 1997-2021. Clustered standard errors by cell are reported in parentheses. Statistical significance is represented by \*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .