Physics 89 - Introduction to Mathematical Physics

deval deliwala

January 17, 2023

Contents

1 Difference between Mathematics and Physics

 $\mathbf{2}$

1 Difference between Mathematics and Physics

Example 1 - Electrostatics

Math Question

$$x + \frac{x^2}{2} + \frac{x^3}{3} + \frac{x^4}{4} + \dots = ?$$

Math Solution

$$x + \frac{x^2}{2} + \frac{x^3}{3} + \dots = -\log(1-x), \quad for -1 \le x \le 1$$

So,

$$-1 + \frac{1}{2} - \frac{1}{3} + \frac{1}{4} - \frac{1}{5} + \dots = -\log(2)$$

Example 2 - Diffusion

f(x, y, z, t) = density of diffusing material at time t

Let there exist a cube containing moles

$$\frac{\partial f}{\partial t} = D \left(\frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2} + \frac{\partial^2 f}{\partial z^2} \right)$$

where D is the diffusion coefficient, and the diffusion equation describes how f evolves with time

Math Question

Solve

$$\frac{\partial f}{\partial t} = D \left(\frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2} + \frac{\partial^2 f}{\partial z^2} \right)$$

given initial condition

f(x, y, z, 0) = concentrated lump at the origin

Math Solution

$$f(x, y, z, t) = \frac{N}{(4\pi Dt)(3/2)} e^{-\frac{x^2 + y^2 + z^2}{4Dt}}$$

where N is the number of moles released