

Got it — you want to send an email from the Linux command line using SMTP on port 587.
Here's a **concise, working example** with three common tools you can choose from.

1. Using `msmtp` (lightweight & simple)

```
sudo apt install msmtp
```

Edit `~/.msmtprc` (permissions `chmod 600 ~/.msmtprc`):

```
account default
host smtp.example.com
port 587
auth on
user your@email.com
password yourpassword
tls on
tls_starttls on
from your@email.com
```

Send email:

```
echo -e "Subject: Test Email\n\nHello from msmtp!" | msmtp recipient@example.com
```

2. Using `swaks` (great for testing)

```
sudo apt install swaks
```

Send email:

```
swaks --server smtp.example.com --port 587 \  
  --auth LOGIN --auth-user your@email.com --auth-password 'yourpassword' \  
  --tls --from your@email.com --to recipient@example.com \  
  --data "Subject: Test Email\n\nHello from swaks!"
```

3. Using mutt (interactive & supports attachments)

```
sudo apt install mutt
```

Edit ~/.muttrc:

```
set smtp_url = "smtp://your@email.com@smtp.example.com:587/"  
set smtp_pass = "yourpassword"  
set from = "your@email.com"  
set realname = "Your Name"  
set ssl_starttls = yes  
set ssl_force_tls = yes
```

Send email:

```
echo "Hello from mutt!" | mutt -s "Test Email" recipient@example.com
```



Tip:

- Always use **app-specific passwords** if your email provider supports them.

- Port **587** is for SMTP with STARTTLS, so ensure `tls_starttls` on or equivalent is enabled.

If you want, I can also give you a **minimal Bash script** to automate sending emails via SMTP 587. Would you like me to prepare that?