


*****Draft*****


The first boot running Demo Rpi4B \$Gb

05/16/21


*****Draft*****



General



Platform



Environment

Ulitbo Core (Release: Beetroot Version: 2.1.0.0 Date: 14 May 2021)

	General	Environment
Platform:		
Memory:		
Head Blocks:		
CPU:		19
FPU:		
GPII:		18
RTE:		
Clock:		
Lode:		
Threading:		
Tread List:		
Scheduler:		
Devices:		
Drivers:		
Hndles:		
USB:		
MHC / SD:		
Network:		
Storage:		
Eilesystem:		
Disk Cache:		
Keyboard:		
Mouse:		
Touch:		
Framebuffer:		
Enviroment:		
Poge Tables:		
Vector Tables:		
IRO / IRI / SWI:		
GPIO:		
Configuration:		

Command Line	Environment
argc:	19
ParamCount:	18
ParamStr(0):	kernel7.img
ParamStr(1):	bcm2708_fb.fwidth=1824
ParamStr(2):	bcm2708_fb.fbheight=984
ParamStr(3):	bcm2708_fb.fswwap=1
ParamStr(4):	dma.dmachans=Ox37f5
ParamStr(5):	bcm2709.boardrev=Oxc03111
ParamStr(6):	bcm2709.serial=Oxa9740576
ParamStr(7):	bcm2709_uart_clock=48000000
ParamStr(8):	bcm2709.disk_led_gpio=42
ParamStr(9):	bcm2709.disk_led_active_low=0
ParamStr(10):	smsc95xx.macaddr=DC:A6:32:27:E2:20
ParamStr(11):	vc_mem.mem_base=Ox3ec00000
ParamStr(12):	vc_mem.mem_size=Ox40000000
ParamStr(13):	console=tyAMA0.115200
ParamStr(14):	kgtboc=tyAMA0.115200
ParamStr(15):	console=ttt1
ParamStr(16):	root=/dev/mmcblkOp2
ParamStr(17):	roottypc=ext4
ParamSer(18):	rootwait
cmline:	bcm2708_fb.fwidth=1824 bcm2708_fb.fbheight=984 bcm2708_fb.fswwap=1 dma.dmachans=Ox37f5 bcm2709.boardrev=Oxc03111 bcm2709.serial=Oxa9740576 bcm2709_uart_clock=48000000 bcm2709.disk_led_gpio=42 bcm2709.disk_led_active_low=0 smsc95xx.macaddr=DC:A6:32:27:E2:20 vc_mem.mem_base=Ox3ec00000 vc_mem.mem_size=Ox40000000 console=tyAMA0.115200 kgtboc=tyAMA0.115200 console=ttt1 root=/dev/mmcblkOp2 roottypc=ext4 rootwait

Environment Variables	
GetEnvironmentVariableCount:	18
GetEnvironmentString(1):	bcm2708_fb.fwidth=1824
GetEnvironmentString(2):	bcm2708_fb.fbheight=984
GetEnvironmentString(3):	bcm2708_fb.fswwap=1

Memory