

*****Draft*****
openocd build & install
08/14/21
*****Draft*****

Testing a new method using a prefix in the configure and creating a squashfs img that can install local/openocd.

The build was done on pi400 and the with the squashfs img it was installed on a RPi4B 4Gb.

git clone <https://github.com/ntfreak/openocd.git>

commit 53556fcded056aa62ffdc6bf0c97bff87d891dab (HEAD -> master, origin/master, origin/HEAD)

Author: Ranjith Chandran <ranjith.tc@ashling.com>

Date: Fri Jul 23 10:21:05 2021 +0530

tcl/interface: add Ashling Opella-LD FTDI config files

Adding Ashling's FTDI based Debug adapter Opella-LD's JTAG and SWD config files

Change-Id: Ie0e82e3b8326de37641901f5c825372cab31de58

Signed-off-by: ranjith.tc@ashling.com

Reviewed-on: <http://openocd.zylin.com/6379>

Tested-by: jenkins

Reviewed-by: Tarek BOCHKATI <tarek.bouchkati@gmail.com>

Reviewed-by: Antonio Borneo <borneo.antonio@gmail.com>

cd openocd/

./bootstrap

./configure --help

--enable-sysfsgpio Enable building support for programming driven via
 sysfs gpios.

--enable-bcm2835gpio Enable building support for bitbanging on BCM2835

sudo mkdir /media/devel/03ba8473-3445-4a49-8e7b-1876b5d543d2/installed-openocd

./configure --enable-sysfsgpio --enable-bcm2835gpio --prefix=/media/devel/03ba8473-3445-4a49-8e7b-1876b5d543d2/installed-openocd

make

sudo make install

top

swclk

x

grd

x

swdio

x

GPIO24

pin 18

swdio

GRD

pin 20

GRD

GPI025

pin 22

swclk

Raspberry Pi2 GPIO Header					
Pin#	NAME		NAME	Pin#	
01	3.3v DC Power		DC Power 5v	02	
03	GPIO02 (SDA1 ,PC)		DC Power 5v	04	
05	GPIO03 (SCL1 ,PC)		Ground	06	
07	GPIO04 (GPIO_GCLK)		(TXD0) GPIO14	08	
09	Ground		(RXD0) GPIO15	10	
11	GPIO17 (GPIO_GEN0)		(GPIO_GEN1) GPIO18	12	
13	GPIO27 (GPIO_GEN2)		Ground	14	
15	GPIO22 (GPIO_GEN3)		(GPIO_GEN4) GPIO23	16	
17	3.3v DC Power		(GPIO_GEN5) GPIO24	18	
19	GPIO10 (SPI_MOSI)		Ground	20	
21	GPIO09 (SPI_MISO)		(GPIO_GEN6) GPIO25	22	
23	GPIO11 (SPI_CLK)		(SPI_CE0_N) GPIO08	24	
25	Ground		(SPI_CE1_N) GPIO07	26	
27	ID_SD (PC ID EEPROM)		(PC ID EEPROM) ID_SC	28	
29	GPIO05		Ground	30	
31	GPIO06		GPIO12	32	
33	GPIO13		Ground	34	
35	GPIO19		GPIO16	36	
37	GPIO26		GPIO20	38	
39	Ground		GPIO21	40	

Rev 1
2601/2014

http://www.element14.com

local/openocd/bin/openocd --version

Open On-Chip Debugger 0.11.0+dev-00331-g53556fcde-dirty (2021-08-15-12:29)

Licensed under GNU GPL v2

For bug reports, read

<http://openocd.org/doc/doxygen/bugs.html>

local/openocd/bin/openocd --help

Open On-Chip Debugger 0.11.0+dev-00331-g53556fcde-dirty (2021-08-15-12:29)

Licensed under GNU GPL v2

For bug reports, read

<http://openocd.org/doc/doxygen/bugs.html>

Open On-Chip Debugger

Licensed under GNU GPL v2

--help | -h display this help

--version | -vdisplay OpenOCD version

--file | -f use configuration file <name>

--search | -s dir to search for config files and scripts

--debug | -dset debug level to 3

| -d<n> set debug level to <level>

--log_output | -l redirect log output to file <name>

--command | -c run <command>

```
local/openocd/  
├── bin  
│   └── openocd  
├── share  
│   ├── info  
│   │   ├── dir  
│   │   ├── openocd.info  
│   │   ├── openocd.info-1  
│   │   └── openocd.info-2  
│   ├── man  
│   │   ├── man1  
│   │   └── openocd.1  
│   └── openocd  
│       ├── contrib  
│       │   ├── 60-openocd.rules  
│       │   └── libdcc  
│       │       ├── dcc_stdio.c  
│       │       ├── dcc_stdio.h  
│       │       ├── example.c  
│       │       └── README  
│       ├── OpenULINK  
│       │   └── ulink_firmware.hex  
│       └── scripts  
│           ├── bitsbytes.tcl  
│           └── board  
│               ├── 8devices-lima.cfg  
│               ├── actux3.cfg  
│               ├── adapteva_parallel1a1.cfg  
│               ├── adsp-sc584-ezbrd.cfg  
│               ├── alphascale_asm9260_ek.cfg  
│               ├── altera_sockit.cfg  
│               ├── am3517evm.cfg  
│               ├── ampere_emag8180.cfg  
│               ├── arm_evaluator7t.cfg  
│               ├── arm_musca_a.cfg  
│               ├── arty_s7.cfg  
│               ├── asus-rt-n16.cfg  
│               ├── asus-rt-n66u.cfg  
│               ├── at91cap7a-stk-sdram.cfg  
│               ├── at91eb40a.cfg  
│               ├── at91rm9200-dk.cfg  
│               ├── at91rm9200-ek.cfg  
│               ├── at91sam9261-ek.cfg  
│               ├── at91sam9263-ek.cfg  
│               ├── at91sam9g20-ek.cfg  
│               ├── atmel_at91sam7s-ek.cfg  
│               ├── atmel_at91sam9260-ek.cfg  
│               ├── atmel_at91sam9rl-ek.cfg  
│               ├── atmel_sam3n_ek.cfg  
│               ├── atmel_sam3s_ek.cfg  
│               ├── atmel_sam3u_ek.cfg  
│               └── atmel_sam3x_ek.cfg
```

- atmel_sam4e_ek.cfg
- atmel_sam4l8_xplained_pro.cfg
- atmel_sam4s_ek.cfg
- atmel_sam4s_xplained_pro.cfg
- atmel_samc20_xplained_pro.cfg
- atmel_samc21_xplained_pro.cfg
- atmel_samd10_xplained_mini.cfg
- atmel_samd11_xplained_pro.cfg
- atmel_samd20_xplained_pro.cfg
- atmel_samd21_xplained_pro.cfg
- atmel_same70_xplained.cfg
- atmel_samg53_xplained_pro.cfg
- atmel_samg55_xplained_pro.cfg
- atmel_saml21_xplained_pro.cfg
- atmel_samr21_xplained_pro.cfg
- atmel_samv71_xplained_ultra.cfg
- avnet_ultrazed-eg.cfg
- balloon3-cpu.cfg
- bcm28155_ap.cfg
- bluefield.cfg
- bt-homehubv1.cfg
- colibri.cfg
- crossbow_tech_imote2.cfg
- csb337.cfg
- csb732.cfg
- da850evm.cfg
- digi_connectcore_wi-9c.cfg
- digilent_analog_discovery.cfg
- digilent_atlys.cfg
- digilent_nexys_video.cfg
- digilent_zedboard.cfg
- diolan_lpc4350-db1.cfg
- diolan_lpc4357-db1.cfg
- dk-tm4c129.cfg
- dm355evm.cfg
- dm365evm.cfg
- dm6446evm.cfg
- dp_busblaster_v3.cfg
- dp_busblaster_v4.cfg
- dptechnics_dpt-board-v1.cfg
- efikamx.cfg
- efm32.cfg
- eir.cfg
- ek-lm3s1968.cfg
- ek-lm3s3748.cfg
- ek-lm3s6965.cfg
- ek-lm3s811.cfg
- ek-lm3s811-revb.cfg
- ek-lm3s8962.cfg
- ek-lm3s9b9x.cfg
- ek-lm3s9d92.cfg
- ek-lm4f120xl.cfg


- ek-lm4f232.cfg
- ek-tm4c123gxl.cfg
- ek-tm4c1294xl.cfg
- embedded-artists_lpc2478-32.cfg
- emcraft_imx8m-som-bsb.cfg
- emcraft_twr-vf6-som-bsb.cfg
- emcraft_vf6-som.cfg
- ethernut3.cfg
- frdm-kl25z.cfg
- frdm-kl46z.cfg
- fsl_imx6q_sabresd.cfg
- glyn_tonga2.cfg
- gti
 - espressobin.cfg
- gumstix-aerocore.cfg
- hammer.cfg
- hilscher_nxdb500sys.cfg
- hilscher_nxeb500hmi.cfg
- hilscher_nxhx10.cfg
- hilscher_nxhx500.cfg
- hilscher_nxhx50.cfg
- hilscher_nxsb100.cfg
- hitex_lpc1768stick.cfg
- hitex_lpc2929.cfg
- hitex_stm32-performancestick.cfg
- hitex_str9-comstick.cfg
- iar_lpc1768.cfg
- iar_str912_sk.cfg
- icnova_imx53_sodimm.cfg
- icnova_sam9g45_sodimm.cfg
- imx27ads.cfg
- imx27lnst.cfg
- imx28evk.cfg
- imx31pdk.cfg
- imx35pdk.cfg
- imx53loco.cfg
- imx53-m53evk.cfg
- imx8mp-evk.cfg
- insignal_arndale.cfg
- kasli.cfg
- kc100.cfg
- kc705.cfg
- kcu105.cfg
- keil_mcb1700.cfg
- keil_mcb2140.cfg
- kindle2.cfg
- kwikstik.cfg
- la_fonera-fon2200.cfg
- lemaker_hikey.cfg
- linksys_nslu2.cfg
- linksys-wag200g.cfg
- linksys-wrt54gl.cfg


- lisa-l.cfg
- logicpd_imx27.cfg
- lpc1850_spifi_generic.cfg
- lpc4350_spifi_generic.cfg
- lubbock.cfg
- marsohod2.cfg
- marsohod3.cfg
- marsohod.cfg
- mbed-lpc11u24.cfg
- mbed-lpc1768.cfg
- mcb1700.cfg
- microchip_explorer16.cfg
- microchip_sama5d27_som1_kit1.cfg
- microchip_sama54_xplained_pro.cfg
- microchip_saml11_xplained_pro.cfg
- mini2440.cfg
- mini6410.cfg
- minispartan6.cfg
- nds32_corvettef1.cfg
- nds32_xc5.cfg
- nds32_xc7.cfg
- netgear-dg834v3.cfg
- netgear-wg102.cfg
- nordic_nrf51822_mkit.cfg
- nordic_nrf51_dk.cfg
- nordic_nrf52_dk.cfg
- nordic_nrf52_ftx232.cfg
- novena-internal-fpga.cfg
- numato_mimas_a7.cfg
- numato_opsis.cfg
- nxp_frdm-ls1012a.cfg
- nxp_imx7sabre.cfg
- nxp_lpc-link2.cfg
- nxp_mcimx8m-evk.cfg
- olimex_LPC2378STK.cfg
- olimex_lpc_h2148.cfg
- olimex_sam7_ex256.cfg
- olimex_sam7_la2.cfg
- olimex_sam9_l9260.cfg
- olimex_stm32_h103.cfg
- olimex_stm32_h107.cfg
- olimex_stm32_h405.cfg
- olimex_stm32_p107.cfg
- omap2420_h4.cfg
- openrd.cfg
- or1k_generic.cfg
- osk5912.cfg
- phone_se_j100i.cfg
- phytec_lpc3250.cfg
- pico-debug.cfg
- pic-p32mx.cfg
- pipistrello.cfg

- propox_mmnet1001.cfg
- pxa255_sst.cfg
- quark_d2000_refboard.cfg
- quark_x10xx_board.cfg
- quicklogic_quickfeather.cfg
- redbee.cfg
- reflexces_achilles_i-dev_kit_arria10.cfg
- renesas_dk-s7g2.cfg
- renesas_falcon.cfg
- renesas_gr_peach.cfg
- renesas_porter.cfg
- renesas_salvator-xs.cfg
- renesas_silk.cfg
- renesas_stout.cfg
- rigado_bmd300_ek.cfg
- rpi3.cfg
- rpi4b.cfg
- rsc-w910.cfg
- sayma_amc.cfg
- sheevaplug.cfg
- sifive-e31arty.cfg
- sifive-e51arty.cfg
- sifive-hifive1.cfg
- sifive-hifive1-revb.cfg
- smdk6410.cfg
- snps_em_sk.cfg
- snps_em_sk_v1.cfg
- snps_em_sk_v2.1.cfg
- snps_em_sk_v2.2.cfg
- snps_hsdk.cfg
- spansion_sk-fm4-176l-s6e2cc.cfg
- spansion_sk-fm4-u120-9b560.cfg
- spear300evb.cfg
- spear300evb_mod.cfg
- spear310evb20.cfg
- spear310evb20_mod.cfg
- spear320cpu.cfg
- spear320cpu_mod.cfg
- st_b-l475e-iot01a.cfg
- steval-idb007v1.cfg
- steval-idb008v1.cfg
- steval-idb011v1.cfg
- steval_pcc010.cfg
- stm320518_eval.cfg
- stm320518_eval_stlink.cfg
- stm32100b_eval.cfg
- stm3210b_eval.cfg
- stm3210c_eval.cfg
- stm3210e_eval.cfg
- stm3220g_eval.cfg
- stm3220g_eval_stlink.cfg
- stm3241g_eval.cfg

- stm3241g_eval_stlink.cfg
- stm32429i_eval.cfg
- stm32429i_eval_stlink.cfg
- stm32439i_eval.cfg
- stm32439i_eval_stlink.cfg
- stm327x6g_eval.cfg
- stm32f0discovery.cfg
- stm32f103c8_blue_pill.cfg
- stm32f334discovery.cfg
- stm32f3discovery.cfg
- stm32f412g-disco.cfg
- stm32f413h-disco.cfg
- stm32f429disc1.cfg
- stm32f429discovery.cfg
- stm32f469discovery.cfg
- stm32f469i-disco.cfg
- stm32f4discovery.cfg
- stm32f723e-disco.cfg
- stm32f746g-disco.cfg
- stm32f769i-disco.cfg
- stm32f7discovery.cfg
- stm32h735g-disco.cfg
- stm32h745i-disco.cfg
- stm32h747i-disco.cfg
- stm32h750b-disco.cfg
- stm32h7b3i-disco.cfg
- stm32h7x3i_eval.cfg
- stm32h7x_dual_qspi.cfg
- stm32l0discovery.cfg
- stm32l476g-disco.cfg
- stm32l496g-disco.cfg
- stm32l4discovery.cfg
- stm32l4p5g-disco.cfg
- stm32l4r9i-disco.cfg
- stm32ldiscovery.cfg
- stm32mp15x_dk2.cfg
- stm32vldiscovery.cfg
- st_nucleo_8l152r8.cfg
- st_nucleo_8s208rb.cfg
- st_nucleo_f0.cfg
- st_nucleo_f103rb.cfg
- st_nucleo_f3.cfg
- st_nucleo_f4.cfg
- st_nucleo_f7.cfg
- st_nucleo_h743zi.cfg
- st_nucleo_h745zi.cfg
- st_nucleo_l073rz.cfg
- st_nucleo_l1.cfg
- st_nucleo_l4.cfg
- st_nucleo_l5.cfg
- st_nucleo_wb55.cfg
- str910-eval.cfg

- telo.cfg
- ti_am335xevm.cfg
- ti_am437x_idk.cfg
- ti_am43xx_evm.cfg
- ti_am642evm.cfg
- ti_am654evm.cfg
- ti_beagleboard.cfg
- ti_beagleboard_xm.cfg
- ti_beaglebone-base.cfg
- ti_beaglebone_black.cfg
- ti_beaglebone.cfg
- ti_blaze.cfg
- ti_cc13x0_launchpad.cfg
- ti_cc13x2_launchpad.cfg
- ti_cc26x0_launchpad.cfg
- ti_cc26x2_launchpad.cfg
- ti_cc3200_launchxl.cfg
- ti_cc3220sf_launchpad.cfg
- ti_cc32xx_launchpad.cfg
- ti_dk-tm4c129.cfg
- ti_ek-tm4c123gxl.cfg
- ti_ek-tm4c1294xl.cfg
- ti_j7200evm.cfg
- ti_j721evm.cfg
- ti_msp432_launchpad.cfg
- ti_pandaboard.cfg
- ti_pandaboard_es.cfg
- ti_tmdx570ls20usb.cfg
- ti_tmdx570ls31usb.cfg
- tocoding_poplar.cfg
- topas910.cfg
- topasa900.cfg
- tp-link_tl-mr3020.cfg
- tp-link_wdr4300.cfg
- twr-k60f120m.cfg
- twr-k60n512.cfg
- twr-vf65gs10.cfg
- twr-vf65gs10_cmsisdap.cfg
- tx25_stk5.cfg
- tx27_stk5.cfg
- unknown_at91sam9260.cfg
- uptech_2410.cfg
- verdex.cfg
- voipac.cfg
- voltcraft_dso-3062c.cfg
- x300t.cfg
- xmc1100-boot-kit.cfg
- xmc-2go.cfg
- xmc4200-application-kit-actuator.cfg
- xmc4300-relax.cfg
- xmc4500-application-kit-general.cfg
- xmc4500-application-kit-sdram.cfg





- hie-jtag.cfg
- hilscher_nxhx10_etm.cfg
- hilscher_nxhx500_etm.cfg
- hilscher_nxhx500_re.cfg
- hilscher_nxhx50_etm.cfg
- hilscher_nxhx50_re.cfg
- hitex_lpc1768stick.cfg
- hitex_str9-comstick.cfg
- icebear.cfg
- imx8mp-evk.cfg
- incircuit-icprog.cfg
- iotlab-usb.cfg
- isodebug.cfg
- jtagkey2.cfg
- jtagkey2p.cfg
- jtagkey.cfg
- jtag-lock-pick_tiny_2.cfg
- kt-link.cfg
- lisa-l.cfg
- luminary.cfg
- luminary-icdi.cfg
- luminary-lm3s811.cfg
- m53evk.cfg
- mbftdi.cfg
- minimodule.cfg
- minimodule-swd.cfg
- minispartan6.cfg
- miniwiggler.cfg
- neodb.cfg
- ngxtech.cfg
- olimex-arm-jtag-swd.cfg
- olimex-arm-usb-ocd.cfg
- olimex-arm-usb-ocd-h.cfg
- olimex-arm-usb-tiny-h.cfg
- olimex-jtag-tiny.cfg
- oocdlink.cfg
- opendous_ftdi.cfg
- openocd-usb.cfg
- openocd-usb-hs.cfg
- openrd.cfg
- pipistrello.cfg
- pls_spc5.cfg
- redbee-econotag.cfg
- redbee-usb.cfg
- rowley-cc-arm-swd.cfg
- sheevaplug.cfg
- signalyzer.cfg
- signalyzer-lite.cfg
- snps_sdp.cfg
- steppenprobe.cfg
- stm32-stick.cfg
- swd-resistor-hack.cfg

- ti-icdi.cfg
 - tumpa.cfg
 - tumpa-lite.cfg
 - turtelizer2-revB.cfg
 - turtelizer2-revC.cfg
 - um232h.cfg
 - vpaclink.cfg
 - xds100v2.cfg
 - xds100v3.cfg
- imx-native.cfg
- jlink.cfg
- jtag_dpi.cfg
- jtag_hat_rpi2.cfg
- jtag_vpi.cfg
- kitprog.cfg
- nds32-aice.cfg
- nulink.cfg
- opendous.cfg
- openjtag.cfg
- osbdm.cfg
- parport.cfg
- parport_dlc5.cfg
- raspberrypi2-native.cfg
- raspberrypi-native.cfg
- rlink.cfg
- rshim.cfg
- stlink.cfg
- stlink-dap.cfg
- stlink-v1.cfg
- stlink-v2-1.cfg
- stlink-v2.cfg
- sysfsgpio-raspberrypi.cfg
- ti-icdi.cfg
- ulink.cfg
- usb-jtag.cfg
- usbprog.cfg
- vsllink.cfg
- xds110.cfg
- mem_helper.tcl
- memory.tcl
- mmr_helpers.tcl
- target
 - 1986be1t.cfg
 - adsp-sc58x.cfg
 - aduc702x.cfg
 - aducm360.cfg
 - allwinner_v3s.cfg
 - alphascale_asm9260t.cfg
 - altera_fpgasoc_arria10.cfg
 - altera_fpgasoc.cfg
 - am335x.cfg
 - am437x.cfg


- amdm37x.cfg
- ampere_emag.cfg
- ar71xx.cfg
- armada370.cfg
- arm_corelink_sse200.cfg
- at32ap7000.cfg
- at91r40008.cfg
- at91rm9200.cfg
- at91sam3ax_4x.cfg
- at91sam3ax_8x.cfg
- at91sam3ax_xx.cfg
- at91sam3nXX.cfg
- at91sam3sXX.cfg
- at91sam3u1c.cfg
- at91sam3u1e.cfg
- at91sam3u2c.cfg
- at91sam3u2e.cfg
- at91sam3u4c.cfg
- at91sam3u4e.cfg
- at91sam3uxx.cfg
- at91sam3XXX.cfg
- at91sam4c32x.cfg
- at91sam4cXXX.cfg
- at91sam4lXX.cfg
- at91sam4sd32x.cfg
- at91sam4sXX.cfg
- at91sam4XXX.cfg
- at91sam7a2.cfg
- at91sam7se512.cfg
- at91sam7sx.cfg
- at91sam7x256.cfg
- at91sam7x512.cfg
- at91sam9260.cfg
- at91sam9260_ext_RAM_ext_flash.cfg
- at91sam9261.cfg
- at91sam9263.cfg
- at91sam9.cfg
- at91sam9g10.cfg
- at91sam9g20.cfg
- at91sam9g45.cfg
- at91sam9rl.cfg
- at91sama5d2.cfg
- at91samdXX.cfg
- at91samg5x.cfg
- atheros_ar2313.cfg
- atheros_ar2315.cfg
- atheros_ar9331.cfg
- atheros_ar9344.cfg
- atmega128.cfg
- atmega128rfa1.cfg
- atsame5x.cfg
- atsaml1x.cfg

- atsamv.cfg
- avr32.cfg
- bcm2711.cfg
- bcm281xx.cfg
- bcm2835.cfg
- bcm2836.cfg
- bcm2837.cfg
- bcm4706.cfg
- bcm4718.cfg
- bcm47xx.cfg
- bcm5352e.cfg
- bcm6348.cfg
- bluefield.cfg
- bluenrg-x.cfg
- c100.cfg
- c100config.tcl
- c100helper.tcl
- c100regs.tcl
- cc2538.cfg
- cs351x.cfg
- davinci.cfg
- dragonite.cfg
- dsp56321.cfg
- dsp568013.cfg
- dsp568037.cfg
- efm32.cfg
- em357.cfg
- em358.cfg
- eos_s3.cfg
- epc9301.cfg
- esi32xx.cfg
- exynos5250.cfg
- faux.cfg
- feroceon.cfg
- fm3.cfg
- fm4.cfg
- fm4_mb9bf.cfg
- fm4_s6e2cc.cfg
- gd32vf103.cfg
- gp326xxxa.cfg
- hi3798.cfg
- hi6220.cfg
- hilscher_netx10.cfg
- hilscher_netx500.cfg
- hilscher_netx50.cfg
- icepick.cfg
- imx21.cfg
- imx25.cfg
- imx27.cfg
- imx28.cfg
- imx31.cfg
- imx35.cfg

- imx51.cfg
- imx53.cfg
- imx6.cfg
- imx6sx.cfg
- imx6ul.cfg
- imx7.cfg
- imx7ulp.cfg
- imx8m.cfg
- imx8qm.cfg
- imx.cfg
- infineon
 - tle987x.cfg
- is5114.cfg
- ixp42x.cfg
- k1921vk01t.cfg
- k40.cfg
- k60.cfg
- ke0x.cfg
- ke1xf.cfg
- ke1xz.cfg
- kl25.cfg
- kl46.cfg
- klx.cfg
- ks869x.cfg
- kx.cfg
- lpc11xx.cfg
- lpc12xx.cfg
- lpc13xx.cfg
- lpc17xx.cfg
- lpc1850.cfg
- lpc1xxx.cfg
- lpc2103.cfg
- lpc2124.cfg
- lpc2129.cfg
- lpc2148.cfg
- lpc2294.cfg
- lpc2378.cfg
- lpc2460.cfg
- lpc2478.cfg
- lpc2900.cfg
- lpc2xxx.cfg
- lpc3131.cfg
- lpc3250.cfg
- lpc40xx.cfg
- lpc4350.cfg
- lpc4357.cfg
- lpc4370.cfg
- lpc84x.cfg
- lpc8nxx.cfg
- lpc8xx.cfg
- ls1012a.cfg
- marvell

- 88f3710.cfg
- 88f3720.cfg
- 88f37x0.cfg
- max32620.cfg
- max32625.cfg
- max3263x.cfg
- mc13224v.cfg
- mdr32f9q2i.cfg
- nds32v2.cfg
- nds32v3.cfg
- nds32v3m.cfg
- nds32v5.cfg
- nhs31xx.cfg
- nrf51.cfg
- nrf52.cfg
- nuc910.cfg
- numicro.cfg
- omap2420.cfg
- omap3530.cfg
- omap4430.cfg
- omap4460.cfg
- omap5912.cfg
- omapl138.cfg
- or1k.cfg
- pic32mx.cfg
- psoc4.cfg
- psoc5lp.cfg
- psoc6.cfg
- pxa255.cfg
- pxa270.cfg
- pxa3xx.cfg
- qualcomm_qca4531.cfg
- quark_d20xx.cfg
- quark_x10xx.cfg
- readme.txt
- renesas_r7s72100.cfg
- renesas_rcar_gen2.cfg
- renesas_rcar_gen3.cfg
- renesas_rcar_reset_common.cfg
- renesas_rz_g2.cfg
- renesas_s7g2.cfg
- rk3308.cfg
- rk3399.cfg
- rp2040-core0.cfg
- samsung_s3c2410.cfg
- samsung_s3c2440.cfg
- samsung_s3c2450.cfg
- samsung_s3c4510.cfg
- samsung_s3c6410.cfg
- sharp_lh79532.cfg
- sim3x.cfg
- smp8634.cfg

- snps_em_sk_fpga.cfg
- snps_hsdk.cfg
- spear3xx.cfg
- stellaris.cfg
- stm32f0x.cfg
- stm32f1x.cfg
- stm32f2x.cfg
- stm32f3x.cfg
- stm32f4x.cfg
- stm32f7x.cfg
- stm32g0x.cfg
- stm32g4x.cfg
- stm32h7x.cfg
- stm32h7x_dual_bank.cfg
- stm32l0.cfg
- stm32l0_dual_bank.cfg
- stm32l1.cfg
- stm32l1x_dual_bank.cfg
- stm32l4x.cfg
- stm32l5x.cfg
- stm32mp15x.cfg
- stm32w108xx.cfg
- stm32wbx.cfg
- stm32wlx.cfg
- stm32xl.cfg
- stm8l152.cfg
- stm8l.cfg
- stm8s003.cfg
- stm8s103.cfg
- stm8s105.cfg
- stm8s.cfg
- str710.cfg
- str730.cfg
- str750.cfg
- str912.cfg
- swj-dp.tcl
- swm050.cfg
- test_reset_syntax_error.cfg
- test_syntax_error.cfg
- ti-ar7.cfg
- ti_calypso.cfg
- ti_cc13x0.cfg
- ti_cc13x2.cfg
- ti_cc26x0.cfg
- ti_cc26x2.cfg
- ti_cc3220sf.cfg
- ti_cc32xx.cfg
- ti-cjtag.cfg
- ti_dm355.cfg
- ti_dm365.cfg
- ti_dm6446.cfg
- ti_k3.cfg



32 directories, 821 files