**********Draft******

Principal component analysis (PCA) 09/07/19

**********Draft*******

The -t parameter of the raspistill is dependent on the position of the camera with the ir-sw and the speed of the belt.

Tests indicate that the lowest value of -t is 260 msec since the image at -t 250 is quite dark.



t250thumb.bmp



t260thumb.bmp



t275thumb.bmp



t300thumb.bmp

sudo raspistill -e bmp -vf -h 128 -w 128 -t 250 -o thumb.bmp pi@watson2:~/tmp/testrepo/camerawatson/C/klt \$ make 280 17 293 r1

pi@watson2:~/tmp/testrepo/camerawatson/C/klt \$ ps -ax | grep exe1 pi@watson2:~/tmp/testrepo/camerawatson/C/klt \$ sudo kill -9 8098 8103

pres matson=:	, cirip,	testreps, et	arrier a vv a
280	14	328	r2
285	12	215	r3
285	14	342	r4



r1 thumb 0000.bmp



r1thumb0000.pgm



r1feat1.ppm




r2thumb0000.bmp



r2thumb0000.pgm



r2feat1.ppm



r3thumb0000.bmp



r3thumb0000.pgm



r3feat1.ppm



r4thumb0000.bmp



r4thumb0000.pgm



r4feat1.ppm Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

*********Draft******

Principal component analysis (PCA) 09/06/19

*********Draft******

In this test the pistachio was pre postioned and the ir-sw was trigged manually.

-t 275

offset = 30; endofline = headInfo.width - offset - ncols; ncols = 50;//number of cols to be extracted nrows = 50;//number of rows to be extracted rows = 17;

If the pistachio travels 2 1/4 in. from the ir-sw the cracked pistachio has a quite high value of 1325. the results are in files /data/savedklt090619/r1*. if the not cracked pistachio travels 2 1/4 in from the ir-sw the not cracked pistachio has a much lower value of 409 the results are in files /data/savedklt090619/r2*. Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

```
feature |(x,y)=val|
    0 \mid (24, 24) = 1325
```

Feel free to place comments here.


!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

feature |(x,y)=val|

 $0 \mid (24, 25) = 409$



*********Draft******

Principal component analysis (PCA) 09/05/19

*********Draft*****

exe1.c

rows = 19;

rows = 17;



r2thumb0000.bmp cracked



r3thumb0000.bmp not cracked



r2thumb0000.pgm cracked



r3thumb0000.pgm not cracked



r2feat1.ppm cracked



r3feat1.ppm not cracked Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

8 | (-1, -1) = -1 9 | (-1, -1) = -1

r2feat1.txt cracked

Feel free to place comments here.

There are several variables the control the extraction of the image where the feature is tested from the original image.

As can be seen below if the cracked image is placed correctly the value

increases to 0 | (24, 25)= 402

```
offset = 30;
endofline = headInfo.width - offset - ncols;
```

```
ncols = 50;//number of cols to be extracted
nrows = 50;//number of rows to be extracted
rows = 19;
rowsdn = (headInfo.width * rows) + offset;
pr = pr + rowsdn; //rows + 1 lines dn + offset
for (j = (rows+1); j < (rows+1+nrows); j++) {
       for (i = offset; i < ncols+offset; i++) {
               *prwr = *pr;
               pr++;
               prwr++;
       }
       pr = pr + endofline;//headInfo.width - offset - ncols
       pr = pr + offset;
}
pr = pr - rowsdn - ((50*50)+(78*50));
prwr = prwr - (50*50);
```

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

```
diff --git a/C/klt/exe1.c b/C/klt/exe1.c index b60fa95..a0eff20 100644 --- a/C/klt/exe1.c +++ b/C/klt/exe1.c @@ -46,7 +46,7 @@ int main(void) { KLT_FeatureList fl; int nFeatures = 10; int ncols, nrows;
```

+ int rowsdn,rows,offset,endofline;
 wiringPiSetup();

```
pinMode(PIN_SW, INPUT);
@@ -156,17 +156,23 @@ int main(void) {
          //befor free the memory need to restore the pointers
          pr = pr - headInfo.width*headInfo.height;
          pr = pr + 2462; //19 lines dn + 60
          for (j = 20; j < 70; j++) {
               for (i = 30; i < 80; i++) {
          offset = 30;
          endofline = headInfo.width - offset - ncols;
          ncols = 50;//number of cols to be extracted
+
          offset = 30:
          endofline = headInfo.width - offset - ncols;
          ncols = 50;//number of cols to be extracted
          nrows = 50;//number of rows to be extracted
+
+
          rows = 19;
          rowsdn = (headInfo.width * rows) + offset;
          pr = pr + rowsdn; //rows + 1 lines dn + offset
+
          for (j = (rows+1); j < (rows+1+nrows); j++) {
               for (i = offset; i < ncols+offset; i++) {
+
                    *prwr = *pr;
                    pr++;
                    prwr++;
               pr = pr + 48;//110 - 128  end of row
               pr = pr + 30;
               pr = pr + endofline;//headInfo.width - offset - ncols
               pr = pr + offset;
+
          }
          pr = pr - 2462 - ((50*50)+(78*50));
          pr = pr - rowsdn - ((50*50)+(78*50));
          prwr = prwr - (50*50);
         pg = pg - headInfo.width*headInfo.height;
          pb = pb - headInfo.width*headInfo.height;
```



r1thumb0000.bmp



r1thumb0000.pgm



```
r1feat1.ppm
Feel free to place comments here.
!!! Warning: This is a KLT data file. Do not modify below this line !!!
KLT Feature List
nFeatures = 10
feature |(x,y)=val|
   0 \mid (24, 25) = 402
   1 \mid (-1, -1) = -1
   2 \mid (-1, -1) = -1
   3 \mid (-1, -1) = -1
   4 \mid (-1, -1) = -1
   5 | (-1, -1) = -1
   6 \mid (-1, -1) = -1
   7 \mid (-1, -1) = -1
   8 \mid (-1, -1) = -1
   9 \mid (-1, -1) = -1
```

r1feat1.txt

**********Draft******

Test run Tue 03 Sep 2019 09:26:52 PM MDT
The files subimg.m & im1.m are needed to determime
the values needed to extract from the 128 x 128 to 50 x 50.
when determining the thumb0000.pgm from thumb0000.bmp.
This needs to be run on a stetch version of octave.

The number of cables causes a problem positioning and keeping the camera in the correct position.

Belt speed, and camera postion are very critical in determining the feature value obtained.

Feature #0: (24.000000,25.000000) with value of 125.

```
diff --git a/C/klt/exe1.c b/C/klt/exe1.c
                           index 62cd705..b60fa95 100644
                                   --- a/C/klt/exe1.c
                                  +++ b/C/klt/exe1.c
                         @@ -85,7 +85,7 @@ int main(void) {
                                    while (flag == 1) {
                   0123456789012345678901234567890123456789012345678901234567
        //
         char cam_pre[] = "sudo raspistill -e bmp -vf -h 128 -w 128 -t 300 -o thumb";
         char cam_pre[] = "sudo raspistill -e bmp -vf -h 128 -w 128 -t 275 -o thumb";
+
                                     char s3[] = "thumb";
                         printf("%s %d\n",cam_pre,sizeof(cam_pre));
                           sprintf(pframe_suf, "%04d.bmp",count);
                      @@ -156,17 +156,17 @@ int main(void) {
                      //befor free the memory need to restore the pointers
                          pr = pr - headInfo.width*headInfo.height;
                                pr = pr + 2492; //19 lines dn + 60
                                pr = pr + 2462; //19 lines dn + 60
                                    for (j = 20; j < 70; j++) {
                      @@ -156,17 +156,17 @@ int main(void) {
                      //befor free the memory need to restore the pointers
                          pr = pr - headInfo.width*headInfo.height;
                               pr = pr + 2492; //19 lines dn + 60
                                pr = pr + 2462; //19 lines dn + 60
                      +
                                    for (j = 20; j < 70; j++) {
                                      for (i = 60; i < 110; i++)
                        +
                                       for (i = 30; i < 80; i++) {
                                              *prwr = *pr;
                                                  pr++;
                                                prwr++;
                                 pr = pr + 18;//110 - 128 end of row
                                            pr = pr + 60;
                                  pr = pr + 48;//110 - 128 end of row
                                            pr = pr + 30;
                               pr = pr - 2492 - ((50*50)+(78*50));
                               pr = pr - 2462 - ((50*50) + (78*50));
                                    prwr = prwr - (50*50);
                           pg = pg - headInfo.width*headInfo.height;
                          pb = pb - headInfo.width*headInfo.height;
```



r1thumb0000.bmp



r1thumb0000.pgm



r1feat1.ppm

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

....

KLT Feature List

nFeatures = 10

feature | (x,y)=val

0 | (24, 25) = 125 1 | (-1, -1) = -1 2 | (-1, -1) = -1 3 | (-1, -1) = -1

4 | (-1, -1) = -1 5 | (-1, -1) = -1

6 | (-1, -1) = -1

7 | (-1, -1) = -1

8 | (-1, -1) = -1

r1feat1.txt

*********Draft******

Principal component analysis (PCA) 09/02/19

*********Draft******

Took the 128×128 from the camera and wrote a subimage of 50×50 to the file thumb0000.pgm.

This 50×50 image was processed with example 1.c which both img 1 & img 2 used thumb 0000.pgm.

the images in data/savedklt090219 r1* are with a cracked pistachio crack is on the right.

0 | (25, 24)= 285

the images in data/savedklt090219 r2* are with a not cracked pistachio

0 | (24, 24)= 45

the images in data/savedklt090219 r3* are with a cracked pistachio crack is on the left.

 $0 \mid (24, 25) = 101$

the image in data/savedklt090219 r4* are with a cracked pistachio now the code from example1.c is included in exe1.c increased the -t variable from 275 to 300 msec which moves the pistachio into the field of view.



r1Thumb0000.bmp



r1Thumb0000.pgm



r1feat1.ppm

feature | (x,y)=val

0 | (25, 24)= 285 r1feat1.txt



r2 Thumb 0000.bmp



r2 Thumb 0000.pgm



r2feat1.txt



r3 Thumb 0000.bmp



r3Thumb0000.pgm



r3feat1.ppm

r3feat1.txt



r4Thumb0000.bmp



r4Thumb0000.pgm




Created a smaller set of images which were a cut from thumb0000yes1.pgm & thumb0000no1.pgm. These were then used in example1.c.



Thumb0000yes1sm.pgm



Thumb0000no1sm.pgm





The image above is 78×50 zoom of 476%.

Feel free to place comments here.

KLT Feature List


nFeatures = 100

08/31/19

*********Draft******

Looking the feature extraction from ultibo_numlib/klt. Converted the 4 test images bmp images to pgm which was the format that was used.

Modified example1.c to use thumb0000yes1.pgm and thumb0000yes2.pgm



feat1.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

0 | (50 | 42) = 12404

- 0 | (59, 42)=12494
- 1 | (49, 52)=11437
- 2 | (71, 33)=11096
- 3 | (39, 91)=10412
- 4 | (59, 67)=10405
- 5 | (100, 77)= 9171
- 6 | (73, 69)= 8453
- 7 | (24, 86)= 8441
- 8 | (52, 31)= 7226
- 9 | (49, 42)= 5225
- 10 | (67, 89) = 3450
- 11 | (74, 59)= 3192
- 12 | (100, 35)= 2280
- 12 | (100, 55) | 2266 12 | (101 | 07) | 226*4*
- 13 | (101, 87)= 2264
- 14 | (59, 57)= 1547
- 15 | (103, 99)= 1533
- 16 | (100, 25)= 1514
- 17 | (46, 73)= 1183
- 18 | (103, 67)= 1166
- 19 | (79, 45)= 1089
- 20 | (84, 32)= 1085
- 21 | (47, 63)= 906
- 22 | (102, 46)= 836
- 23 | (39, 24)= 757
- 24 | (34,103)= 730
- 25 | (69, 43)= 473
- 26 | (57, 83)= 468
- 27 | (31, 53)= 407
- 28 | (24, 34)= 270
- 29 | (24, 76)= 236
- 30 | (92, 46)= 210
- 31 | (73, 79)= 168
- 32 | (103, 56)= 145
- 33 | (27, 66) = 130
- 34 | (29, 24)= 97
- 35 | (93, 56)= 80
- 36 | (24,103)= 65
- 37 (93, 97)= 52
- 38 | (36, 77)= 44
- 39 | (77, 89)= 40
- 40 | (44,101)= 28

- 41 | (60, 99) = 25
- 42 | (34, 34)= 21
- 43 | (93, 67)= 15
- 44 | (91, 87)= 13
- 45 | (70,103)= 5
- 46 | (82,100)= 4
- 47 | (83, 76)= 4
- 48 | (37, 63)= 1
- 49 | (-1, -1)= -1
- 50 | (-1, -1)= -1
- 51 | (-1, -1) = -1
- 52 | (-1, -1)= -1
- 53 | (-1, -1)= -1
- 54 | (-1, -1)= -1
- 55 | (-1, -1)= -1
- 56 | (-1, -1)= -1
- 57 | (-1, -1)= -1
- 58 | (-1, -1)= -1
- 59 | (-1, -1)= -1
- $60 \mid (-1, -1) = -1$
- $61 \mid (-1, -1) = -1$
- 62 | (-1, -1)= -1
- 63 | (-1, -1) = -1
- 64 | (-1, -1) = -1
- 04 | (-1, -1) -1
- 65 | (-1, -1)= -1
- 66 | (-1, -1)= -1
- 67 | (-1, -1)= -1
- 68 | (-1, -1)= -1
- 69 | (-1, -1)= -1
- 70 | (-1, -1)= -1
- 71 | (-1, -1)= -1
- $72 \mid (-1, -1) = -1$
- 73 | (-1, -1)= -1
- 74 | (-1, -1)= -1
- 75 | (-1, -1)= -1
- 76 | (-1, -1)= -1
- 77 | (-1, -1)= -1
- 78 | (-1, -1)= -1
- 79 | (-1, -1)= -1
- $80 \mid (-1, -1) = -1$
- $81 \mid (-1, -1) = -1$
- $82 \mid (-1, -1) = -1$
- 83 | (-1, -1)= -1
- 84 | (-1, -1)= -1
- 85 | (-1, -1)= -1
- 86 | (-1, -1)= -1
- 87 | (-1, -1)= -1
- 88 | (-1, -1)= -1
- 89 | (-1, -1)= -1

```
90 | (-1, -1) = -1

91 | (-1, -1) = -1

92 | (-1, -1) = -1

93 | (-1, -1) = -1

94 | (-1, -1) = -1

95 | (-1, -1) = -1

96 | (-1, -1) = -1

97 | (-1, -1) = -1

99 | (-1, -1) = -1
```

feat2.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|


```
-----+-----
   0 | (59.1, 42.1)=
   1 | (49.2, 52.0)=
   2 | (70.3, 33.2)=
   3 | (38.9, 91.1)=
   4 | (59.1, 66.9)=
   5 | (100.0, 76.9)=
   6 | (73.0, 68.8)=
   7 | (-1.0, -1.0) = -4
   8 | (52.2, 31.1)=
   9 | (49.1, 42.1)=
  10 | (66.9, 89.2)=
  11 | ( 74.0, 58.9)=
  12 | ( -1.0, -1.0)= -4
  13 \mid (101.0, 87.1) = 0
  14 \mid (59.1, 56.9) = 0
  15 | (102.8, 99.5)=
  16 | (98.0, 29.9)=
  17 | (46.2, 72.8) = 0
  18 \mid (103.0, 66.9) = 0
  19 | (79.3, 45.3)=
  20 | (83.2, 32.1)=
  21 | (47.2, 62.8)=
  22 | (102.1, 47.5)= 0
```

```
23 | (39.2, 24.2) = 0
24 | ( 33.8,102.9)=
25 | (68.7, 43.5)=
                     0
26 | (57.5, 82.9)=
                     0
27 | ( 31.0, 52.1)=
28 | (-1.0, -1.0) = -4
29 | (-1.0, -1.0) = -4
30 | (95.9, 50.8)=
31 | (73.5, 80.0)=
32 \mid (-1.0, -1.0) = -4
33 | (26.9, 66.3)=
34 | (28.9, 24.4)=
35 | (90.7, 59.8)=
36 | (-1.0, -1.0) = -4
37 | (-1.0, -1.0) = -3
38 | ( 35.3, 77.3)=
39 | (77.3, 89.6)=
40 | (44.9, 96.9)=
                     0
41 | (60.9, 95.4)=
                     0
42 | ( 33.3, 35.3)=
                     0
43 | (93.0, 62.8)=
44 | (-1.0, -1.0) = -3
45 | (-1.0, -1.0) = -4
46 | (-1.0, -1.0)= -4
47 | (81.6, 81.2)=
48 | ( 37.8, 63.2)=
49 | (-1.0, -1.0) = -1
50 | (-1.0, -1.0) = -1
51 | (-1.0, -1.0)= -1
52 | (-1.0, -1.0) = -1
53 | (-1.0, -1.0) = -1
54 | (-1.0, -1.0) = -1
55 | (-1.0, -1.0) = -1
56 | (-1.0, -1.0) = -1
57 | (-1.0, -1.0) = -1
58 | (-1.0, -1.0)= -1
59 | (-1.0, -1.0) = -1
60 \mid (-1.0, -1.0) = -1
61 \mid (-1.0, -1.0) = -1
62 \mid (-1.0, -1.0) = -1
63 \mid (-1.0, -1.0) = -1
64 | (-1.0, -1.0)= -1
65 | (-1.0, -1.0)= -1
66 | (-1.0, -1.0)= -1
67 \mid (-1.0, -1.0) = -1
```

68 | (-1.0, -1.0) = -1 69 | (-1.0, -1.0) = -1 70 | (-1.0, -1.0) = -1 71 | (-1.0, -1.0) = -1

```
72 | (-1.0, -1.0)= -1
73 \mid (-1.0, -1.0) = -1
74 | (-1.0, -1.0)= -1
75 | ( -1.0, -1.0) = -1
76 | (-1.0, -1.0)= -1
77 | (-1.0, -1.0) = -1
78 | ( -1.0, -1.0)= -1
79 | (-1.0, -1.0) = -1
80 | (-1.0, -1.0) = -1
81 \mid (-1.0, -1.0) = -1
82 \mid (-1.0, -1.0) = -1
83 \mid (-1.0, -1.0) = -1
84 \mid (-1.0, -1.0) = -1
85 | (-1.0, -1.0) = -1
86 | (-1.0, -1.0) = -1
87 | (-1.0, -1.0)= -1
88 | (-1.0, -1.0)= -1
89 \mid (-1.0, -1.0) = -1
90 \mid (-1.0, -1.0) = -1
91 | (-1.0, -1.0)= -1
92 \mid (-1.0, -1.0) = -1
93 \mid (-1.0, -1.0) = -1
94 \mid (-1.0, -1.0) = -1
95 \mid (-1.0, -1.0) = -1
96 | (-1.0, -1.0)= -1
97 | (-1.0, -1.0) = -1
98 | (-1.0, -1.0)= -1
99 \mid (-1.0, -1.0) = -1
```

end of feat.txt



Modified example1.c to use thumb0000yes2.pgm and thumb0000yes1.pgm

feat1.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

- $0 \mid (59, 42) = 12951$
- 1 | (71, 32)=11510
- 2 | (49, 52)=11472
- $3 \mid (59, 67) = 10930$
- 4 | (39, 91)=10416
- 5 | (100, 77)= 9166
- $6 \mid (73, 69) = 8837$
- 7 | (24, 86)= 8779
- $8 \mid (52, 31) = 7268$
- 9 | (49, 42) = 5364
- 10 | (74, 59)= 3307
- 11 | (67, 89) = 2881
- 12 | (101, 87)= 2445
- 13 | (83, 32)= 1920
- 14 | (102, 39)= 1830
- 15 | (101, 97)= 1785
- 16 | (103, 49)= 1728
- 17 | (59, 55)= 1637
- 18 | (103, 67)= 1183
- 19 | (46, 73)= 1097
- 20 | (79, 46)= 1035
- 21 | (69, 42)= 974
- 22 | (47, 62)= 929
- 23 | (89, 47)= 928
- 24 | (99, 29)= 804
- 25 | (39, 24)= 781
- 26 | (34,103)= 731
- 27 | (57, 83)= 470
- 28 | (31, 52)= 415
- 29 | (24, 34)= 256
- 30 | (73, 79)= 253
- 31 | (24, 76) = 232

- 32 | (93, 57)= 121
- 33 | (27, 66)= 121
- 34 | (29, 24) = 93
- 35 | (91, 93) = 60
- 36 | (24,103)= 57
- 37 | (36, 77) = 54
- 38 | (77, 89)= 42
- 39 | (67,101)= 33
- 40 | (34, 34)= 24
- 41 | (44,101) = 23
- 42 | (90,103)= 23
- 43 | (78,103)= 19
- 44 | (93, 67)= 15
- 45 | (57, 93)=
- 46 | (90, 83)= 7
- 7 47 | (57,103)=
- 2
- 48 | (37, 63)=
- 49 | (83, 69)= 2
- 50 | (-1, -1)= -1
- 51 | (-1, -1)= -1
- 52 | (-1, -1)= -1
- 53 | (-1, -1) = -1
- 54 | (-1, -1)= -1
- 55 | (-1, -1)= -1
- 56 | (-1, -1)= -1
- 57 | (-1, -1)= -1
- 58 | (-1, -1)= -1
- 59 | (-1, -1)= -1
- $60 \mid (-1, -1) = -1$
- $61 \mid (-1, -1) = -1$
- $62 \mid (-1, -1) = -1$
- $63 \mid (-1, -1) = -1$
- $64 \mid (-1, -1) = -1$
- $65 \mid (-1, -1) = -1$ 66 | (-1, -1)= -1
- 67 | (-1, -1)= -1
- $68 \mid (-1, -1) = -1$ 69 | (-1, -1)= -1
- 70 | (-1, -1)= -1
- 71 | (-1, -1)= -1
- $72 \mid (-1, -1) = -1$
- 73 | (-1, -1)= -1
- 74 | (-1, -1)= -1
- 75 | (-1, -1)= -1 76 | (-1, -1)= -1
- 77 | (-1, -1)= -1 78 | (-1, -1)= -1
- 79 | (-1, -1)= -1
- 80 | (-1, -1)= -1

```
81 | (-1, -1)= -1
82 \mid (-1, -1) = -1
83 \mid (-1, -1) = -1
84 \mid (-1, -1) = -1
85 | (-1, -1) = -1
86 \mid (-1, -1) = -1
87 | (-1, -1)= -1
88 \mid (-1, -1) = -1
89 | (-1, -1)= -1
90 \mid (-1, -1) = -1
91 \mid (-1, -1) = -1
92 | (-1, -1)= -1
93 | (-1, -1)= -1
94 | (-1, -1)= -1
95 | (-1, -1)= -1
96 \mid (-1, -1) = -1
97 | (-1, -1)= -1
98 \mid (-1, -1) = -1
99 | (-1, -1)= -1
```

feat2.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

```
0 | (58.8, 41.9) = 0

1 | (71.7, 31.9) = 0

2 | (48.8, 52.0) = 0

3 | (58.9, 67.0) = 0

4 | (39.1, 90.9) = 0

5 | (100.0, 77.1) = 0

6 | (73.0, 69.1) = 0

7 | (24.1, 85.9) = 0

8 | (51.9, 30.9) = 0

9 | (49.0, 41.9) = 0

10 | (74.0, 59.1) = 0

11 | (67.1, 88.8) = 0
```

- 12 | (101.0, 86.9)= 13 | (83.7, 31.9)=
- 14 | (102.8, 38.2)=
- 15 | (101.3, 96.2)=
- 16 | (-1.0, -1.0) = -4
- 17 | (58.9, 55.0)=
- 18 | (-1.0, -1.0) = -4
- 19 | (45.9, 73.2)=
- 20 | (78.7, 45.7)=
- 21 | (69.6, 41.8)= 0
- 22 | (46.9, 62.3)= 0
- 23 | (-1.0, -1.0) = -5
- 24 | (100.3, 24.0)=
- 25 | (-1.0, -1.0) = -4
- 26 | (-1.0, -1.0) = -4
- 27 | (56.4, 83.0)=
- 28 | (31.0, 52.9)=
- 29 | (24.1, 33.9)=
- 30 | (-1.0, -1.0) = -3
- 31 | (24.1, 75.6)=
- 32 | (93.8, 54.0)=
- 33 | (27.2, 65.4)=
- 34 | (-1.0, -1.0) = -4
- 35 | (92.4, 92.2)=
- 36 | (-1.0, -1.0) = -4
- 37 | (36.7, 76.6)=
- 38 | (76.7, 88.6)=
- 39 | (-1.0, -1.0) = -4
- 40 | (-1.0, -1.0) = -3
- 41 | (-1.0, -1.0) = -4
- 42 | (96.3,102.3)= 0
- 43 | (-1.0, -1.0) = -3
- 44 | (-1.0, -1.0) = -3
- 45 | (59.7, 94.7)=
- 46 | (91.6, 77.4)=
- 47 | (-1.0, -1.0) = -4
- 48 | (35.9, 62.4)=
- 49 | (-1.0, -1.0) = -3
- 50 | (-1.0, -1.0) = -1
- 51 | (-1.0, -1.0)= -1
- $52 \mid (-1.0, -1.0) = -1$
- 53 | (-1.0, -1.0) = -1
- 54 | (-1.0, -1.0)= -1 55 | (-1.0, -1.0) = -1
- 56 | (-1.0, -1.0) = -1
- 57 | (-1.0, -1.0) = -1
- 58 | (-1.0, -1.0) = -1
- 59 | (-1.0, -1.0) = -1
- $60 \mid (-1.0, -1.0) = -1$

```
61 \mid (-1.0, -1.0) = -1
   62 \mid (-1.0, -1.0) = -1
   63 | (-1.0, -1.0)= -1
   64 | (-1.0, -1.0)= -1
   65 | (-1.0, -1.0)= -1
   66 \mid (-1.0, -1.0) = -1
   67 | (-1.0, -1.0)= -1
   68 | (-1.0, -1.0)= -1
   69 | (-1.0, -1.0)= -1
   70 | (-1.0, -1.0)= -1
   71 \mid (-1.0, -1.0) = -1
   72 | (-1.0, -1.0)= -1
   73 | (-1.0, -1.0)= -1
   74 | (-1.0, -1.0)= -1
   75 | ( -1.0, -1.0) = -1
   76 | (-1.0, -1.0)= -1
   77 | ( -1.0, -1.0)= -1
   78 | (-1.0, -1.0) = -1
   79 | (-1.0, -1.0)= -1
   80 | (-1.0, -1.0)= -1
   81 \mid (-1.0, -1.0) = -1
   82 \mid (-1.0, -1.0) = -1
   83 \mid (-1.0, -1.0) = -1
   84 | (-1.0, -1.0)= -1
   85 | (-1.0, -1.0) = -1
   86 | (-1.0, -1.0)= -1
   87 | (-1.0, -1.0)= -1
   88 | (-1.0, -1.0)= -1
   89 | (-1.0, -1.0)= -1
   90 | (-1.0, -1.0)= -1
   91 \mid (-1.0, -1.0) = -1
   92 \mid (-1.0, -1.0) = -1
   93 \mid (-1.0, -1.0) = -1
   94 | (-1.0, -1.0)= -1
   95 | (-1.0, -1.0) = -1
   96 | (-1.0, -1.0)= -1
   97 | (-1.0, -1.0) = -1
   98 \mid (-1.0, -1.0) = -1
   99 | (-1.0, -1.0)= -1
end of feat.txt
```

***********Draft******

Principal component analysis (PCA) 08/29/19

**********Draft******

Principal component analysis (PCA) is a statistical procedure that uses an orthogonal transformation to convert a set of observations of possibly correlated variables (entities each of which takes on various numerical values) into a set of values of linearly uncorrelated variables called principal components.

Machine Learning — Singular Value Decomposition (SVD) & Principal Component

Analysis (PCA)

Analysis of 4 images 2 cracked and 2 not cracked. The (SVD) or (PCA) does appears to track that pistachios that are cracked do have a higher (PCA) than pistachios that are not cracked.

Thumb0000yes1.bmp



thumb0000no1.bmp



Thumb0000yes2.bmp



thumb0000n2.bmp



 $thumb0000yes1.bmp\ thumb0000no1.bmp\ thumb0000yes2.bmp\ thumb0000n2.bmp$ pca1(1:20) ans =

2.5118e+04	2.4510e+04	2.5212e+04	2.4252e+04
4.1047e+03			
1.7342e+03			
1.3414e+03			
1.3223e+03			
1.0863e+03			
8.6049e+02			
7.6984e+02			
6.8771e+02			
6.0650e+02			
5.2599e+02			
4.5459e+02			
4.4436e+02			
3.8315e+02			
3.7725e+02			
3.3203e+02			
3.1981e+02			
2.7991e+02			
2.7412e+02			
2.5770e+02			
pca2(1:20)			
ans =			
2.0217e+04	1.9552e+04	2.0434e+04	1.9248e+04
3.8104e+03			
1.5775e+03			
1.3825e+03			
1.1628e+03			
1.0376e+03			
7.8174e+02			
7.4592e+02			
6.8873e+02			
5.8089e+02			

```
5.1885e+02
 4.6897e+02
 4.5024e+02
 4.0410e+02
 3.6088e+02
 3.2620e+02
 3.0089e+02
 2.8690e+02
 2.6073e+02
 2.4677e+02
pca3(1:20)
ans =
 1.3455e+04
                   1.2802e+04
                                      1.3600e+04
                                                                1.2537e+04
 2.7543e+03
 1.2505e+03
 1.0014e+03
 8.8897e+02
 7.7139e+02
 6.2903e+02
 5.8134e+02
 5.3249e+02
 4.6860e+02
 4.0902e+02
 3.9088e+02
 3.6356e+02
 3.4791e+02
 3.0013e+02
 2.6766e+02
 2.5222e+02
 2.3809e+02
 2.1705e+02
 2.0159e+02
thumb0000no1.bmp
pca1(1:20)
ans =
 2.4510e+04
 4.0433e+03
 1.9649e+03
 1.4272e+03
 1.3475e+03
 9.9684e+02
 8.2375e+02
 7.9589e+02
 6.8341e+02
 5.8102e+02
```

```
5.0413e+02
 4.6857e+02
 4.2710e+02
 4.0367e+02
 3.7746e+02
 3.4601e+02
 3.3557e+02
 2.9683e+02
 2.8394e+02
 2.5602e+02
pca2(1:20)
ans =
 1.9552e+04
 3.6803e+03
 1.6822e+03
 1.4549e+03
 1.1840e+03
 9.1180e+02
 7.5005e+02
 7.1683e+02
 6.8642e+02
 5.3968e+02
 4.8279e+02
 4.4007e+02
 4.3046e+02
 4.0756e+02
 3.5801e+02
 3.3369e+02
 3.1684e+02
```

pca3(1:20) ans =

2.8013e+02 2.6143e+02 2.4284e+02

1.2802e+04 2.6358e+03 1.2603e+03 1.1070e+03 8.7383e+02 7.0593e+02 5.8519e+02 5.8225e+02 5.2708e+02 4.2259e+02

3.9897e+02

```
3.7471e+02
```

3.5758e+02

3.3290e+02

3.1216e+02

2.7739e+02

2.5960e+02

2.3723e+02

2.1209e+02

2.0476e+02

thumb0000yes2.bmp pca1(1:20)

ans =

2.5212e+04

4.0210e+03

1.8347e+03

1.4258e+03

1.3558e+03

1.0733e+03

8.3836e+02

7.6427e+02

6.0407 : 02

6.8187e+02 6.1109e+02

0.11036 | 02

5.2345e+02

4.8893e+02

4.5993e+02

4.1018e+02

4.0371e+02

3.5510e+02

3.3618e+02

2.9982e+02

2.6943e+02

2.5862e+02

pca2(1:20)

ans =

2.0434e+04

3.7564e+03

1.6314e+03

1.4176e+03

1.2380e+03

1.0131e+03

7.6505e+02

7.4708e+02

6.7221e+02

5.7194e+02

5.2257e+02

```
4.7293e+02
4.6234e+02
4.2547e+02
3.7508e+02
```

3.3221e+02

3.3095e+02

2.8798e+02

2.6839e+02

2.5635e+02

pca3(1:20)

ans =

1.3600e+04

2.7226e+03

1.2751e+03

1.0553e+03

9.2998e+02

7.9118e+02

6.0423e+02

5.9610e+02

5.1626e+02

4.6031e+02

4.2646e+02

4.0938e+02

3.8739e+02

3.5952e+02

3.1919e+02

2.8066e+02

2.6825e+02

2.4342e+02

2.2798e+02

2.1238e+02

thumb0000n2.bmp

pca1(1:20)

ans =

2.4252e+04

4.3798e+03

1.6566e+03

1.4539e+03

1.2313e+03

9.4545e+02

8.6362e+02

7.0752e+02

6.3207e+02

5.8339e+02

```
5.0927e+02
 4.6314e+02
 4.3968e+02
 3.7103e+02
 3.2726e+02
 3.1503e+02
 2.9399e+02
 2.7929e+02
 2.6932e+02
 2.6126e+02
>> pca2(1:20)
ans =
 1.9248e+04
 3.8751e+03
 1.6063e+03
 1.3434e+03
 1.0795e+03
 8.8676e+02
 7.6481e+02
 6.9949e+02
 5.9415e+02
 5.6022e+02
 4.9497e+02
 4.3213e+02
 4.0966e+02
 3.5401e+02
 3.1833e+02
 2.9621e+02
 2.8560e+02
 2.7431e+02
```

>> pca3(1:20) ans =

2.5903e+02 2.4629e+02

1.2537e+04

2.7423e+03

1.2570e+03

1.0034e+03

7.9929e+02

6.7685e+02

5.8549e+02

5.6615e+02

4.7492e+02

4.3317e+02

4.0130e+02

- 3.5044e+02
- 3.3603e+02
- 3.0458e+02
- 2.7552e+02
- 2.5449e+02
- 2.4492e+02
- 2.2631e+02
- 2.1090e+02
- 2.0487e+02