


*****Default*****

pico-ice compiled pi5-70 executed pi3-28
10/26/25

*****Default*****

pico-ice with pmod-ethernet.



Note: Both the host running `devel@pi3-28:~/devel@pi3-28:~/pico-ice-a0.b1.c2.d3.e4.f5 $ /sudo ./work_test` and the pmod-ethernet need to be on eth0.

Currently is not providing a uart-echo.

```
devel@pi5-70:~/PipelineC $ git log
commit 422abd8ec3496d109e1153989ac848503e1292fe (HEAD -> test-dev, origin/test-dev)
Merge: ba22d9f 0213aad
Author: develone <develone@sbcglobal.net>
Date: Thu Apr 24 15:12:02 2025 -0600
```

Merge branch 'JulianKemmerer:master' into test-dev

```
devel@pi5-70:~/pico-ice/PipelineC/pmod-ethernet/examples/net $ git log
commit 854eef3655f9cf3b912ab83cd14d646fdadd43 (HEAD -> test-dev-100424, origin/test-dev-100424)
Author: Edward Vidal Jr <develone@sbcglobal.net>
Date: Wed Oct 22 09:49:13 2025 -0600
```

Testing Google Cloud Free
Generating test-top.uf2 for the pico-ice
RP2040 & iCE40UP5K FPGA
leddigits
PipelineC blink-ex
PipelineC blink-ex-uart-echo
10/22/25

```
devel@pi5-70:~/pico-ice/PipelineC/pmod-ethernet/examples/net $ ./compile-work_test.sh
```


```
devel@pi5-70:~/pico-ice/PipelineC/pmod-ethernet/examples/net $ cp work_test ~/pico-ice-  
a0.b1.c2.d3.e4.f5/
```

```
devel@pi5-70:~/pico-ice/PipelineC/pmod-ethernet/examples/pico-ice/ice_makefile_pipelinec $ cp  
gateway.uf2 ~/pico-ice-a0.b1.c2.d3.e4.f5/
```


```
devel@pi5-70:~/pico-ice/PipelineC/pmod-ethernet/examples/pico-ice/ice_makefile_pipelinec $  
rsync -avl --delete /home/devel/pico-ice-a0.b1.c2.d3.e4.f5 pi3-28:~/  
sending incremental file list  
pico-ice-a0.b1.c2.d3.e4.f5/  
pico-ice-a0.b1.c2.d3.e4.f5/gateway.uf2  
pico-ice-a0.b1.c2.d3.e4.f5/work_test
```

```
devel@pi3-28:~/pico-ice-a0.b1.c2.d3.e4.f5 $ sudo ./work_test  
CPU threads: 1  
n 'work()'s: 1  
Total tx bytes: 8  
Total rx bytes: 4  
CPU took 0.001652 seconds to execute  
CPU iteration time: 0.001652 seconds  
CPU bytes per sec: 7263.912253 B/s  
FPGA took 0.001050 seconds to execute  
FPGA iteration time: 0.001050 seconds  
FPGA bytes per sec: 11428.621253 B/s  
Speedup: 1.573342
```

```
pmod-eth-rx
```



pmod-eth-tx



XX