

*****Default*****
pshell testing
06/14/26
*****Default*****

```
devel@pi5-80:~ $ git clone https://github.com/develone/pshell.git -b test-dev --recursive
Cloning into 'pshell'...
remote: Enumerating objects: 3264, done.
remote: Counting objects: 100% (566/566), done.
remote: Compressing objects: 100% (164/164), done.
remote: Total 3264 (delta 471), reused 440 (delta 402), pack-reused 2698 (from 3)
Receiving objects: 100% (3264/3264), 1.94 MiB | 1.49 MiB/s, done.
Resolving deltas: 100% (1992/1992), done.
Submodule 'littlefs/module' (https://github.com/littlefs-project/littlefs.git) registered for path
'littlefs/module'
Cloning into '/home/devel/pshell/littlefs/module'...
remote: Enumerating objects: 17129, done.
remote: Counting objects: 100% (2116/2116), done.
remote: Compressing objects: 100% (412/412), done.
remote: Total 17129 (delta 1862), reused 1704 (delta 1704), pack-reused 15013 (from 4)
Receiving objects: 100% (17129/17129), 12.77 MiB | 4.30 MiB/s, done.
Resolving deltas: 100% (13204/13204), done.
Submodule path 'littlefs/module': checked out 'd01280e64934a09ba16cac60cf9d3a37e228bb66'
devel@pi5-80:~ $ cd pshell
devel@pi5-80:~/pshell $ mkdir build
devel@pi5-80:~/pshell $ cd build/
devel@pi5-80:~/pshell/build $ git branch
* test-dev
devel@pi5-80:~/pshell/build $ ../cmpico
Using PICO_SDK_PATH from environment ('/home/devel/pico2/pico-sdk')
PICO_SDK_PATH is /home/devel/pico2/pico-sdk
Target board (PICO_BOARD) is 'pico'.
Using board configuration from /home/devel/pico2/pico-sdk/src/boards/include/boards/pico.h
Pico Platform (PICO_PLATFORM) is 'rp2040'.
-- Defaulting build type to 'Release' since not specified.
Defaulting compiler (PICO_COMPILER) to 'pico_arm_cortex_m0plus_gcc' since not specified.
Configuring toolchain based on PICO_COMPILER 'pico_arm_cortex_m0plus_gcc'
Defaulting PICO_GCC_TRIPLE to 'arm-none-eabi'
-- The C compiler identification is GNU 12.2.1
-- The CXX compiler identification is GNU 12.2.1
-- The ASM compiler identification is GNU
-- Found assembler: /usr/bin/arm-none-eabi-gcc
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working C compiler: /usr/bin/arm-none-eabi-gcc - skipped
-- Detecting C compile features
-- Detecting C compile features - done
-- Detecting CXX compiler ABI info
-- Detecting CXX compiler ABI info - done
-- Check for working CXX compiler: /usr/bin/arm-none-eabi-g++ - skipped
-- Detecting CXX compile features
```

```
-- Detecting CXX compile features - done
Build type is Release
-- Found Python3: /usr/bin/python3 (found version "3.11.2") found components: Interpreter
TinyUSB available at /home/devel/pico2/pico-sdk/lib/tinyusb/hw/bsp/rp2040; enabling build
support for USB.
BTstack available at /home/devel/pico2/pico-sdk/lib/btstack
cyw43-driver available at /home/devel/pico2/pico-sdk/lib/cyw43-driver
mbedtls available at /home/devel/pico2/pico-sdk/lib/mbedtls
lwIP available at /home/devel/pico2/pico-sdk/lib/lwip
-- Found Git: /usr/bin/git (found version "2.39.5")
fatal: No names found, cannot describe anything.
CMake Warning at
/home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:51 (message):
  Linker script /home/devel/pshell/misc/pshell_2040.ld does not KEEP the
  .stack section - replace `*(.stack*)` with `KEEP(*(.stack*))`
Call Stack (most recent call first):
  /home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:69
(pico_check_linker_script)
  CMakeLists.txt:59 (pico_set_linker_script)
```

```
CMake Warning at
/home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:55 (message):
  Linker script /home/devel/pshell/misc/pshell_2040.ld does not KEEP the
  .heap section - replace `*(.heap*)` with `KEEP(*(.heap*))`
Call Stack (most recent call first):
  /home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:69
(pico_check_linker_script)
  CMakeLists.txt:59 (pico_set_linker_script)
```

```
CMake Warning at
/home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:59 (message):
  Linker script /home/devel/pshell/misc/pshell_2040.ld is incompatible with
  certain Pico SDK >2.1.1 features; setting PICO_CRT0_ALLOCATE_SPACERS=0 as a
  workaround
Call Stack (most recent call first):
  /home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_link/CMakeLists.txt:69
(pico_check_linker_script)
  CMakeLists.txt:59 (pico_set_linker_script)
```

Using picotool from /usr/local/bin/picotool

```
-----
-- CMake 3.25.1
-- Build Release / PICO
-- USB_CONSOLE 0, using UART
-- building for pico, using flash file system
-----
-- Configuring done
-- Generating done
-- Build files have been written to: /home/devel/pshell/build
```

devel@pi5-80:~/pshell/build \$ make

[0%] Building ASM object

pico-sdk/src/rp2040/boot_stage2/CMakeFiles/bs2_default.dir/compile_time_choice.S.o

[1%] Linking ASM executable bs2_default.elf

[1%] Built target bs2_default

[2%] Generating bs2_default.bin

[3%] Generating bs2_default_padded_checksummed.S

[3%] Building ASM object pico-sdk/src/rp2040/boot_stage2/CMakeFiles/bs2_default_library.dir/bs2_default_padded_checksummed.S.o

[3%] Built target bs2_default_library

[4%] Building C object CMakeFiles/pshell.dir/shell.c.o

/home/devel/pshell/shell.c: In function 'pshell':

/home/devel/pshell/shell.c:1260:7: warning: implicit declaration of function 'vTaskDelay' [-Wimplicit-function-declaration]

1260 | vTaskDelay (35000);

| ^~~~~~

In file included from /home/devel/pshell/shell.c:31:

/home/devel/pshell/comprogs.h: At top level:

/home/devel/pshell/comprogs.h:57:17: warning: array 'a' assumed to have one element

57 | const short int a[];

| ^

[5%] Building C object CMakeFiles/pshell.dir/littlefs/module/lfs.c.o

[6%] Building C object CMakeFiles/pshell.dir/littlefs/module/lfs_util.c.o

[7%] Building C object CMakeFiles/pshell.dir/disassembler/armdisasm.c.o

[7%] Building C object CMakeFiles/pshell.dir/flashio/io.c.o

[8%] Building C object CMakeFiles/pshell.dir/vi/vi.c.o

[9%] Building C object CMakeFiles/pshell.dir/cc/cc.c.o

[10%] Building C object CMakeFiles/pshell.dir/cc/cc_malloc.c.o

[12%] Building C object CMakeFiles/pshell.dir/cc/cc_peep.c.o

[12%] Building ASM object CMakeFiles/pshell.dir/cc/cc_printf.S.o

[13%] Building C object CMakeFiles/pshell.dir/misc/readln.c.o

[14%] Building C object CMakeFiles/pshell.dir/misc/tar.c.o

[15%] Building C object CMakeFiles/pshell.dir/misc/tests.c.o

[16%] Building C object CMakeFiles/pshell.dir/xymodem/xmodem.c.o

[17%] Building C object CMakeFiles/pshell.dir/xymodem/ymodem.c.o

[17%] Building C object CMakeFiles/pshell.dir/xymodem/crc16.c.o

[18%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_stdlib/stdlib.c.o

[19%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_gpio/gpio.c.o

[20%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2040/pico_platform/platform.c.o

[21%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_platform_common/common.c.o

[21%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_platform_panic/panic.c.o

[23%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/hardware_claim/claim.c.o

[24%] Building C object

CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_sync/sync.c.o

[25%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_sync_spin_lock/
sync_spin_lock.c.o

[26%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_irq/irq.c.o

[26%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_irq/
irq_handler_chain.S.o

[27%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_sync/sem.c.o

[28%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_sync/lock_core.c.o

[29%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_sync/mutex.c.o

[30%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_sync/critical_section.c.o

[30%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_time/time.c.o

[31%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_time/timeout_helper.c.o

[32%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_timer/timer.c.o

[34%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_util/datetime.c.o

[35%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_util/pheap.c.o

[35%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/common/pico_util/queue.c.o

[36%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_uart/uart.c.o

[37%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_clocks/clocks.c.o

[38%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_pll/pll.c.o

[39%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_vreg/vreg.c.o

[39%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_watchdog/
watchdog.c.o

[40%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_ticks/ticks.c.o

[41%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_bootrom/bootrom.c.o

[42%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_bootrom/
bootrom_lock.c.o

[43%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_boot_lock/
boot_lock.c.o

[45%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_flash/flash.c.o

[45%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_xosc/xosc.c.o

[46%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_divider/divider.S.o

[47%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_runtime/runtime.c.o

[48%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_runtime_init/
runtime_init.c.o

[49%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_runtime_init/
runtime_init_clocks.c.o

[49%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_runtime_init/
runtime_init_stack_guard.c.o

[50%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_bit_ops/bit_ops_aeabi.S.o

[51%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_divider/
divider_hardware.S.o

[52%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_double/
double_aeabi_rp2040.S.o

[53%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_double/
double_init_rom_rp2040.c.o

[53%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_double/double_math.c.o

[54%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_double/
double_v1_rom_shim_rp2040.S.o

[56%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_int64_ops/
pico_int64_ops_aeabi.S.o

[57%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_float/
float_aeabi_rp2040.S.o

[58%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_float/
float_init_rom_rp2040.c.o

[58%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_float/float_math.c.o

[59%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_float/
float_v1_rom_shim_rp2040.S.o

[60%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_malloc/malloc.c.o

[61%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_mem_ops/
mem_ops_aeabi.S.o

[62%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_atomic/atomic.c.o

```

[ 62%] Building CXX object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_cxx_options/
new_delete.cpp.o
[ 63%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_standard_binary_info/
standard_binary_info.c.o
[ 64%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_printf/printf.c.o
[ 65%] Building ASM object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico crt0/crt0.S.o
[ 67%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_clib_interface/
newlib_interface.c.o
[ 67%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_stdio/stdio.c.o
[ 68%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_stdio_uart/stdio_uart.c.o
[ 69%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_rand/rand.c.o
[ 70%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/pico_unique_id/unique_id.c.o
[ 71%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_flash/flash.c.o
[ 72%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_xip_cache/
xip_cache.c.o
[ 72%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_adc/adc.c.o
[ 73%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_i2c/i2c.c.o
[ 74%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_spi/spi.c.o
[ 75%] Building C object
CMakeFiles/pshell.dir/home/devel/pico2/pico-sdk/src/rp2_common/hardware_dma/dma.c.o
[ 76%] Building C object CMakeFiles/pshell.dir/lifting/lifting-lib/lifting.c.o
/home/devel/pshell/lifting/lifting-lib/lifting.c: In function 'lifting':
/home/devel/pshell/lifting/lifting-lib/lifting.c:184:25: warning: iteration 3 invokes undefined
behavior [-Waggressive-loop-optimizations]
  184 |         ov[lvl] = offset + ((lvl)?(ov[lvl-1]):0);
      |         ~~~~~^~~~~~
/home/devel/pshell/lifting/lifting-lib/lifting.c:156:23: note: within this loop
  156 |         for(lvl=0; lvl<LVLS; lvl++) {
      |         ~~~~^~~~~~
[ 76%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/selectGoodFeatures.c.o
[ 78%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/pyramid.c.o
[ 79%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/convolve.c.o
[ 80%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/error.c.o
[ 81%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/klt.c.o
[ 81%] Building C object CMakeFiles/pshell.dir/klt/klt-lib/klt_util.c.o
[ 82%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/bio.c.o
[ 83%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/cio.c.o
[ 84%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/dwt.c.o

```

```

[ 85%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/event.c.o
[ 85%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/function_list.c.o
[ 86%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/image.c.o
[ 87%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/invert.c.o
[ 89%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/j2k.c.o
[ 90%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/mct.c.o
[ 90%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/openjpeg.c.o
[ 91%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/opj_clock.c.o
[ 92%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/opj_malloc.c.o
[ 93%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/pi.c.o
[ 94%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/sparse_array.c.o
[ 94%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/t1.c.o
In file included from /home/devel/pshell/openjpeg/openjpeg-lib/mqc.h:99,
      from /home/devel/pshell/openjpeg/openjpeg-lib/opj_includes.h:237,
      from /home/devel/pshell/openjpeg/openjpeg-lib/t1.c:41:
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function
'opj_t1_dec_sigpass_mqc_64x64_novsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:616:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 616 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |             ^~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
 160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
      |             ^~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |             ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxno); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 625 |     opj_t1_dec_sigpass_step_mqc_macro( \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |             ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
 416 |         opj_t1_setcurctx(curctx, ctxt2); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 625 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 628 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
 416 |         opj_t1_setcurctx(curctx, ctxt2); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 628 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxt1); \

```



```

|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
631 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
656 | opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 | opj_t1_setcurctx(curctx, ctxt2); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
631 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
656 | opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 | opj_t1_setcurctx(curctx, ctxt1); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
634 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
656 | opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 | opj_t1_setcurctx(curctx, ctxt2); \
|      ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 634 |             opj_t1_dec_sigpass_step_mqc_macro( \
      |             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 166 |     mqc->curctx = curctx; \
      |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:641:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
 641 |     UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:656:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 656 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_sigpass_mqc_64x64_vsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:616:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 616 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
 160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
      |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 625 |             opj_t1_dec_sigpass_step_mqc_macro( \
      |             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
  416 |         opj_t1_setcurctx(curctx, ctxt2); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  625 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
  407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  628 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
  416 |         opj_t1_setcurctx(curctx, ctxt2); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  628 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
  407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  631 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
  416 |         opj_t1_setcurctx(curctx, ctxt2); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  631 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
  407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
  634 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
  663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]

```

```

49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |         opj_t1_setcurctx(curctx, ctxt2); \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
634 |         opj_t1_dec_sigpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |     mqc->curctx = curctx; \
    |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:641:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
641 |     UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:663:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
663 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function
'opj_t1_dec_sigpass_mqc_generic_novsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:616:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
616 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
    |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
    |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |     opj_t1_setcurctx(curctx, ctxt1); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'

```

```

625 |             opj_t1_dec_sigpass_step_mqc_macro( \
|             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|             ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |     opj_t1_setcurctx(curctx, ctxt2); \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
625 |             opj_t1_dec_sigpass_step_mqc_macro( \
|             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|             ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |     opj_t1_setcurctx(curctx, ctxt1); \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
628 |             opj_t1_dec_sigpass_step_mqc_macro( \
|             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|             ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |     opj_t1_setcurctx(curctx, ctxt2); \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
628 |             opj_t1_dec_sigpass_step_mqc_macro( \
|             ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 670 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 631 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 670 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
 416 |     opj_t1_setcurctx(curctx, ctxt2); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 631 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 670 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
 407 |     opj_t1_setcurctx(curctx, ctxt1); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
 634 |         opj_t1_dec_sigpass_step_mqc_macro( \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
 670 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,

```

```

| ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
| ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |     opj_t1_setcurctx(curctx, ctxt2); \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
634 |     opj_t1_dec_sigpass_step_mqc_macro( \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |     mqc->curctx = curctx; \
|     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:641:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
641 |     UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:670:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
670 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_sigpass_mqc_generic_vsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:616:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
616 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
|     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
| ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |     opj_t1_setcurctx(curctx, ctxt1); \

```



```

|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
625 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |      opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |      opj_t1_setcurctx(curctx, ctxt2); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:625:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
625 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |      opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |      opj_t1_setcurctx(curctx, ctxt1); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
628 |      opj_t1_dec_sigpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |      opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |      opj_t1_setcurctx(curctx, ctxt2); \
|      ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:628:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
628 |             opj_t1_dec_sigpass_step_mqc_macro( \
    |             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |     opj_t1_setcurctx(curctx, ctxt1); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
631 |             opj_t1_dec_sigpass_step_mqc_macro( \
    |             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |     opj_t1_setcurctx(curctx, ctxt2); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:631:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
631 |             opj_t1_dec_sigpass_step_mqc_macro( \
    |             ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |     opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:407:9: note: in expansion of macro 'opj_t1_setcurctx'
407 |     opj_t1_setcurctx(curctx, ctxt1); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
634 |             opj_t1_dec_sigpass_step_mqc_macro( \

```

```

|                                     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:416:13: note: in expansion of macro
'opj_t1_setcurctx'
416 |   opj_t1_setcurctx(curctx, ctxt2); \
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:634:29: note: in expansion of macro
'opj_t1_dec_sigpass_step_mqc_macro'
634 |   opj_t1_dec_sigpass_step_mqc_macro( \
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |   mqc->curctx = curctx; \
|   ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:641:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
641 |   UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:678:5: note: in expansion of macro
'opj_t1_dec_sigpass_mqc_internal'
678 |   opj_t1_dec_sigpass_mqc_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_refpass_mqc_64x64':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:958:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
958 |   DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|   ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |   register const opj_mqc_state_t **curctx = mqc->curctx; \
|   ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 |   opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
|   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]

```

```

49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:966:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
966 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:969:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
969 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:972:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
972 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
765 |     opj_t1_setcurctx(curctx, ctxt); \

```

```

|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:975:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
975 |      opj_t1_dec_refpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 | opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 | mqc->curctx = curctx; \
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:982:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
982 | UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:996:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
996 | opj_t1_dec_refpass_mqc_internal(t1, bpno, 64, 64, 66);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_refpass_mqc_generic':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:958:32: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
958 | DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|      ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 | register const opj_mqc_state_t **curctx = mqc->curctx; \
|      ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 | opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|      ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
765 | opj_t1_setcurctx(curctx, ctxt); \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:966:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
966 | opj_t1_dec_refpass_step_mqc_macro( \
|      ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 | opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
|      ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
 765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:969:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
 969 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
 765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:972:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
 972 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:765:9: note: in expansion of macro 'opj_t1_setcurctx'
 765 |     opj_t1_setcurctx(curctx, ctxt); \
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:975:29: note: in expansion of macro
'opj_t1_dec_refpass_step_mqc_macro'
 975 |         opj_t1_dec_refpass_step_mqc_macro( \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |     mqc->curctx = curctx; \

```

```

|           ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:982:9: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
 982 |     UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1003:5: note: in expansion of macro
'opj_t1_dec_refpass_mqc_internal'
1003 |     opj_t1_dec_refpass_mqc_internal(t1, bpno, t1->w, t1->h, t1->w + 2U);
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_clnpass_64x64_novsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1239:28: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
1239 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
|           ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
 160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
|           ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|           ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1249:17: note: in expansion of macro
'opj_t1_setcurctx'
1249 |     opj_t1_setcurctx(curctx, T1_CTXNO_AGG); \
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
 49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|           ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1254:17: note: in expansion of macro
'opj_t1_setcurctx'
1254 |     opj_t1_setcurctx(curctx, T1_CTXNO_UNI); \
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|           ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]

```

```

49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
    |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
    |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
    |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]

```



```

|
^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxno); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |         opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |     mqc->curctx = curctx; \
      |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1308:5: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
1308 |     UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1344:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1344 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_clnpass_64x64_vsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1239:28: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
1239 |     DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
      |     ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1249:17: note: in expansion of macro
'opj_t1_setcurctx'
1249 |         opj_t1_setcurctx(curctx, T1_CTXNO_AGG); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1254:17: note: in expansion of macro
'opj_t1_setcurctx'
1254 |         opj_t1_setcurctx(curctx, T1_CTXNO_UNI); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
  49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^

```



```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |     mqc->curctx = curctx; \
      |     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1308:5: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
1308 |   UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1351:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1351 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, 64, 64, 66);
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_clnpass_generic_novsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1239:28: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
1239 |   DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |   ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |     register const opj_mqc_state_t **curctx = mqc->curctx; \
      |                                     ^~~

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1249:17: note: in expansion of macro
'opj_t1_setcurctx'
1249 |         opj_t1_setcurctx(curctx, T1_CTXNO_AGG); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1254:17: note: in expansion of macro
'opj_t1_setcurctx'
1254 |         opj_t1_setcurctx(curctx, T1_CTXNO_UNI); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxno); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxno); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxno); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```



```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |  mqc->curctx = curctx; \
      |  ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1308:5: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
1308 |   UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1358:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1358 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_FALSE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c: In function 'opj_t1_dec_clnpass_generic_vsc':
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1239:28: warning: initialization of 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
1239 |   DOWNLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |   ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:160:51: note: in definition of macro
'DOWNLOAD_MQC_VARIABLES'
160 |   register const opj_mqc_state_t **curctx = mqc->curctx; \
      |   ^~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |   ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1249:17: note: in expansion of macro
'opj_t1_setcurctx'
1249 |   opj_t1_setcurctx(curctx, T1_CTXNO_AGG); \
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |   ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1254:17: note: in expansion of macro
'opj_t1_setcurctx'
1254 |   opj_t1_setcurctx(curctx, T1_CTXNO_UNI); \
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |   opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |   ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]

```

```

|
^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1260:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1260 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, OPJ_TRUE, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxt1); \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
|         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
|     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno) curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
|         ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1267:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1267 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |         opj_t1_setcurctx(curctx, ctxno); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |         opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1274:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1274 |         opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial,\
      |         ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |     opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |     ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                         ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1281:25: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1281 |          opj_t1_dec_clnpass_step_macro(OPJ_FALSE, partial, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1288:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1288 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1292:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1292 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1296:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1296 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1110:17: note: in expansion of macro
'opj_t1_setcurctx'
1110 |          opj_t1_setcurctx(curctx, ctxt1); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |    opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |    ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:49:49: warning: assignment to 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} from incompatible pointer type
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} [-Wincompatible-pointer-types]
49 | #define opj_t1_setcurctx(curctx, ctxno)  curctx = &(mqc)->ctxs[(OPJ_UINT32)(ctxno)]
      |                                     ^

```

```

/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1119:17: note: in expansion of macro
'opj_t1_setcurctx'
1119 |          opj_t1_setcurctx(curctx, opj_t1_getctxno_sc(lu)); \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1300:17: note: in expansion of macro
'opj_t1_dec_clnpass_step_macro'
1300 |          opj_t1_dec_clnpass_step_macro(OPJ_TRUE, OPJ_FALSE, \
      |          ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/mqc_inl.h:166:21: warning: assignment to
'opj_mqc_state_t **' {aka 'struct opj_mqc_state **'} from incompatible pointer type 'const
opj_mqc_state_t **' {aka 'const struct opj_mqc_state **'} [-Wincompatible-pointer-types]
166 |  mqc->curctx = curctx; \
      |  ^
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1308:5: note: in expansion of macro
'UPLOAD_MQC_VARIABLES'
1308 |  UPLOAD_MQC_VARIABLES(mqc, curctx, c, a, ct); \
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/t1.c:1366:5: note: in expansion of macro
'opj_t1_dec_clnpass_internal'
1366 |  opj_t1_dec_clnpass_internal(t1, bpno, OPJ_TRUE, t1->w, t1->h,
      |  ^~~~~~
[ 95%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/tcd.c.o
[ 96%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/tgt.c.o
[ 97%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/thread.c.o
[ 98%] Building C object CMakeFiles/pshell.dir/openjpeg/openjpeg-lib/dwtlift.c.o
/home/devel/pshell/openjpeg/openjpeg-lib/dwtlift.c: In function 'decompress':
/home/devel/pshell/openjpeg/openjpeg-lib/dwtlift.c:716:17: warning: implicit declaration of
function 'octave_write_byte' [-Wimplicit-function-declaration]
716 |  octave_write_byte(r_decompress_fn,r_decompress,da_x1*da_y1);
      |  ^~~~~~
/home/devel/pshell/openjpeg/openjpeg-lib/dwtlift.c: In function 'lift_config':
/home/devel/pshell/openjpeg/openjpeg-lib/dwtlift.c:1131:17: warning: cast to pointer from integer
of different size [-Wint-to-pointer-cast]
1131 |  lclip = (char *)*bufferptr;
      |  ^
[100%] Linking CXX executable pshell.elf
[100%] Built target pshell
devel@pi5-80:~/pshell/build $ ls -la
total 8340
drwxr-xr-x 19 devel devel  4096 Jun 14 14:11 .
drwxr-xr-x 24 devel devel  4096 Jun 14 14:10 ..
drwxr-xr-x  3 devel devel  4096 Jun 14 14:10 cc
drwxr-xr-x  3 devel devel  4096 Jun 14 14:10 cir-buf
-rw-r--r--  1 devel devel 26671 Jun 14 14:10 CMakeCache.txt
-rw-r--r--  1 devel devel 14786 Jun 14 14:10 CMakeDoxyfile.in
-rw-r--r--  1 devel devel 20369 Jun 14 14:10 CMakeDoxygenDefaults.cmake
drwxr-xr-x  6 devel devel  4096 Jun 14 14:11 CMakeFiles
-rw-r--r--  1 devel devel  2441 Jun 14 14:10 cmake_install.cmake

```



```

drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 crc_crc16
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 disassembler
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 flashio
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 generated
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 klt
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 lifting
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 littlefs
-rw-r--r-- 1 devel devel 156424 Jun 14 14:10 Makefile
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 misc
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 openjpeg
-rw-r--r-- 1 devel devel 60 Jun 14 14:10 pico_flash_region.ld
drwxr-xr-x 6 devel devel 4096 Jun 14 14:10 pico-sdk
drwxr-xr-x 2 devel devel 4096 Jun 14 14:10 pioasm
drwxr-xr-x 2 devel devel 4096 Jun 14 14:10 pioasm-install
-rwxr-xr-x 1 devel devel 249372 Jun 14 14:11 pshell.bin
-rw-r--r-- 1 devel devel 3962036 Jun 14 14:11 pshell.dis
-rwxr-xr-x 1 devel devel 2098584 Jun 14 14:11 pshell.elf
-rw-r--r-- 1 devel devel 705125 Jun 14 14:11 pshell.elf.map
-rw-r--r-- 1 devel devel 701477 Jun 14 14:11 pshell.hex
-rw-r--r-- 1 devel devel 499200 Jun 14 14:11 pshell.uf2
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 vi
drwxr-xr-x 3 devel devel 4096 Jun 14 14:10 xymodem
devel@pi5-80:~/pshell/build $ ssh -Y pi4-50
devel@pi4-50's password:
.
devel@pi5-80:~/pshell/build $ scp pshell.uf2 pi4-50:/media/devel/RPI-RP2/
pshell.uf2                                100% 488KB 7.5MB/s 00:00

```

```
devel@pi4-50:~ $ minicom myusb0
```

Welcome to minicom 2.8

OPTIONS: I18n
Port /dev/ttyUSB0

Press CTRL-A Z for help on special keys

```

cat - display a text file, use -p to paginate
cc - compile & run C source file. cc -h for help
cd - change directory
clear - clear the screen
cp - copy a file
format - format the filesystem
hex - simple hexdump, use -p to paginate
ls - list a directory, -a to show hidden files
mkdir - create a directory
mount - mount the filesystem
mv - rename a file or directory
news - what's new in this release
quit - shutdown the system
reboot - restart the system

```

rm - remove a file or directory. -r for recursive
status - display the filesystem status
tar - manage tar archives
umount - unmount the filesystem
version - display pico shell's version
vi - edit file(s) with vi
xget - xmodem get a file (pico->host)
xput - xmodem put a file (host->pico)
yget - ymodem get a file (pico->host)
yput - ymodem put a file (host->pico)
lskl - lifting step 0 klt 1
j2k - In File Out Frile Compression Ratio Compression 0 Dec1
- comment line

/: ls

4224 a64.bin
384 blink.c
4224 img1.pgm
12544 lena_rgb_64.bmp
7680 test.j2k

/: j2k

da_xo 0 da_y0 0
da_x1 256 da_y1 256 ff test.j2k

/: hex -p lena_rgb_64.bmp

0000 424d8a30 00000000 00008a00 00007c00 'BM.0.....|.'
0010 00004000 00004000 00000100 18000000 '..@...@.....'
0020 00000030 0000130b 0000130b 00000000 '...0.....'
0030 00000000 00000000 ff0000ff 0000ff00 '.....'
0040 00000000 00004247 52730000 00000000 '.....BGRs.....'
0050 00000000 00000000 00000000 00000000 '.....'
0060 00000000 00000000 00000000 00000000 '.....'
0070 00000000 00000000 00000200 00000000 '.....'
0080 00000000 00000000 00003d1b 5d594277 '.....=.]YBw'
0090 a8b4d599 abd1636f ca7798e9 7da1ee6e '.....co.w..}.n'
00a0 7bc94924 67441c5a 4f256553 2a6e5a2f '{.I\$gD.ZO%eS*nZ/'
00b0 6b6d4877 5d316d6f 4579734b 7a6c4676 'kmHw]1moEysKzlFv'
00c0 532a6958 2d696f43 795a3873 3c298d44 'S*iX-ioCyZ8s<).D'
00d0 3fb24d4e c65155cd 555bd156 5cd2575e '?.MN.QU.U[.V\W^'
00e0 d6585fd9 5b63dc5c 64dd6267 de656adf '.X_.[c.\d.bg.ej.'
00f0 686fe068 70e06972 e06a76e0 6a76df6d 'ho.hp.ir.jv.jv.m'
0100 79df7380 e07d8ae0 8593e092 a3e1a3b3 'y.s..}.....'
0110 e3b1bee7 b9c6eba2 aed75949 8e574c94 '.....YI.WL.'
0120 5f5baa5a 60c35558 c2575fcb 5250b852 '[_Z`.UX.W_.RP.R'
0130 3e96553b 86523a87 59469571 65aa5e4b '>.U;.R.:YF.qe.^K'
0140 8d402368 40226b4a 39964221 6360487f '._@#h@"kJ9.B!c`H.'
0150 a3aac88e 98c0616b c97998ea 7fa3ef6e '.....ak.y.....n'
0160 80d04b28 6b441b59 491f5f4f 2463552b '..K(kD.YI._O\$cU+'