

*****Default*****

Reading lena_rgb_64.bmp shell.c

06/17/26

*****Default*****

Blue header
Blue black offset
green BGRs
Red data read

data read 0x3d 0x1b 0x5d 0x59 0x42 0x77 0xa8 0xb4 0xd5 0x99 0xab 0xd1 0x63 0x6f 0xca
0x77

00000000 42 4D 8A 30 00 00 00 00 00 00 8A 00 00 00 7C 00 00 00 40 00 00 00 40 00 00 00
01 00 18 00 00 00 00 00 00 30 00 00 13 0B
00000028 00 00 13 0B 00 00 00 00 00 00 00 00 00 00 00 00 FF 00 00 FF 00 00 FF 00 00 00
00 00 00 00 42 47 52 73 00 00 00 00 00 00
00000050 00
00 00 00 00 00 00 00 00 00 00 00 00 00
00000078 00 00 02 00 00 00 00 00 00 00 00 00 00 00 00 00 3D 1B 5D 59 42 77 A8 B4
D5 99 AB D1 63 6F CA 77 98 E9 7D A1 EE 6E
000000A0 7B C9 49 24 67 44 1C 5A 4F 25 65 53 2A 6E 5A 2F 6B 6D 48 77 5D 31 6D 6F 45
79 73 4B 7A 6C 46 76 53 2A 69 58 2D 69 6F 43

·
·
·

00001D88 5C 48 97 6E 52 92 7E 65 A3 84 84 D2 7F 99 E1 5B 65 99 3B 1B 60 3E 19 65 40
1D 65 3C 16 5E 44 1D 64 66 54 9C 78 75 C4 82
00001DB0 92 D6 81 92 D5 82 90 D5 81 8F D3 81 8C D1 82 8A D0 7F 89 CF 7F 87 CC 7D
84 CB 54 49 B2 51 45 B0 4B 43 B6 56 5E D3 6B 88

Pico Shell - Copyright (c) 1883 Thomas Edison
This program comes with ABSOLUTELY NO WARRANTY.
This is free software, and you are welcome to redistribute it
under certain conditions. See LICENSE file for details.

platform: pico, console: UART0 [80 X 24], filesystem: flash

file system automatically mounted

enter a command or hit ENTER for command list

/: ls

4224 a64.bin
384 blink.c
4224 img1.pgm
12544 lena_rgb_64.bmp
7680 test.j2k

/: j2k lena_rgb_64.bmp test.j2k
3 lena_rgb_64.bmp test.j2k
s1 0x200006d8
s1.dec 6
s1.enc 1
s1.TCP_DISTORTION 60
s1.CR 25
s1.flg 1
s1.bpp 24
s1.imgsz 196608
s1.him 256
s1.wim 256
s1.bufferptr 0x0

return of open 0
sizeof(bitmap_header) 54
number of header points 54
s1.bpp 24
s1.imgsz 12288
s1.him = 64 s1.wim = 64
hp->fileheader 0x308a4d42
dataoffset 0x8a dataoffset 138
offset 0x8a
number of offset - sizeof(bitmap_header) points 84
0x0 0x0 0xff 0x0 0x0 0xff 0x0 0x0 0xff 0x0 0x0 0x0 0x0 0x0 0x0 0x0 0x0 0x42 0x47 0x52 0x73 0x0
0x0
0x0
0x0 0x2 0x0
hp 0x2000a620
number of RGB points 12288
hp 0x2000a620 s1.bufferptr 0x2000a620 bufptr 0x2000a620
0x3d 0x1b 0x5d 0x59 0x42 0x77 0xa8 0xb4 0xd5 0x99 0xab 0xd1 0x63 0x6f 0xca 0x77
hp 0x2000a620
da_x0 0 da_y0 0
da_x1 64 da_y1 64 ff test.j2k

hexedit lena_rgb_64.bmp
00000000 42 4D 8A 30 00 00 00 00 00 00 8A 00 00 00 7C 00 BM.0.....|.
00000010 00 00 40 00 00 00 40 00 00 00 01 00 18 00 00 00 ..@...@.....
00000020 00 00 00 30 00 00 13 0B 00 00 13 0B 00 00 00 00 ...0.....
00000030 00 00 00 00 00 00 00 00 FF 00 00 FF 00 00 FF 00
00000040 00 00 00 00 00 00 42 47 52 73 00 00 00 00 00 00BGRs.....
00000050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000070 00 00 00 00 00 00 00 00 00 00 02 00 00 00 00 00

00000080 00 00 00 00 00 00 00 00 00 00 3D 1B 5D 59 42 77=,]YBw
00000090 A8 B4 D5 99 AB D1 63 6F CA 77 98 E9 7D A1 EE 6E