

Formulas Collection by Rajesh

Body Balancing by Anoop Prajapati

(Abdominal area me praan vayu, samvedana, blood supply and energy increase karne ke saath sath pain reduce karne ke liye...

Students ne bhi bataaye the result badhiya hai

suryamal me is formula ke jagah par Neutral formula jyadatar use karte the)

- I. (3) Raman
- II. CNNS - Gas Gas (all 3 side)
- III. (8) Pan (3) Gal (3) Spl (7) Liv (5) Mu (6) Rt Ov (6) Lt Ov (6) Wd
- IV. (7) LivO (7) MuO + (8) Rt Parkhu (8) Lt. Parkhu
- V. Heparin (according condition)

64-74 withdrawal treatment -

(Use if hand and foot getting cold all the time)

(6)med (4)para (7)liv (4) third

Najle ka Treatment -

(naak se paani aata ho to acid badhane aur alkali km karne ke liye)

- I. (30)medulla, CNNS Gas: Gas (all three sides), (1) point liver x 6
- II. (2) Rt.chest only * 8 (3 minutes gap)

Treatment Explanation -

1. (30)medulla : side effects of medicines
2. CNNS Gas: Gas (all three sides): increase Acid to equalise alkalinity as it is due to increased alkaline.
3. (1) point liver x 6 treatments: reduce alkalinity (it can be added four times depending upon level of alkalinity).
4. (2) rt.chest only to reduce alkalinity. It can also be repeated eight times with a gap of 3 minutes depending on severity of ailment.

Pet set krne aur body me energy deposit krane vale treatment -

(Hemoglobin km ho to bhi yahi treatment dene hai alternate days pr aur sath me kabhi kabhi large folic black bhi)

New UDF, OLD UDF, NAN, Quada Equana Plus

Deposit energy se withdrawal krane vale treatment -

Large folic black, 125Dcc, Multi heparin

SNORE(खराटे) Treatment -

(8)TH+CH (2)Thrd

White Discharge -

(add Parkhoo if nerve weakness) Treatment -

(8)Pan (6)WD (8)TH+CH + (8)Rt. Parkhoo (8)Lt. Parkhoo

Periods ka time hone vale pain ko nikalne ke liye ya periods regular na hone pr treatment -

(ye problems acid badhne ke karan hoti hai)

- I. Mild Acid trt (blood se acid level km krne ke liye)
- II. G Heparin (clots bhi ho skte hai unhe dissolve krne ke liye)

Gallbladder Stone Treatment -

- I. (6)Adr, (3)Gal (7) Liv [15 din tak]
- II. (12) Liv (6) adr and Vater New Gal treatment

Body me gham jaise dane dane hona aur usme khujli hone pr trt -

- I. 30 med
- II. 6 tf gal 1pt gal × 6 trt (din me 4-5 bar)
- III. हर खाने से पहले CNNS GAS GAS all 3 side
- IV. Kidney clear
- V. 1-2 दिन के बाद खुजली कम होने पर 1 gal 4 liv 4 th+ch

Seasonal Fever by Acharya Shri RamChandran -

"1pt. liv * 6" is the best and only

Simple but highly effective treatment for every type of fever.

This has to be supported with CNG3 - for increasing stomach acid to kill food-borne bacteria.

Other treatments are

(60)TF GL x 3;

(1) Gal (4) Liv or (3) gal (7) liver

For stubborn cases, the following treatment will be useful

- I. (3) Lt. calf muscle ghisai or subclavian + mukha dhauti
- II. (1) Pt. Liv x 3
- III. (1) Liv 3 pt x 3
- IV. (1) Liv 6 pt x 3
- V. Fast + ajay normal

Acidity treatment -

- I. (8) pan * 3
- II. Chole trt
- III. (1) pit ya (4) pit (diabetes ho to 1 pit only)
- IV. (1)pt liv × 6
- V. Mu0 me dard ho to acid trt bhi

Bina chot ke neel ke nishan -

(30) med

P hep

अगर आराम मिलने के बाद वापस आये तो

(15) Lt. Med (6) Lt.swt (8) Lt.parkhoo

फिर से 30 med, P hep

अगर 1-2 दिन बाद वापस आ जाये तो फिर

Oxygen treatment

(30) med

(15) Lt. Med (6) Lt.swt (8) Lt.parkhoo

P Hep
देना है

Patient details by therapist for treatment to Acharya Shri Ramachandran -

Psoriasis from last 20 years joint pain from last five years gal 2+ liver 1+ rt ov2+ pain he

Treatment for psoriasis-

1st treatment -

(2) pan * 6trt / metabolic trt / (6)tf gal liv (1) Pt gal (1)pt liv * 3 trt / acid trt/ j hep / Oxygen / full kidney clear

2nd treatment -

vater newgall

Nabhi Setting (by Kunder Sir) - 7 Days

लूज मोशन तथा कमर दर्द को छोड़ कर, पेट की किसी भी बीमारी में यह चारों पॉइंट्स सबसे पहले देना है।

इसको लिखने का तरीका :-

- I. (5)ONS (20)TF (6)NNS
- II. CNNS- All 3 sides

इसका अर्थ है ONS 5 बार देना है। उसके बाद 20 बार TF, तथा बाद में 6 बार NNS देना है। फिर 90 सेकंड रुककर CNNS देना है।

यह एक ऐसा पॉइंट है जिससे हम dislocated नाभि को अपनी जगह सेट कर सकते हैं। लेकिन ध्यान यह देना है कि जिनको Lower Back Pain है, उनको नहीं देना है। जिनकी नाभि काफी लम्बे समय से अपसेट है, उनको इस पॉइंट से काफी आराम मिलता है, तथा लगातार 1 हफ्ते तक दिया जाए तो रोग जड़ से समाप्त हो सकता है।

ऊपर के बताए गए चारों पॉइंट्स देना चाहिए।

Pitta uchhalne pr treatment by Acharya Shri Ramchandran -

(30) medulla

(6) ADR * 2

रिपीट आफ्टर 15 मिनट बाद

एक घंटे बाद

(6) TF Gal / repeat after 1 hrs

(6) ADR * 2

Kidney Clear



नहीं देना (Points/Treatments that should not be used in specific cases) -

ऑटो इम्यून डिसऑर्डर , अर्थराइटिस, इन्फ्लेमेशन की बीमारी/ पोलियो,

Th, Th + Ch, Lymph, armpits, Ton"p, Ton"T, SPL

अस्थमा,

SPL, Thrd, Gal

एसिडिटी या पेट में अल्सर

Gas only, (10) medulla

भगंदर , बवासीर, मलाशय का नीचे उतर जाना, piles, गुदा द्वार का फट जाना। यह चारों सख्त कब्जी के वजह से आती है

(10)medulla , Gas only, Dys

बैम्बू स्पाइन / स्पर

कैल्शियम बढ़ाने के कारण आती है यह समस्याएं

Thrd ' p, - Thrd

(Low BP) लो, बी पी

(ku, Gas i, 30 medulla)

heparin Trt, नहीं देना

जिनको बरसों से लो बीपी है उनको

2 para देना।

accident एक्सीडेंट , गर्भपात, मासिक धर्म के दौरान अधिक ब्लड साव होने के कारण अचानक से बीपी लो होने पे angiotensin# 2 देना

हाई बीपी

Pit, Muo, Swt, Lu + sh,

(20)medulla, (2)ADR,

(6) ADR

कर्क रोग (कैंसर) जिस आर्गेन में कैंसर है उसे अंग को नहीं उकसाना।

Ov, WD, 10 medulla, Pit,

4 ADR, 6 ADR, 4 Pan, SPL