

```

local Players = game:GetService("Players")
local Workspace = game:GetService("Workspace")

local attackKeywords =
{"hitbox","hit","attack","blade","slash","swing","racket","projectile"}
local ballKeywords =
{"ball","racket","projectile","sphere","tennis","shot"}
local seen = {}

local function findPlayer()
    local p = Players.LocalPlayer or Players:GetPlayers()[1]
    return p and (p.Character or p.CharacterAdded:Wait())
end

local function matchAny(name, keywords)
    name = name:lower()
    for _, v in ipairs(keywords) do
        if name:find(v) then return true end
    end
    return false
end

local function getTool(chr)
    for _, v in ipairs(chr:GetChildren()) do
        if v:IsA("Tool") then return v end
    end
end

local function parry()
    local chr = findPlayer()
    if not chr then return end

    local tool = getTool(chr)
    if not tool then
        local bp = (Players.LocalPlayer or
Players:GetPlayers()[1]):FindFirstChild("Backpack")
        if bp then tool = bp:FindFirstChildWhichIsA("Tool") end
        if tool then pcall(function()
chr:FindFirstChildOfClass("Humanoid"):EquipTool(tool) end) end
    end
end

```

```

        if tool then pcall(function() tool:Activate() end) end
end

local function isAttackPart(part)
    if not part:IsA("BasePart") then return false end
    local model = part:FindFirstAncestorOfClass("Model")
    if not model or model == findPlayer() or not
model:FindFirstChildOfClass("Humanoid") then return false end
    return matchAny(part.Name, attackKeywords) or (part.Size.Magnitude <
10 and math.abs(part.Size.X-part.Size.Y) < .25 and
math.abs(part.Size.Y-part.Size.Z) < .25)
end

local function isBallPart(part)
    if not part:IsA("BasePart") then return false end
    return matchAny(part.Name, ballKeywords) or
part.Shape==Enum.PartType.Ball or (math.abs(part.Size.X-part.Size.Y) < .1
and math.abs(part.Size.Y-part.Size.Z) < .1 and part.Size.X < 4)
end

local function watch(part)
    if seen[part] then return end
    seen[part] = true
    if isAttackPart(part) then
        part.Touched:Connect(function(hit)
            local chr = findPlayer()
            if chr and hit:IsDescendantOf(chr) then parry() end
        end)
    end
    if isBallPart(part) then
        print("Ball candidate:", part:GetFullName())
    end
end

end

for _, v in ipairs(Workspace:GetDescendants()) do watch(v) end
Workspace.DescendantAdded:Connect(watch)
print("Auto Parry loaded for Racket Rivals.")
print("Supports Real, Xeno, and Maduim.")

```

