

Dt: 04/02/2016

Minutes of the Governing Body meeting held on 04/02/2016 at 3:00 PM in the Conference Hall to discuss the following agenda.

### Ajenda:

1. To consider establishment of Incubation centre to increase confidence levels of the students in collaboration with SWECHA organization
2. To consider providing the necessary training and conducting certification courses (such as Microsoft, Oracle, IBM etc.) for the students to increase employability in collaboration with TASK.
3. To consider inviting the Industrial persons to give the additional inputs to the students.
4. To consider arrangement of CC cameras at sensitive places of college and hostel premise.
5. To consider establishment of additional 150 KW solar power plant in remaining rooftop of the college.

## Members:

1. Dr. B. Pardhasaradhi reddy, chairman - O.D.M.
2. Sri M.V. Krishna reddy, Secretary of correspondent H.U. Chairman
3. Sri. M. Buji reddy, Member -
4. Sri. M. Srinivasa reddy, Member -
5. Sri. D. Prabhakar reddy, Member - D.P.
6. Sri. B. Vamsi Krishna reddy, member -
7. Dr. V. Kamakshi Prasad, Member -
8. Dr. A. Chenna Kesava reddy, INTUIT nominee - Achunyaji
9. Principal, APC, Madhura, SBTEI Nominee -
10. Dr. Ch. Vijaya Kumar, Member Secretary - co Secy
11. Dr. K. Srinivasa Rao, Member - R.K.Rao
12. Sri K. Vidya Sagar, member - Gadeppati
13. CTE nominee -

## Resolutions:

1. It is resolved to establishment of Incubation centre to increase confidence levels of the students, collaboration with SWECHA organization.
2. It is resolved to providing the necessary training and conducting certification programme for the students, collaborated with TASK.
3. It is resolved to inviting industrial persons to give the additional inputs to students.
4. It is resolved to arrangement of CC cameras in college premises and Hostel premises.
5. It is resolved to establishment of 150 kw solar power plant in remaining rooftop of the college.

*C. Devaraj*  
Member Secretary

PRINCIPAL  
SAI SPURTI INSTITUTE OF TECHNOLOGY  
B. GANGARAM, SATHUPALIV  
KHAMMAM DT. 507303