

DMS 3rd Party Integration Service

Overview

3rd Party Service Simulating a DMS for Bot

[Apache Licence Version 2.0](#)

Paths

PUT /api/v1/vehicle/edit-vehicle

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/customer

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PUT /api/v1/customer

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /api/v1/customer

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /api/v1/vehicle/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /api/v1/vehicle/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /api/v1/payment/make/payment/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/vehicle

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/vehicle/vin/{vin}

Parameters

Type	Name	Description	Schema
path	vin <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/vehicle/id/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/payment/retrieve/mobile/{mobile}

Parameters

Type	Name	Description	Schema
path	mobile <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/customer/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /api/v1/customer/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /api/v1/customer/mobile/{mobile}

Parameters

Type	Name	Description	Schema
path	mobile <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /api/v1/payment/revoke/{mobile}

Parameters

Type	Name	Description	Schema
path	mobile <i>required</i>		string

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PUT /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PATCH /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

HEAD /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

OPTIONS /swagger-resources

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PUT /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PATCH /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

HEAD /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

OPTIONS /swagger-resources/configuration/ui

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

GET /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PUT /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

POST /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

DELETE /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

PATCH /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

HEAD /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

OPTIONS /swagger-resources/configuration/security

Responses

Code	Description	Links
200	OK <i>Content</i>	No Links

Components

Schemas

VehicleDto

Properties

Name	Description	Schema
vehicleID <i>optional</i>		string
vehicleMake <i>optional</i>		string
vehicleVin <i>optional</i>		string
vehicleTrim <i>optional</i>		string
vehicleModel <i>optional</i>		string
vehicleColor <i>optional</i>		string
vehiclePurchasePrice <i>optional</i>		number (double)
vehicleModelYear <i>optional</i>		integer (int32)
purchaseDate <i>optional</i>		string
termLength <i>optional</i>		integer (int32)
maturityDate <i>optional</i>		string

Vehicle

Properties

Name	Description	Schema
vehicleID <i>optional</i>		string
vehicleMake <i>optional</i>		string

Name	Description	Schema
vehicleVin <i>optional</i>		string
vehicleTrim <i>optional</i>		string
vehicleModel <i>optional</i>		string
vehicleColor <i>optional</i>		string
vehiclePurchasePrice <i>optional</i>		number (double)
vehicleModelYear <i>optional</i>		integer (int32)
purchaseDate <i>optional</i>		string (date)
termLength <i>optional</i>		integer (int32)
maturityDate <i>optional</i>		string (date)

CustomerDto

Properties

Name	Description	Schema
customerID <i>optional</i>		string
mobilePhone <i>optional</i>		string
address <i>optional</i>		string
zipCode <i>optional</i>		integer (int32)

Name	Description	Schema
equifax <i>optional</i>		integer (int32)
transunion <i>optional</i>		integer (int32)
experian <i>optional</i>		integer (int32)
employmentSt atus <i>optional</i>		string
employmentNa me <i>optional</i>		string
employmentPo sition <i>optional</i>		string
employmentSt artDate <i>optional</i>		string
employmentEn dDate <i>optional</i>		string
email <i>optional</i>		string
givenName <i>optional</i>		string
lastName <i>optional</i>		string
maritalStatus <i>optional</i>		string
educationalLev el <i>optional</i>		string
gender <i>optional</i>		string

Name	Description	Schema
county <i>optional</i>		string
state <i>optional</i>		string

Customer

Properties

Name	Description	Schema
customerID <i>optional</i>		string
mobilePhone <i>optional</i>		string
address <i>optional</i>		string
zipCcode <i>optional</i>		integer (int32)
equifax <i>optional</i>		integer (int32)
transunion <i>optional</i>		integer (int32)
experian <i>optional</i>		integer (int32)
employmentSt atus <i>optional</i>		string
employmentNa me <i>optional</i>		string
employmentPo sition <i>optional</i>		string
employmentSt artDate <i>optional</i>		string (date)

Name	Description	Schema
employmentEndDate <i>optional</i>		string (date)
email <i>optional</i>		string
givenName <i>optional</i>		string
lastName <i>optional</i>		string
maritalStatus <i>optional</i>		string
educationalLevel <i>optional</i>		string
gender <i>optional</i>		string
vehicles <i>optional</i>		< Vehicle > array
state <i>optional</i>		string
county <i>optional</i>		string

PaymentDto

Properties

Name	Description	Schema
paymentID <i>optional</i>		string
balance <i>optional</i>		number (double)
paymentDate <i>optional</i>		string

Name	Description	Schema
paymentAmount <i>optional</i>		number (double)
payerName <i>optional</i>		string
payerMobilePhone <i>optional</i>		string
payerLastName <i>optional</i>		string
payerSSN <i>optional</i>		string
relationship <i>optional</i>		string
paymentType <i>optional</i>		string
paymentDue <i>optional</i>		number (double)
paymentDueDate <i>optional</i>		string (date-time)
lastPaymentMadeDate <i>optional</i>		string (date-time)
defaultedPayments <i>optional</i>		integer (int32)
vehicles <i>optional</i>		< VehicleDto > array

Payment

Properties

Name	Description	Schema
paymentID <i>optional</i>		string
balance <i>optional</i>		number (double)
paymentDate <i>optional</i>		string
paymentAmount <i>optional</i>		number (double)
payerName <i>optional</i>		string
payerMobilePhone <i>optional</i>		string
payerLastName <i>optional</i>		string
payerSSN <i>optional</i>		string
relationship <i>optional</i>		string
paymentType <i>optional</i>		string
paymentDue <i>optional</i>		number (double)
paymentDueDate <i>optional</i>		string (date-time)
lastPaymentMadeDate <i>optional</i>		string (date-time)
defaultedPayments <i>optional</i>		integer (int32)

Name	Description	Schema
vehicles <i>optional</i>		< Vehicle > array

SwaggerResource

Properties

Name	Description	Schema
name <i>optional</i>		string
url <i>optional</i>		string
swaggerVersion <i>optional</i>		string
location <i>optional</i>	<i>deprecated</i>	string

UiConfiguration

Properties

Name	Description	Schema
deepLinking <i>optional</i>		boolean
displayOperationId <i>optional</i>		boolean
defaultModelsExpandDepth <i>optional</i>		integer (int32)
defaultModelExpandDepth <i>optional</i>		integer (int32)
defaultModelRendering <i>optional</i>		enum (example,model)

Name	Description	Schema
displayRequest Duration <i>optional</i>		boolean
docExpansion <i>optional</i>		enum (none,list,full)
filter <i>optional</i>		object
maxDisplayed Tags <i>optional</i>		integer (int32)
operationsSort er <i>optional</i>		enum (alpha,method)
showExtension s <i>optional</i>		boolean
tagsSorter <i>optional</i>		enum (alpha)
validatorUrl <i>optional</i>		string
apisSorter <i>optional</i>	<i>deprecated</i>	string
jsonEditor <i>optional</i>	<i>deprecated</i>	boolean
showRequestH eaders <i>optional</i>	<i>deprecated</i>	boolean
supportedSub mitMethods <i>optional</i>		< string > array

SecurityConfiguration

Properties

Name	Description	Schema
apiKey <i>optional</i>	<i>deprecated</i>	string
apiKeyVehicle <i>optional</i>	<i>deprecated</i>	string
apiKeyName <i>optional</i>	<i>deprecated</i>	string
clientId <i>optional</i>		string
clientSecret <i>optional</i>		string
realm <i>optional</i>		string
appName <i>optional</i>		string
scopeSeparator <i>optional</i>		string
additionalQueryStringParams <i>optional</i>		object
useBasicAuthenticationWithAccessCodeGrant <i>optional</i>		boolean