

Imagine your classroom.

- One student → can be stored as an **object**.
- Many students → can be stored as an **array of objects**.

Think of it like this:

Object = One person's ID card

Array = A box containing many ID cards

An array of objects is a collection of similar objects stored inside an array. Each object represents one item and contains multiple related properties.



Pizza Party

One pizza is an object.

```
var pizza = {  
  flavour: "Cheese",  
  size: "Large",  
  slices: 8  
};
```

But at a birthday party, you don't have just one pizza—you have many!

```
var pizzas = [  
  {  
    flavour: "Cheese",  
    size: "Large",  
    slices: 8  
  },  
  {  
    flavour: "Paneer",  
    size: "Medium",  
    slices: 6  
  },  
  {  
    flavour: "Corn",  
    size: "Small",  
    slices: 4  
  }  
];
```

Here,

- `pizzas` → Array
- Each `{ }` → One object
- Each object has `flavour`, `size`, and `slices`.

```
var monsters = [  
  {  
    name: "Bobo",  
    color: "Green",  
    eyes: 3  
  },  
  {  
    name: "Momo",  
    color: "Purple",  
    eyes: 1  
  },  
  {  
    name: "Lulu",  
    color: "Blue",  
    eyes: 5  
  }  
];
```

Accessing data:

```
console.log(monsters[0].name);
```

Output

Bobo

```
console.log(monsters[2].eyes);
```

Output

5