



INVERTED-GRAVITY BUILD

Create a continuous, high-intensity 10-second FPV construction sequence that follows the storyboard precisely. The entire build takes place under INVERTED GRAVITY: for the first 8 seconds, construction materials are pulled violently upward from the site, assembling themselves piece by piece into the exact same modern tower shown in the reference. Steel framing, reinforcement cages, concrete slabs, façade components, stone, dust and construction debris all rise into the air and mechanically connect in sequence.

The finished building must remain completely faithful to the reference design. Preserve the exact architecture, proportions, geometry, materials, colours and surrounding environment from beginning to end.

The visual style should feel like a photorealistic cinematic blockbuster captured on an extreme 14mm FPV lens. Use enormous scale, aggressive acceleration, punchy speed ramps, realistic material behaviour, physically believable impacts, motion blur and dynamic camera movement. The entire animation must appear as ONE continuous impossible FPV shot with absolutely NO visible cuts.

00:00-00:01 – THE SITE AWAKENS

The camera races forward approximately 20 cm above the raw construction surface, aimed directly toward the partially completed tower. The ground begins to vibrate violently. Small stones, bolts, fragments of metal, dust and loose construction debris break free and shoot upward past the camera.

Excavators, cranes and other heavy machinery remain firmly grounded. The FPV camera continues driving straight through the rising debris cloud as particles streak past the lens.

00:01-00:02 – GRAVITY REVERSES

Gravity suddenly inverts across the entire construction site.

Huge structural steel beams, reinforcement cages and sections of concrete violently launch vertically from the ground. The camera accelerates upward between the rising components while dust, grit and loose particles stream toward the sky.

The movement must feel powerful, dangerous and completely unnatural while still maintaining realistic physics.

00:02-00:03 – CONSTRUCTION IN ZERO GRAVITY

The camera aggressively weaves through a chaotic field of enormous floating construction elements. Steel beams, concrete slabs and reinforcement cages rotate, tumble and accelerate upward around the lens.

Several pieces pass extremely close to the camera, creating dramatic parallax, depth and motion blur. The FPV path then dives rapidly back toward the foundation, flying through an increasingly dense vertical storm of rising construction material.

00:03-00:04 – FOUNDATION ASSEMBLY

Reinforcement cages and structural components converge on the foundation simultaneously from multiple directions. Each component finds its exact position and locks firmly into place with mechanical precision.

Every connection produces a short burst of concrete dust and debris.

The camera sweeps around the foundation in a fast curved movement before instantly pitching upward and following the structure as it begins to rise.

00:04-00:05 – STRUCTURE RISES

The FPV camera climbs vertically alongside the rapidly growing tower.

Massive structural columns shoot upward only centimetres from the lens. Each column rotates into its correct orientation before connecting seamlessly with the developing structure.

One after another, the vertical elements lock into position while the entire building rapidly grows upward in perfect synchronisation with the camera.

00:05-00:06 – CONCRETE SLABS ARRIVE

The camera rolls into a horizontal orientation and flies directly through the open structural frame.

Large concrete floor slabs accelerate upward from below, rotate through approximately 90 degrees and slam into their designated positions immediately behind the camera.

The FPV path threads through narrow openings between columns and slabs as the structure closes around it, creating intense near-misses and a powerful sense of speed.

00:06-00:07 – ARCHITECTURAL WHIRLWIND

The camera bursts out beyond the building envelope and launches into an aggressive high-speed orbit around the ascending tower.

Hundreds of structural beams, façade pieces, cables, metal fragments and construction components spiral around the building like a controlled architectural storm.

Everything moves upward while simultaneously finding its correct location within the structure. The camera zigzags violently through the moving components, narrowly avoiding collisions.

00:07-00:08 – THE FAÇADE RISES

The camera races forward only centimetres from the exterior surface of the tower.

Large blue glass panels and curved façade modules erupt upward from street level and fly past the lens at extreme speed.

Each panel rotates precisely into its intended orientation before snapping into the building.

The façade assembles in a perfectly coordinated wave, rapidly travelling upward across the tower.

Sparks, metallic fragments, dust and airborne particles fill the foreground as the final exterior components lock into place.

00:08-00:09 – GRAVITY RETURNS

The camera reaches the uppermost floors.

The extreme speed suddenly collapses, transitioning from intense motion into an almost perfectly frozen moment.

Hundreds of remaining beams, rooftop components and façade elements are suspended motionless around and above the tower.

Then gravity violently switches back to normal.

Every suspended component begins falling downward simultaneously, accelerating toward its exact architectural position.

The camera dives through the descending construction pieces, passing extremely close to beams, panels and structural elements as they slam into place.

00:09-00:10 – FINAL IMPACT

The enormous black rooftop structure and the last remaining façade components descend into position together in one massive synchronized finish.

Their combined impact generates a powerful circular shockwave of dust, concrete particles and airborne debris that expands outward across the site.

The camera rapidly pulls back and rises, revealing the completed tower in its entirety.

The final building must be an exact visual match to the original reference design, with identical architecture, proportions, materials, colours and surrounding setting.

The airborne dust and remaining loose debris now fall naturally toward the ground as the extreme movement rapidly settles into a dramatic, commanding final hero shot.

GRAVITY RULE – CRITICAL

The direction of gravity must remain visually obvious throughout the entire animation.

From 00:00 to 00:08, ALL loose construction materials, particles and dust must move UPWARD.

From 00:08 to 00:10, gravity returns to normal and ALL suspended elements move DOWNWARD into their final positions.

Do not reverse this logic at any point.

Prioritise extreme speed, enormous scale, dangerous near-misses, violent vertical movement, controlled construction chaos, realistic momentum, convincing weight, physically accurate materials, cinematic motion blur, sparks, concrete dust, metallic reflections, atmospheric depth and strong volumetric sunlight.


The building design itself must never morph, distort, redesign or change. Only the construction process and movement of the individual elements should animate.

AUDIO

No music.

Use cinematic construction sound effects only: stressed and creaking steel, rapidly rushing air, flying debris, concrete grinding, falling and rising dust, heavy structural components connecting, metal impacts, mechanical locking sounds, electrical sparks and progressively intensifying low-frequency construction impacts.

Finish with one enormous synchronized structural impact followed by a deep expanding shockwave rumble as the completed building is revealed.





MEASURE ROOM WITH TAPE

Create a seamless, cinematic transformation from the completely empty bathroom in @img-1 into the fully finished and furnished bathroom shown in @img-2, using a giant architectural measuring tape as the mechanism for introducing every fixture, fitting and decorative element.

Begin with the exact empty bathroom from @img-1. A large professional architectural measuring tape extends into the space with realistic physical movement, carefully measuring the walls, floor, ceiling, shower area, bathtub area, vanity zone, toilet position, windows, doors and other key dimensions. The tape should feel oversized but believable, with a premium architectural and construction aesthetic.

The measuring tape moves deliberately around the bathroom, extending, stopping and retracting as though an invisible architect or bathroom designer is accurately measuring the space.

Each measurement triggers the corresponding bathroom fixture, fitting or accessory to appear and settle into its exact final position from @img-2.

Sequence example:

The measuring tape extends across the main wall and measures its length → as it retracts, the vanity unit smoothly slides into its exact position.

The tape measures the vanity width and height → the sink, countertop, basin and faucet assemble and settle naturally into place.

The tape stretches across the shower area → the shower tray, shower enclosure, glass panels, showerhead and controls move into their final positions.

The tape measures the bathtub area → the bathtub glides into place and settles with realistic weight and contact against the floor.

The tape measures the toilet zone → the toilet moves naturally into position, followed by the cistern, flush plate and plumbing details where visible.

The tape measures the wall above the vanity → the mirror lifts into position and settles securely onto the wall.

The tape measures the window or door dimensions → the blinds, curtains, screens or other window and door elements extend and settle accurately into place.

The tape measures smaller areas → towel rails, hooks, shelves, lighting fixtures, towels, bath mats, toiletries, plants and decorative accessories are introduced precisely where they belong.

The key concept is that the measurements determine the placement, scale and alignment of every bathroom element. Each fixture and accessory should feel deliberately positioned according to the room's dimensions rather than randomly appearing.

Use realistic physical behaviour throughout. The measuring tape should have visible tension, slight flex, realistic metallic reflections and believable recoil as it retracts. Bathroom fixtures should slide, glide, lower or move into place with natural weight, momentum and friction. Glass panels should align precisely, metal fittings should settle with subtle mechanical movement, towels should drape naturally, bath mats should flatten against the floor, and small accessories should make subtle settling movements.

The transformation should progressively build the bathroom from empty to fully completed, ending with the room matching @img-2 as accurately as possible.

Critical requirements:

Start exactly with the empty bathroom in @img-1

End exactly with the finished bathroom in @img-2

Preserve the original architecture, geometry, proportions, camera position, perspective and lighting

Match all bathroom fixtures, fittings, colours, materials, finishes, scale and final placement from @img-2

The measuring tape must be the central visual mechanism throughout the transformation

Fixtures and accessories must not simply pop into existence

Each element should be introduced immediately after the relevant area is measured

Keep the animation smooth, premium and visually satisfying


No magical energy, explosions, particles or random morphing

No changes to the architecture, plumbing layout or room structure

Maintain realistic shadows, reflections, glass transparency, metallic highlights and contact with the floor and walls

Ensure all bathroom fixtures remain properly aligned and physically grounded

Finish on a clean, stable shot that closely matches @img-2





DAY TO NIGHT TRANSITION

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Animate the provided facade image as a cinematic, photorealistic rainy evening scene.

Begin with the camera completely stable, then slowly dolly forward toward the facade, maintaining the exact architectural geometry, camera perspective, proportions, materials and composition of the reference image.

Emphasise the rain and wet foreground throughout the movement. Rain droplets should fall naturally and continuously, with individual droplets visible catching the available light. The wet street and puddles in the foreground should show realistic reflections, small ripples and subtle splashes as raindrops hit the water. As the camera moves forward, the foreground puddles and reflections should create a strong sense of depth and realism.

As the dolly begins, the house is relatively dark. Gradually turn on the interior lights inside the house, with rooms illuminating progressively and naturally as the camera moves closer. Use warm, inviting interior lighting that contrasts against the cool, overcast rainy environment. Lights should appear to switch on organically rather than all turning on simultaneously.

Keep the movement slow, smooth and cinematic, with no sudden camera movements or changes in perspective. The rain should remain physically realistic and consistent with the scene. Add subtle reflections of the illuminated windows across the wet ground.

Maintain the original facade exactly. Do not alter the building design, windows, landscaping, materials, furniture or architectural details. No people, vehicles or new objects should appear.

Overall feeling: premium architectural film, moody rainy evening, realistic wet surfaces, warm interior glow, cinematic depth, subtle atmospheric lighting, highly photorealistic.





GIANT HAND PUTTING PEOPLE IN POOL

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Create a seamless, ultra-realistic cinematic animation using the supplied pool, lounge or hotel scene as the exact environment and preserve the original architecture, furniture, pool dimensions, lighting, camera angle, perspective and proportions.

A giant realistic human hand enters the scene from above, as if someone is carefully placing miniature people into the environment. The hand should feel physically present and interact naturally with each person.

One by one, the hand gently picks up and places people into appropriate positions around the pool and lounge area. Each person is placed slowly, calmly and naturally, with subtle realistic body movement as they settle into position. People can be placed sitting on lounge chairs, standing beside the pool, relaxing around the seating area or naturally enjoying the hotel environment.


The movements should feel playful and slightly surreal, but still highly photorealistic. The giant hand should move with deliberate, careful movements rather than fast or exaggerated gestures.

For the final person, change the action dramatically. The giant hand picks up the last man and holds him slightly higher above the pool before accidentally dropping him from a greater height. He falls naturally into the water and creates a large, energetic splash on impact. Water droplets and spray should behave realistically and interact naturally with the surrounding people and pool furniture.

The people already in the scene immediately notice what happened and react naturally with laughter and amusement. Some turn toward the splash, some laugh, smile or gesture to each other, while others look surprised for a moment before laughing. Keep their reactions spontaneous and believable rather than exaggerated or cartoonish.

The final moment should feel like a funny candid incident at a luxury hotel pool, with everyone enjoying the unexpected splash.

Important: Keep the camera movement smooth and controlled. Maintain consistent character scale, realistic human proportions, natural physics, realistic water simulation, accurate shadows and reflections, and photorealistic lighting throughout. Do not change the architecture, pool, furniture, landscaping or overall composition of the original scene. No extra people should appear beyond those being placed by the hand.





LUXURY HOME FPV DRONE

Create a seamless, ultra-realistic cinematic FPV drone fly-through of the entire house using the supplied reference images as exact visual references.

Use the images in this exact sequence:

- @img1 – Front facade
- @img2 – Side of house with pool
- @img3 – Living room
- @img4 – Kitchen
- @img5 – Bedroom
- @img6 – Bathroom
- @img7 – Rear of house

Start on @img-1 with the FPV drone approaching the front facade at a low-to-medium height, flying smoothly toward the house with a fast but controlled cinematic FPV movement. The camera should feel like a professional real-estate FPV drone, with subtle natural banking and acceleration while remaining smooth and premium. Have the car on the driveway/street move naturally through the scene as the drone approaches. The car movement must be realistic and physically consistent, with no warping or changing shape.

Transition seamlessly from the facade into @img-2, flying around the side of the house toward the pool. Maintain the exact architecture, landscaping, materials, proportions and camera perspective from the reference. Add subtle realistic movement to the pool water, including gentle ripples, reflections and natural water movement. Keep the pool water realistic and calm rather than exaggerated.

Continue the FPV flight smoothly into @img-3, entering the living room through the appropriate opening. Create a natural transition from exterior to interior while maintaining the exact design, furniture, materials, lighting and proportions shown in the reference. Use a smooth cinematic forward flight with subtle FPV camera movement.

Transition into @img-4 and fly through the kitchen. Preserve the exact kitchen cabinetry, island, appliances, finishes, lighting and layout. Add only subtle natural environmental movement such as realistic light reflections.

Continue into @img-5 and fly smoothly through the bedroom. Preserve the exact furniture, bedding, finishes, windows, lighting and architectural details. Keep the movement elegant and controlled.

Transition into @img-6 and fly through the bathroom. Preserve all fixtures, finishes, mirrors, cabinetry, tiles and lighting exactly as shown. Use a slow, smooth cinematic FPV movement with subtle parallax.

Finish by transitioning to @img-7, emerging toward the rear of the house and revealing the full backyard and rear facade. Pull slightly upward and outward at the end to create a premium final reveal of the property.

IMPORTANT:

Preserve the exact architecture and design of every reference image.

Do not redesign, remodel, add or remove architectural elements.

Maintain consistent scale, proportions, materials, landscaping and finishes.

Create realistic depth and parallax between foreground, midground and background.

Use seamless transitions between every reference image.

Camera movement should feel like one continuous FPV drone flight rather than separate clips.

Smooth cinematic acceleration and deceleration.

Realistic motion blur and natural camera inertia.

Car moves naturally only in the facade scene.

Pool water has subtle, continuous realistic movement.

No people unless already present in the reference images.

No text, logos, UI elements, Instagram overlays or play buttons.

No flickering, morphing, warping, duplicated objects or changing architecture.

Photorealistic luxury real-estate cinematography.

High-end architectural visualisation quality.

Natural Australian daylight and realistic reflections.

Finish with a polished cinematic property reveal.





PROPERTY LISTING

Start with ****@img-1** as the exact opening frame** — the original empty vacant site, with no text or development visible.

The animation begins with the camera maintaining the exact aerial perspective, composition, site boundaries, surrounding properties, landscaping and lighting shown in **@img-1**

Phase 1 — Site Size

Animate the *****site dimensions m²***** text from **@img-2** as a realistic freestanding ****3D metallic object****.

The text emerges dynamically from behind/above the vacant site, travelling in a smooth natural arc before landing physically on the site. The movement should feel weighty and believable, with realistic acceleration, momentum, motion blur, perspective changes and ground interaction.

The text lands in the ****exact position, scale, orientation and perspective** shown in **@img-2****, with a subtle impact bounce before settling completely still.

Maintain the exact surrounding environment from **@img-1**. Do not alter any existing houses, roads, landscaping, trees or neighbouring properties.

Phase 2 — Development Ready

Once *****site dimensions m²***** has fully settled, animate the *****Development Ready***** text from **@img-3** into the scene.

It should follow a similar physically realistic 3D movement, travelling naturally into position and landing beside/below the existing *****site dimensions m²***** text.

The final arrangement must closely match **@img-3** in terms of ****position, scale, perspective, metallic material and orientation****.

Allow the text to make a subtle physical landing movement before becoming completely stationary.

Phase 3 — 4-5 Units

After the second text has settled, animate *****Number of Units***** from **@img-4** into the scene using the same realistic 3D metallic material and physical movement.

The text should travel in a smooth controlled arc and land naturally into its final position, completing the three-line information display.

The final text arrangement must closely match ****@img-4**, with:

****site dimensions m²****
****Development Ready****
****number of Units Units****

Maintain exact perspective, scale, spacing and positioning from **@img-4**.

Phase 4 — Text Disappears

Once all three text elements have fully settled, ****pause briefly to clearly display the complete message****.

The camera continues its subtle cinematic movement.

Then, ****before any construction or development begins, all three metallic text elements must completely disappear from the site****.

Have the text disappear in a clean, visually impressive and physically believable way. The letters can subtly sink into the grass while simultaneously fading, or dissolve smoothly into the environment. The disappearance should happen ****before any part of the new development becomes visible****.

The site must return to the ****exact empty-site appearance of @img-1****, with ****no text, shadows, marks, objects or traces remaining on the ground****.

There must be a clear moment where the site is completely vacant again.

Phase 5 — Development Reveal

Only ****after all text has completely disappeared and the site is visibly empty****, begin the transformation into ****@img-5****.

The new development should progressively construct itself from the vacant site, creating a dramatic architectural reveal.

The construction should feel realistic and cinematic — foundations and structural elements appear first, followed by walls, upper levels, roofs, windows, landscaping and final architectural details.

The completed development should gradually emerge until the scene matches ****@img-5****.

****Critical sequencing:****

****Empty Site → site dimensions m² → Development Ready → number of Units → ALL TEXT DISAPPEARS → EMPTY SITE → DEVELOPMENT CONSTRUCTS → FINAL DEVELOPMENT @img-5****

REAL ESTATE MEDIA HOUSE

PROPERTY MEDIA MADE TO MOVE



Do ****not**** allow the development to begin appearing while the text is still visible. There must be a completely clean vacant-site transition between the text sequence and the construction sequence.

Phase 6 — Night-Time Lighting Reveal

After the completed development has fully formed and the scene matches ****@img-5****, transition gradually from daylight into nighttime.

Use ****@img-6** as the exact final night-time reference image**. The camera should continue its smooth cinematic aerial movement while the sky, ambient light and overall scene gradually become darker.

All neighbouring properties and surrounding buildings must remain visible but their lights must stay completely switched off. Do not add, activate or alter any lights belonging to neighbouring houses, roads or surrounding properties.

Only the lights belonging to the new development shown in **@img-6** should turn on. Activate the project's interior lights, exterior architectural lighting, entry lighting, balcony lighting and any other visible project-specific illumination in a gradual, realistic sequence.

The project lighting should create a warm, premium and inviting contrast against the dark surroundings, while preserving the exact architecture, landscaping, vehicles, materials, position and composition of the completed development.

The final frame should closely match ****@img-6****, with the new development illuminated and all neighbouring lights remaining off.

Camera & Environment

Throughout the entire sequence, use a ****slow, smooth cinematic aerial camera movement****, gradually moving toward the vacant site while maintaining the original composition and perspective.


Preserve the surrounding environment throughout the entire animation. ****Do not change, remove or add neighbouring buildings, roads, trees, fences or surrounding landscaping****

Use realistic sunlight, shadows, reflections, ambient lighting, motion blur and physically accurate 3D text interaction with the grass.

During the night-time transition, use realistic dusk-to-night exposure changes, natural sky darkening, soft ambient shadows and physically accurate light falloff.

The final completed development must closely match ****@img-5**** during the daylight reveal and ****@img-6**** during the final night-time lighting scene.

Create a polished, cinematic ****property development marketing sequence****, with seamless transitions, realistic physics, photorealistic architecture, controlled lighting and premium commercial-quality presentation.





HOTEL BUILD DURING DAY WITH LIGHTS TURN ON TO FINISH

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Use the three reference images exactly as follows:

: Empty/vacant site — exact starting frame

: Completed hotel — exact architectural reference

: Completed hotel with all lights turned on — final frame

PHASE 1 — EMPTY SITE → CONSTRUCTION BEGINS

Start with as the exact opening frame. Preserve the original camera position, perspective, framing, surrounding environment, road, vegetation and background exactly.

The vacant site begins to transform realistically into an active construction site. Groundworks commence naturally, with excavation, soil movement, construction vehicles, temporary barriers and building materials appearing progressively.

Foundations are constructed first, followed by structural slabs, columns and the main building structure. The construction should progress rapidly but realistically, with the hotel physically being built from the ground upward.

PHASE 2 — HOTEL CONSTRUCTED

Continue the construction seamlessly until the entire hotel is completed.

The building must match exactly in architecture, proportions, height, facade design, windows, balconies, roofline, landscaping and surrounding site elements.

The hotel should appear to be genuinely constructed rather than simply fading or popping into existence. Floors, walls, glazing, balconies, facade materials and landscaping should progressively assemble from the construction process.

Maintain the exact camera angle and perspective from throughout the entire transformation.

PHASE 3 — LIGHTS TURN ON

Once the completed hotel matches , transition into the final appearance shown in .

Keep the hotel, architecture, camera, environment and all physical elements completely unchanged.

The building's interior lights then switch on progressively from the lower floors upward, one level at a time, creating a realistic hotel lighting sequence. Windows should illuminate naturally with warm interior lighting, with different rooms appearing occupied rather than every window turning on simultaneously.

Finish with the hotel matching exactly, including the final lighting, atmosphere and overall appearance.

IMPORTANT: Do not change the architecture between , and . Do not alter the camera position, focal length, perspective, building proportions, surrounding buildings, road or landscape. The transformation should feel like a highly realistic time-lapse of the hotel being physically constructed on the vacant site, followed by the lights progressively turning on.





HOTEL LOBBY WALK THROUGH

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Create a slow, smooth, highly realistic FPV walkthrough through the hotel lobby shown in @img-1.

Use @img-1 as the exact visual reference for the environment. Preserve the architecture, layout, proportions, furniture, finishes, materials, colours, lighting, décor and overall interior design exactly as shown. Do not redesign, add, remove or reposition any architectural elements or furnishings.

CAMERA MOVEMENT

The camera should behave as though it is being carried by a person naturally walking through the lobby at a relaxed pace.

Begin from the perspective shown in @img-1 and move slowly forward through the space in a smooth, controlled FPV-style walkthrough. The movement should feel immersive and realistic rather than like a drone or robotic camera.

Use subtle natural walking motion with very slight vertical and horizontal movement, similar to the movement of a person's head and body while walking. Keep the motion smooth and cinematic without excessive shaking, sudden movements or unrealistic acceleration.

Maintain a natural eye-level camera height throughout the sequence. Avoid dramatic camera movements, fast turns, sudden zooms, flying movements or floating through objects.

The camera should gently adjust its direction as a real person would while walking, naturally looking through the lobby and taking in the space.

PEOPLE

All people must behave like real hotel guests or visitors.

Their movements should be subtle, natural and physically believable. Use realistic human walking speed, body weight, posture, arm movement and foot placement. Avoid exaggerated gestures, robotic movements, unnatural head rotations or repetitive animation.

The two people who are walking through the lobby should continue walking naturally toward and past the camera.

As they notice the person holding the camera, both people should briefly acknowledge the camera with a small, natural friendly nod, as though they recognise the person behind the camera and know them personally.

The nod should be subtle and casual rather than an obvious greeting. Their facial expressions should remain relaxed and friendly, with perhaps a slight natural smile. They should not stop walking, wave, stare directly into the camera for an extended period or dramatically change direction.

The interaction should feel spontaneous, like two friends casually recognising each other while passing in a hotel lobby.

After the brief nod, they should naturally return their attention to where they are walking and continue moving through the lobby.

Any other people visible in the scene should behave independently and naturally, with subtle realistic movements such as walking, talking quietly, looking around, checking their surroundings or moving through the space.

REALISM

Make the entire sequence photorealistic and cinematic.

Human anatomy, proportions, walking mechanics, clothing movement, shadows and reflections must remain realistic.

Lighting should remain consistent with @img-1 throughout the animation. Preserve the existing lighting direction, colour temperature, brightness, reflections and shadows.

Do not alter the interior design, furniture, materials, finishes, colours, architectural details or proportions.

Glass, polished surfaces, metal, stone, timber and other reflective materials should respond naturally to movement and lighting.

The final result should feel like a real person walking through a high-end hotel lobby and casually encountering two friends, captured with a professional cinematic FPV camera.

Keep the entire movement slow, elegant, natural and believable from beginning to end.





ROOM FURNITURE & COLOUR TRANSITION

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Create a seamless, realistic transformation from @img-1to @img-2

Use @img-1 as the starting scene. Gradually remove all existing furniture and interior styling from @img-1, then replace it with the exact furniture, décor, layout, materials and styling shown in @img-2.


At the same time, transition the walls, ceiling, flooring, colours, finishes, lighting and overall interior palette from the style of @img-1 into the corresponding style of @img-2. The transformation should feel intentional and fluid, as though the entire room is being redesigned in real time.

Keep the architecture, room dimensions, windows, doors, camera position and perspective completely locked and unchanged throughout the animation. Furniture should move naturally into place rather than simply popping or appearing.

The transition should be visually creative but premium and believable, with furniture smoothly morphing, sliding, assembling or transitioning into its final positions while the walls, ceiling and finishes subtly transform around it.

End with the room matching @img-2 as accurately as possible, including furniture placement, colours, materials, styling and atmosphere.

No camera shake, no geometry changes, no new architectural elements, no random objects, no distortion, no flickering and no objects appearing out of nowhere. Maintain photorealistic materials, consistent lighting and clean cinematic motion throughout.





ROOM EXPLODING OUT OF MOVING BOXES

REAL ESTATE
MEDIA HOUSE



PROPERTY MEDIA MADE TO MOVE

Using @img-1 as the empty room and @img-2 as the fully furnished room, create a seamless, cinematic transformation from the empty space into the exact furnished room shown in @img-2.

A series of moving boxes suddenly appear naturally throughout the empty room. Each box is clearly labelled according to the object it contains, such as SOFA, TABLE, CHAIRS, BED, LAMP, ARTWORK, RUG, PLANTS, or other appropriate furniture and décor.

The boxes then open and unpack themselves one by one. Objects emerge from inside each box and intelligently assemble, unfold, expand or position themselves into their final locations.

For example:

SOFA box opens → sofa components emerge and naturally assemble into the finished sofa.

TABLE box opens → table pieces unfold and lock together.

CHAIRS box opens → chairs emerge, assemble and move smoothly into position.

BED box opens → bed frame assembles, mattress settles into place and bedding unfolds naturally.

ARTWORK box opens → artwork slides out, rises into position and hangs itself on the wall.

LAMP box opens → lamp assembles and places itself naturally.

RUG box opens → rug unfolds smoothly across the floor.

PLANTS box opens → plants emerge and settle naturally into their final positions.

The transformation should feel physical, believable and satisfying, as though the room is magically unpacking itself. Objects should use realistic weight, momentum, collisions and assembly movements rather than simply popping into existence.

The furniture and décor must accurately match @img-2, including design, shape, colour, material, scale and final placement.

Keep the original architecture, walls, windows, doors, ceiling, flooring, lighting, camera position and perspective of @img-1 completely unchanged throughout the transformation. No architectural elements should appear, disappear or morph.

The animation should build progressively from empty to fully furnished, with the final frame matching @img-2 as closely as possible. No random furniture, objects or decorations should be introduced.

Use smooth, natural cinematic motion with a polished high-end real-estate visualisation aesthetic. The result should feel like a clever self-unpacking moving day, not a generic CGI object pop-in.

