

AAROGYAM CLINICAL LABORATORY





हॉटेल निलतारा शेजारी , गाळा नं. ४, (तळमजला), इचलकरंजी - हातकणंगले रोड, कोरोची. ४१६१०९, ता. हातकणंगले, जि. कोल्हापूर , महाराष्ट्र, mob. 7875261778, 7066261778

REPORT

Date : 17/10/2025

Name : Mr. dxdsf fddg dgfr

Age & Sex : 0 | Male

Mobile No.

Referred By : -- Select --

Lab No. : 1001

Sample Collected : At Inside Lab

Registered On : 17/10/2025 08:55 PM

Reported On : 17/10/2025 08:55 PM



Complete Blood Count(CBC)

Test	Result	Unit	Normal Range
Hemoglobin	11	gmms%	Male : 13.5 - 18, Female : 11 - 16 Infant : 18 - 20, Chlid : 9.5 14
RBC Count	1	millions / uL	4.5 - 5.5
MCV	1	fL	78 - 94
MCH	1	Pg	27 - 34
MCHC	1	g / dl	32 - 37
RDW CV	1	%	11.0 - 16.0
RDW SD	1	fL	35 - 56
WBC Count	1	cells/cumm	4000 - 11000
Differential Count	1		
Differential Count	1	%	40 - 75
Differential Count	1	%	20 - 45
Differential Count	1	%	0 - 6
Differential Count	1	%	2 - 12
Differential Count	1	%	0 - 1
Platelet Count	1	/cumm	150000 - 450000
PCT	1	%	0.08 - 1.0
MPV	1	fL	7.4 - 10.4
PDW	1	%	10 - 15
Smear Examination	1		
Smear Examination	Normocytic Normochro tkin t		Normal Range
Smear Examination	Within Normal Limit	Unit	Normal Range
Smear Examination	Adequate On Smea	r Unit	Normal Range
Smear Examination	Seen	Unit	

Results relate only sample as received Working Hours: 8.00 am to 10.00 pm



Dipali Alsundkar Bsc. L.T.



AAROGYAM CLINICAL LABORATORY





हॉटेल निलतारा शेजारी , गाळा नं. ४, (तळमजला), इचलकरंजी - हातकणंगले रोड, कोरोची. ४१६१०९, ता. हातकणंगले, जि. कोल्हापूर , महाराष्ट्र, mob. 7875261778, 7066261778

REPORT

Date : 17/10/2025

Name : Mr. dxdsf fddg dgfr

Age & Sex : 0 | Male

Mobile No. :

Referred By : -- Select --

Lab No. : 1001

Sample Collected : At Inside Lab

Registered On : 17/10/2025 08:55 PM

Reported On : 17/10/2025 08:55 PM



Description:



Results relate only sample as received Working Hours: 8.00 am to 10.00 pm



Dipali Alsundkar Bsc. L.T.