

INNOVATE. CREATE. SOLVE

Bengaluru, Karnataka, India



BIONIC ENGINEERS

TOGETHER TO GET BETTER

INTERNSHIP REPORT
ON

“SMP”

Bachelor of Engineering

In
Computer Science and Engineering

Submitted by

DEVENDRA KUMAR SAHU(1RI18CS023)



**R. R. Institute of Technology,
Bangalore**

ABOUT THE COMPANY

SMP is a company, established under a mission of service to humanity, we provide a wide range of pharmaceuticals and we are building a reputation of quality and integrity known around the world.

The products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the highest safety and quality criteria were met.

Some of our services include: -

- Chemists
- Surgical Equipment Dealers
- Pharmaceutical Product Distributors
- Medical Equipment Dealers
- Pharmaceutical Distributors
- Pharmaceutical Product Manufacturers
- Medicine Wholesalers
- Surgical Face Mask Dealers
- N95 Face Mask Dealers
- Medicine Distributors
- Generic Medicine Distributors
- Pharmaceutical Product Wholesalers and much more.

TABLE OF CONTENTS

Table of contents	i
Overview of the Project	1
About SMP	2
Tools Used	3
Implementation	4
Snapshots	36
Bibliography	62

OVERVIEW OF THE PROJECT

Project Name: SMP (Sri Maruthi Pharma)

Team Members: Devendra Kumar Sahu
Abhiraj Sharma
Amit Kumar

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS and JavaScript. The basic webpage of this project is created using HTML and styling of the webpage is done using CSS.

This webpage is about SMP (Sri Maruthi Pharma)

Made a web page about SMP (Sri Maruthi Pharma), the idea behind it, try putting up a very simple background to make the webpage look attractive(This will be an about page), This about page would contain two sections, First section contain about the company while second section contain about the company team members. Home page gives information about the services provided by the company. Separate contact us page has been created to contact with the company, contact us page give the location of the company along with separate contact us form which asks name, email and message and a dedicated submit button is given. On clicking the submit button an alert message “Thank you for contacting with us” displays and the entered data get recorded directly into the database.

ABOUT SMP

Sri Maruthi Pharma in Bangalore is one of the leading businesses in Surgical Equipment Dealers. Also known for Surgical Equipment Dealers, Pharmaceutical Product Distributors, Medical Equipment Dealers, Pharmaceutical Distributors, Surgical Item Dealers, Medicine Distributors, Medical Product Dealers, Generic Medicine Wholesalers and much more

SMP is a company, established under a mission of service to humanity, we provide a wide range of pharmaceuticals and we are building a reputation of quality and integrity known around the world.

The products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the highest safety and quality criteria were met.

TOOLS USED

Software Requirements

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- Front End: HTML, CSS, JS (optional)
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

Hardware Requirements

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

IMPLEMENTATION

Source Code (P2.HTML and P2.JS):-

AboutUs Page Code:-

```
<!DOCTYPE html>
<html>
<head>
    <title>About Us</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <script src="https://kit.fontawesome.com/89cdae8dc1.js"
crossorigin="anonymous"></script>
</head>

</head>
<body>

    <nav>

        <ul class="nav-list">
            <div class="logo">
                
            </div>
            <div id="lin">
                <li><a href="index.html">Home</a></li>
                <li><a href="About Us.html">About Us</a></li>
                <li><a href="contactus.html">Contact Us</a></li> </div>
            </ul>

            <div class="rightn">
                <input type="search" name="search" id="search"
placeholder="Search">
                <button class="btns">Search</button>
            </div>
        </nav>
        <div class="aboutus">
            <div class="h1">
                About Us
            </div>
```

```
</div>
<div class="h2">
    <section class="s"> <p id="name">
        SMP
    </p>
    <p id="f">
        Sri Maruthi Pharma
    </p>
    </section>
    <aside class="as">
        <p id="detail">
            <span><span style="line-height: 1;">
<span style="font-size: 50px;font-family: cursive;">S</span>ri Maruthi Pharma is a
company,established under a mission of service to humanity, we provide a wide range of
pharmaceuticals and we are building a reputation of quality </span> and integrity known
around the world. <br><br>
The products that we supply at&ensp; SMP Meets the best &ensp;safety and quality
standards. We are being audited regularly by&ensp; officials to ensure that &ensp;the highest
safety and &ensp;quality criteria were met. <br><br>
</span>
        </p>
    </aside>

    </div>
    <div class="h3">
        <div id="title">
            Mee<span id="underline">t Our T</span> eam
        </div>
        <div class="team">

            <div id="t1">
                
<b id="na">Walter White</b> <p id="capt">Chief Executive Officer</p>
            </div>
            <div id="t1">
                
<b id="na">Sarah Jhonson</b> <p id="capt">Product Manager</p>
            </div>
            <div id="t1">
                
<b id="na">William Anderson</b> <p id="capt">CTO</p>
            </div>
            <div id="t1">
                
        
```

P3

```
<b id="na">Amanda Jepson</b> <p id="capt">Accountant</p>
</div>
</div>
</div>
<div class="footer">
<table>
<tr>
<td><div class="flogo">

<p id="cn">&nbsp; Sri Maruthi Pharma</p>
</div>
</td> <td>&nbsp; &nbsp;</td></td> <td>&nbsp; &nbsp;</td>
<td>
<div class="con">
<p id="ci">CONTACT</p>
<span id="add"> <span><i class="fas fa-map-marked-alt"></i>
&nbsp;Chhikkabanvara, Bangalor, Karnatka, India <br>
&nbsp;&nbsp; 560090 </span>

<span><i class="fas fa-phone-alt"></i>&nbsp;Phone: +1 5589 55488 55</span>
<span><i class="far fa-envelope"></i> &nbsp;&nbsp;&nbsp;Email: info@example.com</span>
</span>

</div>
</td>
<td>
<div class="ql">

<p id="qln"> &nbsp;Quick Link</p>

<ul class="fql">
<li><a href="index.html"> &nbsp;Home</a></li>
<li><a href="About Us.html"> &nbsp;About Us</a></li>
<li><a href="contactus.html"> &nbsp;Contact Us</a></li>
</ul>

</div>
</td>
</tr>
</table>

<div class="copy">
<hr>
<div class="ali">
```

```
<div id="cr">  
    <font face="arial" color="white"> © 2021 Shri Maruthi  
Pharma, India. <br> All Right Reserved</font>  
  
    </div>  
    <div id="sml">  
        <a href="https://wa.me/9999444422"><i class="fab fa-whatsapp fa-2x"></i></a>  
        <a href="facebook.in"><i class="fab fa-facebook-f fa-2x"></i></a>  
        <a href="twitter.com">  
            <i class="fab fa-twitter fa-2x"></i></a>  
        </div>  
  
    </div>  
  
</div>  
  
</body>  
</html>
```

Home Page Code:-

```
<!DOCTYPE html>  
<!-- Created By CodingNepal - www.codingnepalweb.com -->  
<html lang="en" dir="ltr">  
    <head>  
        <meta charset="utf-8">  
        <title>sri maruti pharma website</title>  
        <meta name="viewport" content="width=device-width, initial-scale=1.0">  
        <link rel="stylesheet" href="style.css">  
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css"/>  
        <link rel="stylesheet" type="text/css" href="About Us.css">  
        <script src="https://kit.fontawesome.com/89cdae8dc1.js"  
crossorigin="anonymous"></script>  
    </head>  
    <body>  
        <nav>
```

```
<ul class="nav-list">
  <div class="logo">
    
  </div>
  <div id="lin">
    <li><a href="index.html" class="active">Home</a></li>
    <li><a href="About Us.html">About Us</a></li>
    <li><a href="contactus.html">Contact Us</a></li> </div>
  </ul>

  <div class="rightn">
    <input type="search" name="search" id="sear" placeholder="Search">
    <button class="bttns">Search</button>
  </div>
</nav>

<!-- slider front page-->
<div class="slideshow-container">

  <div class="mySlides fade">
    <div class="numbertext"></div>
    
  </div>

  <div class="mySlides fade">
    <div class="numbertext"></div>
    
  </div>

  <div class="mySlides fade">
    <div class="numbertext"></div>
    
  </div>

  <div style="text-align:center" >
    <span class="dot"></span>
    <span class="dot"></span>
    <span class="dot"></span>
```

P3

```
</div>

</div>

<script>
var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    slideIndex++;
    if (slideIndex > slides.length) {slideIndex = 1}
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" active", "");
    }
    slides[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " active";
    setTimeout(showSlides, 4000); // Change image every 2 seconds
}
</script>
<section class="firstsection">
<div id="tit">
    WE<span id="underline">LCO</span>ME
</div>

<p id="welcome">
    <span> <span style="line-height: 1;"> <span style="font-size: 50px;font-family: cursive;">S</span>ri Maruthi is a company, established under a mission of service to humanity, we provide a wide range
        of pharmaceuticals and we are building a reputation of quality and integrity known around the world. The
        products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the highest safety and quality criteria were met.
</span>
</p>

</div>
```

```
</div>
</section>
<div class="h6">
<div id="titl">
    Se<span id="underline">rvic</span>es
</div>
<div class="tem">
<div id="t1">
    
    <b id="na1">Chemists</b>
</div>
<div id="t1">
    
    <b id="na1"><a>Surgical Equipment Dealers</a></b>
</div>
<div id="t1">
    
    <b id="na1">Pharmaceuticals Products Dealers</b>
</div>
<div id="t1">
    
    <b id="na1">Pharmaceuticals Products Manufactures</b>
</div>
<div id="t1">
    
    <b id="na1">Medical Equipment Dealers</b>
</div>
<div id="t1">
    
    <b id="na1">Medicine Wholesalers</b>
</div>
<div id="t1">
    
    <b id="na1">Surgical Face Mask Dealers</b>
</div>
<div id="t1">
    
    <b id="na1">N95 Face Mask Dealers</b>
</div>
<div id="t1">
    
    <b id="na1">Generic Medicine Distributors</b>
</div>
<div id="t1">
    
```

```

<b id="na1">Pharmaceuticals Products Wholesalers and Much more</b>
</div>
</div>
</div>
<div class="footer">
<table>
<tr>
<td><div class="flogo">

<p id="cn">&nbsp; Sri Maruthi Pharma</p>
</div>
</td> <td>&nbsp; &nbsp;</td> <td>&nbsp; &nbsp;</td>
<td>
<div class="con">
<p id="ci">CONTACT</p>
<span id="add"><span><i class="fas fa-map-marked-alt"></i>
&nbsp;Chhikkabanvara, Bangalor, Karnatka, India <br>
&nbsp;&nbsp; 560090 </span>

<span><i class="fas fa-phone-alt"></i>&nbsp;Phone: +1 5589 55488 55</span>
<span><i class="far fa-envelope"></i> &nbsp;&nbsp;Email:<br>
info@example.com</span> </span>

</div>
</td>
<td>
<div class="ql">
<p id="qln"> &nbsp;Quick Link</p>
<ul class="fql">
<li><a href="index.html"> &nbsp;Home</a></li>
<li><a href="About Us.html"> &nbsp;About Us</a></li>
<li><a href="contactus.html"> &nbsp;Contact Us</a></li>
</ul>
</div>
</td>
</tr>
</table>

<div class="copy">
<hr>
<div class="ali">
<div id="cr">

```

 © 2021 Shri Maruthi Pharma, India.
 All Right Reserved

```
</div>
<div id="sml">
    <a href="https://wa.me/9999444422"><i class="fab fa-whatsapp fa-2x"></i></a> <a href="facebook.in"><i class="fab fa-facebook-f fa-2x"></i></a> <a href="twitter.com"><i class="fab fa-twitter fa-2x"></i></a>

</div>
</div>

</div>
</body>
</html>
```

Contact Us Page Code:-

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <link rel="stylesheet" href="contactus.css">
    <script src="https://kit.fontawesome.com/89cdae8dc1.js"
crossorigin="anonymous"></script>
    <title>Contact us</title>
</head>

<body>
    <nav>
```

```
<ul class="nav-list">
    <div class="logo">
        
    </div>
    <div id="lin">
        <li><a href="index.html">Home</a></li>
        <li><a href="About Us.html">About Us</a></li>
        <li><a href="contactus.html">Contact Us</a></li> </div>
    </ul>

    <div class="rightn">
        <input type="search" name="search" id="sear" placeholder="Search">
        <button class="bttns">Search</button>
    </div>
</nav>
<section class="contact">
    <div class="content">
        <h2>Contact us</h2>

        </div>
    <div class="container">
        <div class="contactinfo">
            <div class="box">
                <div class="icon"><i class="fa fa-map-marker" aria-hidden="true"></i></div>
                <div class="text">
                    <h3>Address</h3>
                    <p>No.65, 1st Floor, 1st Main,<br> 3rd Cross, Chamarajpet, Near Royan Circle<br> Bangalore - 560018
                </p>
            </div>
        </div>
        <div class="box">
            <div class="icon"><i class="fa fa-phone" aria-hidden="true"></i></div>
            <div class="text">
                <h3>Phone</h3>
                <p>6200-XXXX-XX</p>
            </div>
        </div>
        <div class="box">
            <div class="icon"><i class="fa fa-envelope-o" aria-hidden="true"></i></div>
            <div class="text">
                <h3>Email</h3>
                <p>srimaruthi@gmail.com</p>
            </div>
        </div>
    </div>

```

P3

```
</div>
</div>
</div>
<div class="contactform">
    <form action="contactus.php" method="POST" onsubmit="alert('Thanku for Your
response')">
        <h2>Send Message</h2>
        <div class="inputbox">
            <input type="text" name="Name" required="required" >
            <span>Full Name</span>

        </div>
        <div class="inputbox">
            <input type="email" name="Email" required="required">
            <span>Email</span>

        </div>
        <div class="inputbox">
            <textarea required="required" name="msg"></textarea>
            <span>Type your Message</span>

        </div>
        <div class="inputbox">
            <input type="submit" name="submit" value="send" >
        </div>
    </form>
</div>
</div>

</section>
</div>
<div class="footer">
    <table>
        <tr>
            <td><div class="flogo">
                
                <p id="cn">&nbsp; Sri Maruthi Pharma</p>
            </div>
            </td> <td>&nbsp; &nbsp;</td></td> <td>&nbsp; &nbsp;</td>
            <td>
                <div class="con">
                    <p id="ci">CONTACT</p>
                    <span id="add">      <span><i class="fas fa-map-marked-alt"></i>
&nbsp;Chhikkabanvara, Bangalor, Karnatka, India <br>
&nbsp;&nbsp; 560090 </span>
                </div>
            </td>
        </tr>
    </table>
</div>
```

```
<span><i class="fas fa-phone-alt"></i>&nbsp;Phone: +1 5589 55488 55</span>
<span><i class="far fa-envelope"></i> &nbsp;&nbsp;Email:
info@example.com</span> </span>

</div>
</td>
<td>
<div class="ql">

<p id="qln"> &nbsp;Quick Link</p>

<ul class="fql">
<li><a href="index.html"> &nbsp;Home</a></li>
<li><a href="About Us.html"> &nbsp;About Us</a></li>
<li><a href="contactus.html"> &nbsp;Contact Us</a></li>
</ul>

</div>
</td>
</tr>
</table>

<div class="copy">
<hr>
<div class="ali">
<div id="cr">

<font face="arial" color="white"> &copy; 2021 Shri Maruthi Pharma,India. <br>All
Right Reserved</font>

</div>
<div id="sml">
<a href=" https://wa.me/9999444422"><i class="fab fa-whatsapp fa-2x"></i></a> <a
href="facebook.in"><i class="fab fa-facebook-f fa-2x"></i></a> <a href="twitter.com"><i
class="fab fa-twitter fa-2x"></i></a>
</div>

</div>
</div>
</body>

</html>
```

IMPLEMENTATION

Source Code (P2.CSS):

```
body {  
    margin: 0%;  
    padding: 0%;  
    display:flex;  
    flex-wrap: wrap;  
    flex-direction: column;  
}  
  
nav{  
    display: flex;  
}  
  
.logo{  
    width: 20%;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}  
  
.logo img{  
    height: 100px;  
    width: 300px;  
    max-width: 100%;  
}  
  
.nav-list{  
    margin: 0%;  
    padding: 0%;  
    width: 70%;  
    background-color:rgb(252, 246, 246);  
    align-items: center;  
    display:flex;  
}  
  
.nav-list li{  
    list-style: none;
```

P3

```
padding: 26px 30px;  
}  
  
.nav-list li a{  
    padding-top: 50px;  
    text-decoration: none;  
    color: #070707;  
}  
  
.rightn{  
    text-align: right;  
    width: 30%;  
    background-color:rgb(252, 246, 246);  
}  
  
#lin{  
    display: flex;  
    padding-top: 20px;  
    font-size: 15px;  
    padding-left: 50px;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}  
  
.nav-list li a:hover{  
    color: rgb(7, 190, 41);  
    border-bottom: 3px solid rgb(9, 243, 80);  
}  
  
.nav-list li a:active{  
    color: rgb(190, 7, 7);  
    border-bottom: 3px solid rgb(190, 7, 7);  
}  
  
#search{  
    margin-top: 35px;  
    padding: 5px;  
    font-size: 17px;
```

P3

```
border:2px solid gray;
border-radius:150px;
}

.btns{
    border-radius: 5px;
    background-color:rgba(0, 0, 0, 0.3)
}

.btns:hover{
    color: rgb(9, 62, 236);
    background-color: rgb(21, 156, 46);
}

.btns:active{
    background-color: rgb(190, 7, 7);
}

#search:hover{
    background-color: rgba(154, 151, 165, 0.438);
}

.h1{
    display:flex;
    flex-wrap: wrap;
    justify-content: center;
    padding:0%;
    margin: 0%;
    padding: 20px;
    font-family:Verdana, Geneva, Tahoma, sans-serif;
    text-shadow: 3px 3px #535856;
    font-size: 40px;
    color:rgb(244, 244, 247);
    max-width: 100%;
    background-color: rgb(21, 156, 46);
    height: 42px;
}

.h1:hover{
    font-size: 42px ;
}

.h2{
    display:flex;
    flex-wrap: wrap;
```

P3

```
flex-direction: row;
justify-content: center;
}

#name{
    margin-top: 15%;
    margin-bottom: 2%;
    padding: 0px 200px;
    text-align: center;
    font-weight: bold;
    font-style: initial;
    font-size: 100px;
    background: -webkit-linear-gradient(rgb(127, 243, 12), rgb(9, 146, 236));
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
}

}

#f{
    text-align: center;
    text-shadow: 2px 1px #535856;
    font-size: 45px;
    margin-top: 0px;
    font-family: serif;
}
.s{
    display: block;
    margin: 0px;
    padding: 0px;
    animation: moving;
    animation-duration: 2s;
    position: relative;
}

@keyframes moving{
    0%{
        left: 0px; top: 80px; opacity: 0%;
    }
    50%{
        left: 50px; top: 0px; opacity: 50%;
    }
}
```

P3

```
100%{
    left: 0px; top:0px;
}
}

.as{
    display: flex;
    flex-wrap: wrap;
    padding: 0px;
    margin: 0px;
    max-width: 100%;
    animation: rmoving;
    animation-duration: 2s;
    position: relative;
}

@keyframes rmoving{
    0%{
        right: 0px; top:80px; opacity: 0%;
    }
    50%{
        right: 50px; top:0px; opacity: 50%;
    }
    100%{
        right: 0px; top:0px;
    }
}

#detail{
    margin-top: 5%;
    font-size: 120%;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    max-width: 100%;
    display: flex;
    flex-wrap: wrap;
    margin-right: 0%;
    max-width: 870px;
    line-height: 2.5;
}

#title{
    display:flex;
    flex-wrap: wrap;
```

P3

```
justify-content: center;
padding: 70px;;
margin: 0%;
font-family: Verdana, Geneva, Tahoma, sans-serif;
text-shadow: 2px 2px #535856;
font-size: 40px;
color:rgb(10, 10, 10);
max-width: 100%;
height: 80px;

}

#title:hover{
    font-size: 45px;
}

#underline{
    border-bottom: 4px solid rgb(15, 223, 15);
    padding-bottom: 15px;
}

.h3{
    background-color: rgb(245, 244, 244);
}

.team{
    display: flex;
    flex-wrap: wrap;
    padding: 0%;
    justify-content: center;
    gap: 40px;
}

#t1{
    background-color: #ffffff;
    width: 250px ;
    height: 340px;
    border-top-left-radius: 21px;
    border-top-right-radius: 21px;
    border-bottom-left-radius: 21px;
    border-bottom-right-radius: 21px;
    display: grid;
    justify-content: center;
}

}
```

```
#t1 img{  
    width: 250px ;  
    height: 250px;  
    border-top-left-radius: 15px;  
    border-top-right-radius: 15px;  
}  
  
#t1 img:hover{  
    width: 260px;  
    height: 260px;  
}  
  
#na{  
    display: grid;  
    font-size: 100%;  
    padding-top: 3%;  
    justify-content: center;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}  
  
#capt{  
    display: grid;  
    justify-content: center;  
    color: rgb(197, 201, 199);  
}  
  
.footer{  
    background-color: #050505;  
    display: flex;  
    flex-wrap: wrap;  
    flex-direction: row;  
}  
  
@media only screen and (max-width:1140px) {  
    .nav-list{  
        flex-direction: column;  
        width: 100%;  
    }  
  
    nav{
```

P3

```
flex-direction: column;
}

.rightn{
    text-align: center;
    width:100%;
    padding-bottom: 20px;
}

}

#lin{
    flex-direction: column;
}
#search{
    margin-left: 35%;
    margin-right:25%;
}

}

.btns{
    margin: 20px;
    margin-left: 10%;
}

}

.h3{
    height: auto;
}
}

footer{
    margin: 0%;
    padding: 0%;
    display: flex;
}

}

table{
    background-color: black;
    width: 100%;
    padding:10px;
}

}

.flogo img{
height: 80px;
width: 200px;
}
```

P3

```
#cn{  
    font-family:Verdana, Geneva, Tahoma, sans-serif;  
    color:rgb(204, 204, 209);  
}  
  
.con{  
    color: rgb(161, 156, 156);  
}  
.con:hover{  
    color: white;  
}  
  
.ci{  
    color: rgb(250, 245, 245);  
    font-family:Verdana, Geneva, Tahoma, sans-serif;  
    font-size: 150%;  
}  
  
.add{  
    display: grid;  
    gap: 15px;  
}  
  
.ql{  
    color: rgb(148, 147, 147);  
}  
.ql:hover{  
    color: white;  
}  
  
.qln{  
    font-family:Verdana, Geneva, Tahoma, sans-serif;  
    font-size: 20px;  
    color:rgb(244, 244, 247);  
}  
.fql li{  
    list-style: none;  
}
```

P3

```
.fql li::before{  
content: "\00BB";  
}  
.fql li a{  
text-decoration: none;  
color: rgb(148, 147, 147);  
}  
.fql li a:hover{  
color: white;  
}  
  
.copy{  
width: 100%;  
}  
#sml{  
color: white;  
}  
#sml i{  
padding-left: 9px;  
padding-right: 9px;  
}  
#sml i:hover{  
color: rgb(15, 255, 55);  
}  
  
.ali{  
display:flex;  
}  
#cr{  
width: 90%;  
}  
 @media only screen and (max-width:756px)  
{  
table{  
width: 100%;  
}  
  
.flogo img{  
height: 30px;  
width: 50px;  
}
```

P3

```
#ci{  
    font-size: 6px;  
}  
  
#cn{  
    font-size: 8px;  
}  
  
#add{  
    font-size: 7px;  
    gap:5px;  
}  
  
#qln{  
    font-size: 8px;  
    text-align: center;  
}  
  
.fql{  
    font-size: 7px;  
}  
#cr{  
    width: 70%;  
}  
  
/* Slideshow container */  
.slideshow-container {  
    width: 100%;  
    position: relative;  
    margin: auto;  
    padding: 0%;  
    margin: 0%;  
}  
  
div img{  
    height: 400px;  
    width: 100%;  
}
```

```
/* Caption text */

/* The dots/bullets/indicators */
.dot {
    transition: background-color 1.6s ease;
}

.mySlides fade img{
    width: 100%;
}

/* Fading animation */
.fade {
    -webkit-animation-name: fade;
    -webkit-animation-duration: 2.5s;
    animation-name: fade;
    animation-duration: 2.5 s;
}

@-webkit-keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}

@keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}

/* On smaller screens, decrease text size */

#welcome{
    font-size: 120%;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    max-width: 100%;
    display: flex;
    flex-wrap: wrap;
    margin-right: 0%;
    line-height: 2.5;
    margin-bottom: 4%;
    padding: 3%;
```

P3

}

```
#sear{  
    margin-top: 35px;  
    padding: 5px;  
    font-size: 17px;  
    border: 2px solid gray;  
    border-radius: 150px;  
}  
  
#tit{  
    display: flex;  
    flex-wrap: wrap;  
    justify-content: center;  
    padding: 70px;;  
    margin: 0%;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
    text-shadow: 2px 2px #535856;  
    font-size: 40px;  
    color: rgb(10, 10, 10);  
    max-width: 100%;  
    height: 80px;  
}  
  
#titl{  
    display: flex;  
    flex-wrap: wrap;  
    justify-content: center;  
    padding: 70px;;  
    margin: 0%;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
    text-shadow: 2px 2px #535856;  
    font-size: 40px;  
    color: rgb(10, 10, 10);  
    max-width: 100%;  
    height: 80px;  
}  
  
{@media only screen and (max-width: 483px){  
    #tit{  
        font-size: 25px;  
        flex-wrap: nowrap;  
    }
```

P3

```
padding-bottom: 0.5%;  
}  
  
#titl{  
    font-size: 25px;  
    flex-wrap: nowrap;  
    padding-bottom: 0px;  
    margin-bottom: 15px;  
    padding: 0px;  
}  
  
}  
  
.h6{  
    background-color: rgb(245, 244, 244);  
}  
  
}  
  
.tem{  
    display: flex;  
    flex-wrap: wrap;  
    flex-direction: row;  
    padding: 0%;  
    justify-content: center;  
    gap: 40px;  
}  
#na1{  
    display: grid;  
    font-size: 65%;  
    padding-top: 3%;  
    justify-content: center;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}  
  
}  
  
@import  
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700;800;  
900&display=swap');  
*  
{  
    margin:0;  
    padding:0;  
    font-family: 'Poppins', sans-serif;  
}
```

P3

```
.contact
{
    position: relative;
    min-height: 100vh;
    padding: 50px 100px;
    display: flex;
    justify-content: center;
    align-items: center;
    flex-direction: column;
    background-size: cover;
    background-color: rgb(255, 255, 255);
}
.contact .content
{
    max-width: 800px;
    text-align: center;
}
.contact .content h2
{
    font-size: 36px;
    font-weight: 500;
    color: rgb(0, 0, 0);
    margin-bottom: 60px;
    animation: float 0.8s ease-in-out 1;
}
.contact .content p
{
    font-weight: 300;
    color: rgb(0, 0, 0);
}
.container
{
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    margin-top: 300;
}
.container .contactinfo
{
    width: 50%;
    display: flex;
    flex-direction: column;
```

P3

```
animation: float1 0.8s ease-in-out 1;

}

.container .contactinfo .box
{
    position: relative;
    padding: 20px 0;
    display: flex;

}

.container .contactinfo .box .icon
{
    min-width: 60px;
    height: 60px;
    display: flex;
    background: rgb(32, 221, 57);
    justify-content: center;
    align-items: center;
    border-radius: 50%;
    font-size: 22px;
}

.container .contactinfo .box .text
{
    display: flex;
    margin-left: 20px;
    font-size: 16px;
    color:rgb(7, 7, 7);
    flex-direction: column;
    font-weight: 300;
}

.container .contactinfo .box .text h3
{
    font-weight: 500;
    color: #0c0c0c;
}

.contactform
{
    width: 40%;
    padding: 40px;
    background: #29ffb8da;
    animation: float2 0.8s ease-in-out 1;
}

.contactform h2
{
    font-size: 30px;
```

P3

```
color: #333;
font-weight: 500;

}

.contactform .inputbox
{
    position: relative;
    width: 100%;
    margin-top: 10px;

}

.contactform .inputbox input,
.contactform .inputbox textarea
{
    width: 100%;
    padding: 5px 0;
    font-size: 16px;
    margin: 10px 0;
    border: none;
    border-bottom: 2px solid #333;
    outline: none;
    resize: none;

}

.contactform .inputbox span
{
    position: absolute;
    left: 0;
    padding: 5px 0;
    font-size: 16px;
    margin: 10px 0;
    pointer-events: none;
    transition: 0.5s;
    color: #666;
}

.contactform .inputbox input:focus ~ span,
.contactform .inputbox input:valid ~ span,
.contactform .inputbox textarea:focus ~ span,
.contactform .inputbox textarea:valid ~ span
{
    color:#e91e63;
    font-size: 12px;
    transform: translateY(-20px);

}
```

P3

```
.contactform .inputbox input[type="submit"]  
{  
    width: 100px;  
    background: #12ec1d;  
    color: #fff;  
    border:none;  
    cursor: pointer;  
    padding: 10px;  
    font-size: 18px;  
}  
  
.contactform .inputbox input[type="submit"]:hover{  
  
    background: cyan;  
}  
  
@media (max-width:991px)  
{  
    .contact  
    {  
        padding: 50px;  
    }  
    .container  
    {  
        flex-direction: column;  
    }  
    .container .contactinfo  
    {  
        margin-bottom: 40px;  
    }  
    .container .contactinfo,  
    .contactform  
    {  
        width: 100%;  
    }  
}  
@keyframes float{  
    0%{  
        transform:translatey(-100px);  
    }  
  
    100%{  
        transform: translateY(0px);  
    }  
}
```

```
}
```

```
@keyframes float1{
```

```
 0%{
```

```
    transform: translateX(-150px);
```

```
}
```

```
 100%{
```

```
    transform: translateX(0px);
```

```
}
```

```
}
```

```
@keyframes float2{
```

```
 0%{
```

```
    transform: translateX(150px);
```

```
}
```

```
 100%{
```

```
    transform: translateX(0px);
```

```
}
```

```
}
```

```
#sear{
```

```
  margin-top: 35px;
```

```
  padding: 5px;
```

```
  font-size: 17px;
```

```
  border:2px solid gray;
```

```
  border-radius:150px;
```

```
}
```

IMPLEMENTATION

Source Code (P2.php):

```
<?php
//creating connection to database
$con=mysqli_connect("localhost","root","","smp") or die(mysqli_error());

//check whether submit button is pressed or not
if(isset($_POST['submit']))
{
    //fetching and storing the form data in variables
    $Name = $con->real_escape_string($_POST['Name']);
    $Email = $con->real_escape_string($_POST['Email']);
    $message = $con->real_escape_string($_POST['msg']);


    //query to insert the variable data into the database
    $sql="INSERT INTO contactus (name, email, message) VALUES
('".$Name."','".$Email."','".$message."')";

    //Execute the query and returning a message
    if(!$result = $con->query($sql)){
        die('Error occured [' . $conn->error . ']');
    }
    else
        echo "Thank you! We will get in touch with you soon";
}
?>
```

IMPLEMENTATION

Snapshots :

Html




This screenshot shows the Visual Studio Code interface with the file `index.html` open. The code implements a navigation bar with three items: Home, About Us, and Contact Us. It also includes a search bar and a logo. The code uses CSS classes like `nav-list`, `rightn`, and `logon` to structure the navigation.

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>sri maruti pharma website</title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css"/>
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <script src="https://kit.fontawesome.com/89cdae8dc1.js" crossorigin="anonymous"></script>
  </head>
  <body>
    <nav>
      <ul class="nav-list">
        <div class="logon">
          
        </div>
        <div id="lin">
          <li><a href="#">Home</a></li>
          <li><a href="#">About Us</a></li>
          <li><a href="#">Contact Us</a></li>
        </ul>
      </div>
      <div class="rightn">
        <input type="search" name="search" id="sear" placeholder="Search">
        <button class="bttns">Search</button>
      </div>
    </nav>
  </body>
</html>

```



This screenshot shows the Visual Studio Code interface with the file `index.html` open. The code implements a slider with three images and corresponding navigation dots. The code uses CSS classes like `slideshow-containern`, `mySlides fade`, and `numbertext`.

```

<!-- slider front page-->
<div class="slideshow-containern">
  <div class="myslides fade">
    <div class="numbertext"></div>
    
  </div>
  <div class="myslides fade">
    <div class="numbertext"></div>
    
  </div>
  <div class="myslides fade">
    <div class="numbertext"></div>
    
  </div>
  <div style="text-align:center" >
    <span class="dot"></span>
    <span class="dot"></span>
    <span class="dot"></span>
  </div>

```

P3

The screenshot shows the Visual Studio Code interface with the file `index.html` open. The code implements a slide show with navigation dots. A portion of the content includes:

```
64 <script>
65 var slideIndex = 0;
66 showslides();
67
68 function showslides() {
69     var i;
70     var slides = document.getElementsByClassName("mySlides");
71     var dots = document.getElementsByClassName("dot");
72     for (i = 0; i < slides.length; i++) {
73         slides[i].style.display = "none";
74     }
75     slideIndex++;
76     if (slideIndex > slides.length) {slideIndex = 1}
77     for (i = 0; i < dots.length; i++) {
78         dots[i].className = dots[i].className.replace(" active", "");
79     }
80     slides[slideIndex-1].style.display = "block";
81     dots[slideIndex-1].className += " active";
82     setTimeout(showslides, 4000); // Change image every 2 seconds
83 }
84 </script>
85 <section class="firstsection">
86     <div id="tit">
87         <b><u>About Us</u></b>
88     </div>
89
90     <p id="welcome">
91         <span> Sri Maruthi is a company established under a m
92         of pharmaceuticals and we are building a reputation of quality and integrity known around the world. The
93         products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the hig
94     </span>
95     <span style="line-height: 1;"> Sri Maruthi is a company established under a m
96     <span style="font-size: 50px; font-family: cursive;">S</span>ri Maruthi is a company established under a m
97     </span>
98
99     </p>
100
101 </section>
102 <div class="h6">
103     <div id="tit">
104         <b><u>Services</u></b>
105     </div>
106     <div class="tem">
107         <div id="ti">
108             
109             <b><u>Chemists</u></b>
110         </div>
111         <div id="ti">
112             
113             <b><u>Surgical Equipment Dealers</u></b>
114         </div>
115         <div id="ti">
116             
117             <b><u>Pharmaceuticals Products Dealers</u></b>
118         </div>
119         <div id="ti">
120             
121             <b><u>Pharmaceuticals Products Manufacturers</u></b>
122         </div>
123         <div id="ti">
124             
```

Below the code editor, the status bar shows "Screen Reader Optimized" and the date/time "21-09-2021 11:20 PM".

The screenshot shows the Visual Studio Code interface with the file `index.html` open. The code implements a slide show with navigation dots. A portion of the content includes:

```
94 </span>
95     </div>
96
97     </div>
98
99     </div>
100
101 </div>
102 <div class="h6">
103     <div id="tit">
104         <b><u>Services</u></b>
105     </div>
106     <div class="tem">
107         <div id="ti">
108             
109             <b><u>Chemists</u></b>
110         </div>
111         <div id="ti">
112             
113             <b><u>Surgical Equipment Dealers</u></b>
114         </div>
115         <div id="ti">
116             
117             <b><u>Pharmaceuticals Products Dealers</u></b>
118         </div>
119         <div id="ti">
120             
121             <b><u>Pharmaceuticals Products Manufacturers</u></b>
122         </div>
123         <div id="ti">
124             
```

Below the code editor, the status bar shows "Screen Reader Optimized" and the date/time "21-09-2021 11:20 PM".

P3

The screenshot shows the Visual Studio Code interface with the file `index.html` open. The code includes HTML, CSS, and JavaScript. It features a header with two logos, a contact section with an address and phone number, and a footer with a quick link menu and copyright information.

```

<b id="nai">Pharmaceuticals Products Wholesalers and Much more</b>

<p id="cn">&nbsp; Sri Maruthi Pharma</p>
<span id="add"> <span><i class="fas fa-map-marked-alt"></i> &nbsp;Chikkaballapur, Bangalore, Karnataka, India <br>
&nbsp;&nbsp; 560090 </span>
<span><i class="fas fa-phone-alt"></i>&nbsp;Phone: +91 98888 55488 55</span>
<span><i class="far fa-envelope"></i>&nbsp;&nbsp;Email: info@example.com</span> </span>
<ul class="fql">
<li><a href="index.html"> &nbsp;Home</a></li>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

>Loading configuration...
Done loading configuration

Screen Reader Optimized Ln 14, Col 10 Spaces: 2 UTF-8 CRLF HTML Go Live 23:20 11:20 PM 21-09-2021

The screenshot shows the Visual Studio Code interface with the file `index.html` open. The code is identical to the previous screenshot but includes additional content at the bottom of the page, such as a copyright notice and social media links.


```
<p id="qIn"> &nbsp;Quick Link</p>
<ul class="fql">
<li><a href="index.html"> &nbsp;Home</a></li>
<li><a href="About Us.html"> &nbsp;About Us</a></li>
<li><a href="contactus.html"> &nbsp;Contact Us</a></li>
</ul>
<div class="copy">
<font face="arial" color="white"> &copy; 2021 Shri Maruthi Pharma, India. <br> All Right Reserved</font>
</div>
<div id="sml">
<a href="https://wa.me/9999444422"><i class="fab fa-whatsapp fa-2x"></i></a> <a href="facebook.in"><i class="fab fa-facebook-f fa-2x"></i></a>
</div>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

>Loading configuration...
Done loading configuration

Screen Reader Optimized Ln 14, Col 10 Spaces: 2 UTF-8 CRLF HTML Go Live 23:20 11:20 PM 21-09-2021

P3




File Edit Selection View Go Run Terminal Help contactus.html - Project 2 - Visual Studio Code

PROJECT 2

- index.html
- contactus.html
- About Us.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <link rel="stylesheet" href="contactus.css">
    <script src="https://kit.fontawesome.com/89cd8dc1.js" crossorigin="anonymous"></script>
    <title>Contact us</title>
  </head>
  <body>
    <nav>
```

The screenshot shows the Visual Studio Code interface with the 'contactus.html' file open. The code displays a basic navigation bar with links to 'index.html', 'About Us.html', and the current file 'contactus.html'. It also includes a search bar.



File Edit Selection View Go Run Terminal Help contactus.html - Project 2 - Visual Studio Code

PROJECT 2


- index.html
- contactus.html
- About Us.html

```
</nav>
<section class="contact">
  <div class="content">
    <h2>Contact us</h2>
  </div>
  <div class="container">
    <div class="contactinfo">
      <div class="box">
        <div class="icon"><i class="fa fa-map-marker" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Address:</h3>
          <p>No.65, 1st Floor, 1st Main,<br> 3rd Cross, Chamrajpet, Near Royan Circle<br> Bangalore - 560018</p>
        </div>
      </div>
      <div class="box">
        <div class="icon"><i class="fa fa-phone" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Phone:</h3>
          <p>+91 9876543210</p>
        </div>
      </div>
      <div class="box">
        <div class="icon"><i class="fa fa-envelope-o" aria-hidden="true"></i></div>
        <div class="text">
          <h3>Email:</h3>
          <p>srimaruthi@gmail.com</p>
        </div>
      </div>
    </div>
  </div>

```


The screenshot shows the Visual Studio Code interface with the 'contactus.html' file open. The code now includes a section for contact information, featuring three boxes for address, phone number, and email, each with an associated icon.

P3



```
<!DOCTYPE html>
<html>
<head>
    <title>About Us</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <script src="https://kit.fontawesome.com/89cdae8dc1.js" crossorigin="anonymous"></script>
</head>
<body>
    <nav>
        <ul class="nav-list">
            <div class="logo">
                
            </div>
            <div id="lin">
                <li><a href="index.html">Home</a></li>
                <li><a href="About Us.html">About Us</a></li>
                <li><a href="contactus.html">Contact Us</a></li>
            </div>
        </ul>
        <div class="rightn">
            <input type="search" name="search" id="search" placeholder="Search">
            <button class="bttns">Search</button>
        </div>
    </nav>
    <div class="aboutus">
        <div class="hi">
            <h1>About Us</h1>
        </div>
        <div class="h2">
            <section class="s"> <p id="name">
                SMP
            </p>
            <p id="f">
                Sri Maruthi Pharma
            </p>
        </section>
        <aside class="as">
            <p id="detail">
                <span style="line-height: 1;"> <span style="font-size: 50px; font-family: cursive;">S</span>ri Maruthi Pharma is a company wide range of pharmaceuticals and we are building a reputation of quality <span> and integrity known around the world. <br><br>
                The products that we supply at&nbsp; SMP Meets the best &nbsp;safety and quality standards. We are being audited regularly by&nbsp; officials to ensure that &nbsp;the highest safety and &nbsp;quality criteria were met. <br><br>
            </span>
            </p>
        </aside>
    </div>
    <div class="h3">
        <div id="title">

```



```
<!DOCTYPE html>
<html>
<head>
    <title>About Us</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" type="text/css" href="About Us.css">
    <script src="https://kit.fontawesome.com/89cdae8dc1.js" crossorigin="anonymous"></script>
</head>
<body>
    <nav>
        <ul class="nav-list">
            <div class="logo">
                
            </div>
            <div id="lin">
                <li><a href="index.html">Home</a></li>
                <li><a href="About Us.html">About Us</a></li>
                <li><a href="contactus.html">Contact Us</a></li>
            </div>
        </ul>
        <div class="rightn">
            <input type="search" name="search" id="search" placeholder="Search">
            <button class="bttns">Search</button>
        </div>
    </nav>
    <div class="aboutus">
        <div class="hi">
            <h1>About Us</h1>
        </div>
        <div class="h2">
            <section class="s"> <p id="name">
                SMP
            </p>
            <p id="f">
                Sri Maruthi Pharma
            </p>
        </section>
        <aside class="as">
            <p id="detail">
                <span style="line-height: 1;"> <span style="font-size: 50px; font-family: cursive;">S</span>ri Maruthi Pharma is a company wide range of pharmaceuticals and we are building a reputation of quality <span> and integrity known around the world. <br><br>
                The products that we supply at&nbsp; SMP Meets the best &nbsp;safety and quality standards. We are being audited regularly by&nbsp; officials to ensure that &nbsp;the highest safety and &nbsp;quality criteria were met. <br><br>
            </span>
            </p>
        </aside>
    </div>
    <div class="h3">
        <div id="title">
```

P3

```
<div>
  <div class="flogo">
    
    <p id="cn">&nbsp; Sri Maruthi Pharma</p>
  </div>
  <div id="add"> <span><i class="fas fa-map-marked-alt"></i> &nbsp;Chikkaballapur, Bangalore, Karnataka, India <br> &nbsp;&nbsp;560090 </span>
  <span><i class="fas fa-phone-alt"></i>&nbsp;Phone: +91 98888 55488 55</span>
  <span><i class="far fa-envelope"></i> &nbsp;&nbsp;Email: info@example.com</span> </span>
  </div>
</td>
<td>
  <div class="qln">
    <p id="qln"> &nbsp;Quick Link</p>
    <ul class="fql">
      <li><a href="index.html"> &nbsp;Home</a></li>
      <li><a href="About Us.html"> &nbsp;About Us</a></li>
      <li><a href="contactus.html"> &nbsp;Contact Us</a></li>
    </ul>
  </div>
</td>
</tr>
</table>
</div>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

Loading configuration...
Done loading configuration

Pip package updater

Screen Reader Optimized Ln 126, Col 225 Tab Size: 4 UTF-8 CRLF HTML Go Live 11:21 PM 21-09-2021

```
<div>
  <div class="fql">
    <li><a href="index.html"> &nbsp;Home</a></li>
    <li><a href="About Us.html"> &nbsp;About Us</a></li>
    <li><a href="contactus.html"> &nbsp;Contact Us</a></li>
  </ul>
</div>
</td>
</tr>
</table>
<div class="copy">
  <hr>
  <div class="ali">
    <div id="cr">
      <font face="arial" color="white"> &copy; 2021 Shri Maruthi Pharma, India. <br> All Right Reserved</font>
    </div>
    <div id="sml">
      <a href="https://wa.me/9999444422"><i class="fab fa-whatsapp fa-2x"></i></a> <a href="facebook.in"><i class="fab fa-facebook-f fa-2x"></i></a>
    </div>
  </div>
</div>
</body>
</html>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE


Loading configuration...
Done loading configuration

Pip package updater

Screen Reader Optimized Ln 126, Col 225 Tab Size: 4 UTF-8 CRLF HTML Go Live 11:21 PM 21-09-2021

P3

Css



A screenshot of Visual Studio Code showing the CSS file `About Us.css`. The code defines a navigation bar with a logo and a list of links. The logo is centered and has a maximum width of 100%. The navigation list items have padding of 26px top and 30px bottom, and a color of #070707. The right section of the navigation bar has a width of 30% and a background color of #252424.

```
# About Us.css > body
body{
    margin: 0;
    padding: 0;
    display: flex;
    flex-wrap: wrap;
    flex-direction: column;
}


nav{
    display: flex;
}

.logo{
    width: 20%;
    display: flex;
    justify-content: center;
    align-items: center;
}

.logo img{
    height: 100px;
    width: 300px;
    max-width: 100%;
}

.nav-list{
    margin: 0;
    padding: 0;
    width: 70%;
    background-color: #252424;
    align-items: center;
    display:flex;
}

.nav-list li{
    list-style: none;
}
```



A screenshot of Visual Studio Code showing the continuation of the CSS file `About Us.css`. It includes styles for the `.rightn` class, which has a text-align of right, a width of 30%, and a background color of #252424. It also includes a style for the `#lin` class, which has a display of flex, a padding-top of 20px, a font-size of 15px, a padding-left of 50px, and a font-family of Verdana, Geneva, Tahoma, sans-serif. The `.nav-list li:hover` pseudo-class changes the color to #7f1900 and adds a border-bottom of 3px solid #992a80.

```
.rightn{
    text-align: right;
    width: 30%;
    background-color: #252424;
}

#lin{
    display: flex;
    padding-top: 20px;
    font-size: 15px;
    padding-left: 50px;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.nav-list li:hover{
    color: #7f1900;
    border-bottom: 3px solid #992a80;
}
```

P3

The screenshot shows the Visual Studio Code interface with the file `About Us.css` open. The code defines styles for various elements including navigation lists, a search input, and buttons. The `body` has a background color of #f0f0f0. The `.nav-list` class is used for a navigation menu with items for 'About Us' and 'Contact'. The `#search` input has a margin-top of 35px, padding of 5px, and a font-size of 17px. The `.btns` class is used for buttons with rounded corners and a background color of #e0e0e0. The `#search:hover` pseudo-class changes the background color to #d0d0d0.

```
# About Us.css > body
.b/
68 .nav-list li a:hover{
69   color: #rgb(7, 190, 41);
70   border-bottom: 3px solid #rgb(9, 243, 80);
71 }
72 }
73 .nav-list li a:active{
74   color: #rgb(190, 7, 7);
75   border-bottom: 3px solid #rgb(190, 7, 7);
76 }
77 }
78 }
79 #search{
80   margin-top: 35px;
81   padding: 5px;
82   font-size: 17px;
83   border: 2px solid #gray;
84   border-radius: 15px;
85 }
86 }
87 .btns{
88   border-radius: 5px;
89   background-color: #rgba(0, 0, 0, 0.3);
90 }
91 }
92 .btns:hover{
93   color: #rgb(9, 62, 236);
94   background-color: #rgb(21, 156, 46);
95 }
96 }
97 .btns:active{
98   background-color: #rgb(190, 7, 7);
99 }
100 }
101 #search:hover{
102   background-color: #rgba(154, 151, 165, 0.438);
103 }
104 }
```

The screenshot shows the Visual Studio Code interface with the file `About Us.css` open. The code continues from the previous snippet, defining styles for the `#search: hover` pseudo-class, the `.h1` heading, the `.h1: hover` pseudo-class, the `.h2` heading, and the `#name` element. The `.h1` heading has a font-size of 40px, a color of #rgb(244, 244, 247), and a background-color of #rgb(21, 156, 46). The `.h1: hover` pseudo-class increases the font-size to 42px. The `.h2` heading has a font-size of 40px, a color of #rgb(244, 244, 247), and a background-color of #rgb(21, 156, 46). The `#name` element has a margin-top of 15%, a margin-bottom of 2%, and a padding of 0px 200px, with text-align set to center.

```
# About Us.css > body
101 #search: hover{
102   background-color: #rgba(154, 151, 165, 0.438);
103 }
104 }
105 .h1{
106   display: flex;
107   flex-wrap: wrap;
108   justify-content: center;
109   padding: 0;
110   margin: 0;
111   padding: 20px;
112   font-family: Verdana, Geneva, Tahoma, sans-serif;
113   text-shadow: 3px 3px ##35856;
114   font-size: 40px;
115   color: #rgb(244, 244, 247);
116   max-width: 100%;
117   background-color: #rgb(21, 156, 46);
118   height: 42px;
119 }
120 }
121 .h1: hover{
122   font-size: 42px ;
123 }
124 }
125 .h2{
126   display: flex;
127   flex-wrap: wrap;
128   flex-direction: row;
129   justify-content: center;
130 }
131 }
132 }
133 #name{
134   margin-top: 15%;
135   margin-bottom: 2%;
136   padding: 0px 200px;
137   text-align: center;
138 }
```

P3

The screenshot shows the Visual Studio Code interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Editor:** The main area displays the CSS code for 'About Us.css'. The code includes styles for a body element with a linear gradient background, a name element with a 15% margin-top, and a font element with a 45px font-size and serif font-family. It also defines a keyframe 'moving' for an animation that moves from left: 0px; top: 80px; opacity: 0% to left: 50px; top: 0px; opacity: 50%, and another keyframe 'rmoving' for an animation that moves from right: 0px; top: 80px; opacity: 0% to right: 50px; top: 0px; opacity: 50%.
- Explorer:** Shows the project structure for 'PROJECT 2' with files like 'About Us.html', 'contactus.css', 'contactus.html', 'contactus.php', 'index.html', and 'style.css'.
- Search Bar:** 'Type here to search'.
- Bottom Status Bar:** Screen Reader Optimized, Line 1, Col 1, Tab Size: 4, UTF-8, CRLF, CSS, Go Live, 11:32 PM, 21-09-2021.

This screenshot shows a continuation of the 'About Us.css' file from the previous one, with the following additional content:

```
164 @keyframes moving{
165   0%{
166     left: 0px; top:80px; opacity: 0%;
167   }
168   50%{
169     left: 50px; top:0px; opacity: 50%;
170   }
171   100%{
172     left: 0px; top:0px;
173   }
174 }
175 .as{
176   display: flex;
177   flex-wrap: wrap;
178   padding: 0px;
179   margin: 0px;
180   max-width: 100%;
181   animation: rmoving;
182   animation-duration: 2s;
183   position: relative;
184 }
185 @keyframes rmoving{
186   0%{
187     right: 0px; top:80px; opacity: 0%;
188   }
189   50%{
190     right: 50px; top:0px; opacity: 50%;
191   }
192   100%{
193     right: 0px; top:0px;
194   }
195 }
```

The bottom status bar remains the same as in the first screenshot.

P3

File Edit Selection View Go Run Terminal Help

About Us.css - Project 2 - Visual Studio Code

```
# contactus.css # style.css # About Us.css 1 x
# About Us.css > body
203
204 #detail{
205 margin-top: 5%;
206 font-size: 120%;
207 font-family: Verdana, Geneva, Tahoma, sans-serif;
208 max-width: 100%;
209 display: flex;
210 flex-wrap: wrap;
211 margin-right: 0%;
212 max-width: 870px;
213 line-height: 2.5;
214 }
215
216 #title{
217 display:flex;
218 flex-wrap: wrap;
219 justify-content: center;
220 padding: 70px;
221 margin: 0;
222 font-family:Verdana, Geneva, Tahoma, sans-serif;
223 text-shadow: 2px 2px ■#535856;
224 font-size: 40px;
225 color: □rgb(10, 10, 10);
226 max-width: 100%;
227 height: 80px;
228 }
229
230 #title:hover{
231 font-size: 45px;
232 }
233
234 #underline{
235 border-bottom: 4px solid ■rgb(15, 223, 15);
236 padding-bottom: 15px;
237 }
238
239 .h3{
```

Screen Reader Optimized Ln 1, Col 1 Tab Size: 4 UTF-8 CRLF CSS Go Live 23:32 11:32 PM 21-09-2021

File Edit Selection View Go Run Terminal Help

About Us.css - Project 2 - Visual Studio Code

```
# contactus.css # style.css # About Us.css 1 x
# About Us.css > body
240 .h3{
241 background-color: ■rgb(245, 244, 244);
242 }
243
244 .team{
245 display: flex;
246 flex-wrap: wrap;
247 padding: 0%;
248 justify-content: center;
249 gap: 40px;
250 }
251
252 #t1{
253 background-color: ■#ffffff;
254 width: 250px ;
255 height: 340px;
256 border-top-left-radius: 21px;
257 border-top-right-radius: 21px;
258 border-bottom-left-radius: 21px;
259 border-bottom-right-radius: 21px;
260 display: grid;
261 justify-content: center;
262 }
263
264
265
266
267 #t1 img{
268 width: 250px ;
269 height: 250px;
270 border-top-left-radius: 15px;
271 border-top-right-radius: 15px;
272 }
273
274 #t1 img:hover{
275 width: 260px;
276 height: 260px;
```

Screen Reader Optimized Ln 1, Col 1 Tab Size: 4 UTF-8 CRLF CSS Go Live 23:32 11:32 PM 21-09-2021

P3

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open. The code includes styles for a header image, a main area, a caption, a footer, and a media query for small screens. The code uses grid and flexbox properties.

```
# contactus.css      # style.css      # About Us.css 1
# About Us.css > body
273
274 #t1 img:hover{
275     width: 260px;
276     height: 260px;
277 }
278
279 #na{
280     display: grid;
281     font-size: 100%;
282     padding-top: 3px;
283     justify-content: center;
284     font-family: Verdana, Geneva, Tahoma, sans-serif;
285 }
286
287 #capt{
288     display: grid;
289     justify-content: center;
290     color: #rgb(197, 201, 199);
291 }
292
293 .footer{
294     background-color: #050505;
295     display: flex;
296     flex-wrap: wrap;
297     flex-direction: row;
298 }
299
300
301 @media only screen and (max-width:1140px) {
302     .nav-list{
303         flex-direction: column;
304         width: 100%;
305     }
306
307     nav{
308         flex-direction: column;
309     }
310 }
```

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open. The code includes styles for a navigation bar, right and left sections, search input, buttons, headings, and a footer. The code uses various CSS properties like flex-direction, text-align, and margin.

```
# contactus.css      # style.css      # About Us.css 1
# About Us.css > body
306
307 nav{
308     flex-direction: column;
309 }
310
311 .rightn{
312     text-align: center;
313     width: 100%;
314     padding-bottom: 20px;
315 }
316
317 }
318
319 #lin{
320     flex-direction: column;
321 }
322 #search{
323     margin-left: 35%;
324     margin-right: 25%;
325 }
326
327 .bttns{
328     margin: 20px;
329     margin-left: 10%;
330 }
331
332
333 .h3{
334     height: auto;
335 }
336
337 footer{
338     margin: 0%;
339     padding: 0%;
340     display: flex;
341 }
342
343 table
```

P3

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open in the editor. The code defines styles for a navigation bar and a contact section.

```
# contactus.css      # style.css      # About Us.css 1
# About Us.css > body
346     padding:10px;
347 }
348 }
349 .flogo img{
350 height: 80px;
351 width: 200px;
352 }
353 }
354 #cn{
355 font-family:Verdana, Geneva, Tahoma, sans-serif;
356 color: #rgb(204, 204, 209);
357 }
358 .con{
359 color: #rgb(161, 156, 156);
360 }
361 .con:hover{
362 color: #white;
363 }
364 }
365 #ci{
366 color: #rgb(250, 245, 245);
367 font-family:Verdana, Geneva, Tahoma, sans-serif;
368 font-size: 150%;
369 }
370 #add{
371 display: grid;
372 gap: 15px;
373 }
374 }
375 .ql{
376 color: #rgb(148, 147, 147);
377 }
378 }
```

The status bar at the bottom shows the file is 'Screen Reader Optimized' with 'Ln 1, Col 1' and other details like 'Tab Size: 4', 'UTF-8', 'CRLF', 'CSS', 'Go Live', and the date '21-09-2021'.

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open in the editor. The code continues from the previous snippet, defining styles for a footer and social media links.

```
# contactus.css      # style.css      # About Us.css 1
# About Us.css > body
389
390 #qln{
391 font-family:Verdana, Geneva, Tahoma, sans-serif;
392 font-size: 20px;
393 color: #rgb(244, 244, 247);
394 }
395 .fql li{
396 list-style: none;
397 }
398 .fql li::before{
399 content: "\00BB";
400 }
401 .fql li a{
402 text-decoration: none;
403 color: #rgb(148, 147, 147);
404 }
405 .fql li a:hover{
406 color: #white;
407 }
408 }
409
410 .copy{
411 width: 100%;
412 }
413 #smi{
414 color: #white;
415 }
416 #smi i{
417 padding-left: 9px;
418 padding-right: 9px;
419 }
420 #smi i:hover{
421 color: #rgb(15, 255, 55);
422 }
423
424 }
425 }
```

The status bar at the bottom shows the file is 'Screen Reader Optimized' with 'Ln 1, Col 1' and other details like 'Tab Size: 4', 'UTF-8', 'CRLF', 'CSS', 'Go Live', and the date '21-09-2021'.

P3

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open. The code is a CSS stylesheet for a contact form, featuring media queries for mobile devices. It includes styles for a flex container, input fields, and various form labels and descriptions.

```
# contactus.css      # style.css      # About Us.css 1 X
PROJECT 2
> img
# About Us.css 1
About Us.html
# contactus.css
contactus.html
# contactus.php
index.html
# style.css

426 .all{
427   display:flex;
428 }
429 #cr{
430   width: 90%;
431 }
432 @media only screen and (max-width:756px)
433 {
434   table{
435     width: 100%;
436   }
437
438   .flogo img{
439     height: 30px;
440     width: 50px;
441   }
442
443   #ci{
444     font-size: 6px;
445   }
446
447   #cn{
448     font-size: 8px;
449   }
450
451   #add{
452     font-size: 7px;
453     gap:5px;
454
455   }
456
457
458   #qln{
459     font-size: 8px;
460     text-align: center;
461
462   }
463
464   .fq1{
465     font-size: 7px;
466   }
467
468   #cr{
469     width: 70%;
470   }
471
472
473 }

Screen Reader Optimized Ln 1, Col 1 Tab Size: 4 UTF-8 CRLF CSS Go Live 23:32 11:32 PM 21-09-2021
```

The screenshot shows the Visual Studio Code interface with the 'About Us.css' file open. The code has been updated to include a footer section, specifically targeting the 'body' element. The footer includes a logo, contact information, and a copyright notice.

```
# contactus.css      # style.css      # About Us.css 1 X
PROJECT 2
> img
# About Us.css 1
About Us.html
# contactus.css
contactus.html
# contactus.php
index.html
# style.css

439 height: 30px;
440 width: 50px;
441 }
442
443 #ci{
444 font-size: 6px;
445 }
446
447 #cn{
448 font-size: 8px;
449 }
450
451 #add{
452 font-size: 7px;
453 gap:5px;
454
455 }
456
457
458 #qln{
459 font-size: 8px;
460 text-align: center;
461
462 }
463
464 .fq1{
465 font-size: 7px;
466 }
467
468 #cr{
469 width: 70%;
470 }
471
472
473 }

Screen Reader Optimized Ln 1, Col 1 Tab Size: 4 UTF-8 CRLF CSS Go Live 23:32 11:32 PM 21-09-2021
```

P3

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows a project named "PROJECT 2" containing files: img, About Us.css, About Us.html, contactus.css, contactus.html, contactus.php, index.html, and style.css.
- Code Editor:** The active tab is "style.css". The code defines a slideshow container with a relative position, auto margin, and padding. It includes styles for images (height: 400px, width: 100%), dots (transition: background-color 1.6s ease), and slides (width: 100%, height: 100%). It also defines a fade animation with keyframes for webkit browsers.
- Status Bar:** Shows "Screen Reader Optimized", "Ln 1, Col 1", "Tab Size: 4", "UTF-8", "CRLF", "CSS", "Go Live", "23:33", and the date "21-09-2021".

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows a project named "PROJECT 2" containing files: img, About Us.css, About Us.html, contactus.css, contactus.html, contactus.php, index.html, and style.css.
- Code Editor:** The active tab is "style.css". The code continues from the previous snippet, defining a fade animation with keyframes for standard browsers. It then defines styles for the "#welcome" section, including font-size, font-family (Verdana, Geneva, Tahoma, sans-serif), max-width, display (flex), flex-wrap, margin-right, line-height, margin-bottom, and padding. It also defines styles for the "#search" section, including margin-top, padding, font-size, border (2px solid gray), and border-radius (150px).
- Status Bar:** Shows "Screen Reader Optimized", "Ln 1, Col 1", "Tab Size: 4", "UTF-8", "CRLF", "CSS", "Go Live", "23:33", and the date "21-09-2021".

P3

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows files in the "PROJECT 2" folder, including "About Us.css", "About Us.html", "contactus.css", "contactus.html", "contactus.php", "index.html", and "style.css".
- Code Editor:** Displays the content of "style.css". The code includes media queries for screens up to 483px wide, defining styles for sections like #sear, #tit, .titl, and .h6.
- Status Bar:** Shows "Screen Reader Optimized", "Ln 1, Col 1", "Tab Size: 4", "UTF-8", "CRLF", "CSS", "Go Live", "11:33 PM", "21-09-2021", and a battery icon.

This screenshot shows the same Visual Studio Code environment as above, but with additional styling for screens up to 483px wide. The code editor now includes:

- A media query "@media only screen and (max-width:483px) {".
- Styling for ".titl" and ".titl" (likely typos for ".titl") with smaller font sizes and nowrap flex-wrap.
- Styling for ".h6" with a light blue background color.
- Styling for ".tem" with flex-direction: row and gap: 40px.
- Styling for "#nai" with a grid layout, 65% font size, and center justify-content.

The status bar remains the same as in the previous screenshot.


P3

The screenshot shows the Visual Studio Code interface with the following details:


- File Explorer:** Shows a project named "PROJECT 2" containing files: index.html, contacts.html, contacts.php, contacts.css, style.css, and About Us.html.
- Code Editor:** The "style.css" file is open, displaying CSS code for a contact page. The code includes styles for the title, h6, .item, and #nat sections, utilizing flex-wrap, flex-direction, justify-content, and grid properties.
- Status Bar:** Shows "Screen Reader Optimized", "Ln 1, Col 1", "Tab Size: 4", "UTF-8", "CRLF", "CSS", "Go Live", and the date "21-09-2021".

```
# contactus.css # style.css # About Us.css
# style.css > ...
104    font-size: 25px;
105    flex-wrap: nowrap;
106    padding-bottom: 0.5%;
107  }
108
109 #title{
110    font-size: 25px;
111    flex-wrap: nowrap;
112    padding-bottom: 0px;
113    margin-bottom: 15px;
114    padding: 0px;
115  }
116
117 }
118
119 .h6{
120    background-color: ■rgb(245, 244, 244);
121  }
122
123
124 .item{
125    display: flex;
126    flex-wrap: wrap;
127    flex-direction: row;
128    padding: 0%;
129    justify-content: center;
130    gap: 40px;
131  }
132 #nat{
133    display: grid;
134    font-size: 65%;
135    padding-top: 3%;
136    justify-content: center;
137    font-family: Verdana, Geneva, Tahoma, sans-serif;
138
139 }
```

P3



```
# style.css > ...
104 > img { font-size: 25px;
105 flex-wrap: nowrap;
106 padding-bottom: 0.5%; }
107
108 #title{ font-size: 25px;
109 flex-wrap: nowrap;
110 padding-bottom: 0px;
111 margin-bottom: 15px;
112 padding: 0px; }
113
114 .h6{ background-color: ■rgb(245, 244, 244); }
115
116 }
117
118 .tem{ display: flex;
119 flex-wrap: wrap;
120 flex-direction: row;
121 padding: 0px;
122 justify-content: center;
123 gap: 40px; }
124
125 #nai1{ display: grid;
126 font-size: 65%;
127 padding-top: 3%; }
128 justify-content: center;
129 font-family:Verdiana, Geneva, Tahoma, sans-serif;
130
131 }
132
133
134
135
136
137
138
139 }
```



```
# contactus.css > ...
1 @import url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700;800;900&display=swap');
2
3 {
4   margin:0;
5   padding:0;
6   font-family: 'Poppins', sans-serif;
7 }
8 .contact {
9   position: relative;
10 min-height: 100vh;
11 padding: 50px 100px;
12 display: flex;
13 justify-content: center;
14 align-items: center;
15 flex-direction: column;
16 background-size: cover;
17 background-color: ■rgb(255, 255, 255);
18 }
19 .contact .content {
20 max-width: 800px;
21 text-align: center;
22 }
23 .contact .content h2 {
24 font-size: 36px;
25 font-weight: 500;
26 color: □rgb(0, 0, 0);
27 margin-bottom: 60px;
28 animation: float 0.8s ease-in-out 1;
29 }
30 .contact .content p {
31 font-weight: 300;
32 color: □rgb(0, 0, 0);
33 }
34
35
36
37
38 }
```

P3

contactus.css - Project 2 - Visual Studio Code

```
File Edit Selection View Go Run Terminal Help
PROJECT 2
> img
# About Us.css 1
# contactus.css
# contactus.html
# contactus.php
index.html
# style.css

# contactus.css > ...
47 .container .contactinfo
48 {
49     width: 50%;
50     display: flex;
51     flex-direction: column;
52     animation: float 0.8s ease-in-out 1;
53 }
54
55 .container .contactinfo .box
56 {
57     position: relative;
58     padding: 20px 0;
59     display: flex;
60 }
61
62 .container .contactinfo .box .icon
63 {
64     min-width: 60px;
65     height: 60px;
66     display: flex;
67     background: #rgb(32, 221, 57);
68     justify-content: center;
69     align-items: center;
70     border-radius: 50%;
71     font-size: 22px;
72 }
73
74 .container .contactinfo .box .text
75 {
76     display: flex;
77     margin-left: 20px;
78     font-size: 16px;
79     color: #rgb(7, 7, 7);
80     flex-direction: column;
81     font-weight: 300;
82 }
83
84 .container .contactinfo .box .text h3
```

Screen Reader Optimized | Ln 1, Col 1 | Spaces: 4 | UTF-8 | CRLF | CSS | Go Live | 23:33 | 11:33 PM | 21-09-2021

contactus.css - Project 2 - Visual Studio Code

```
File Edit Selection View Go Run Terminal Help
PROJECT 2
> img
# About Us.css 1
# contactus.css
# contactus.html
# contactus.php
index.html
# style.css

# contactus.css > ...
81     direction: column;
82     font-weight: 300;
83 }
84 .container .contactinfo .box .text h3
85 {
86     font-weight: 500;
87     color: #0c0c0c;
88 }
89 .contactform
90 {
91     width: 40%;
92     padding: 40px;
93     background: #29ff80da;
94     animation: float 0.8s ease-in-out 1;
95 }
96 .contactform h2
97 {
98     font-size: 30px;
99     color: #333;
100    font-weight: 500;
101 }
102 .contactform .inputbox
103 {
104     position: relative;
105     width: 100%;
106     margin-top: 10px;
107 }
108
109 .contactform .inputbox input,
110 .contactform .inputbox textarea
111 {
112     width: 100%;
113     padding: 5px 0;
114     font-size: 16px;
115     margin: 10px 0;
116     border: none;
117     border-bottom: 2px solid #333;
```

Screen Reader Optimized | Ln 1, Col 1 | Spaces: 4 | UTF-8 | CRLF | CSS | Go Live | 23:33 | 11:33 PM | 21-09-2021

P3

File Edit Selection View Go Run Terminal Help contactus.css - Project 2 - Visual Studio Code

```
# contactus.css X # style.css # About Us.css 1
# contactus.css > ...
121 }
122 .contactform .inputbox span
123 {
    position: absolute;
    left: 0;
    padding: 5px 0;
    font-size: 16px;
    margin: 10px 0;
    pointer-events: none;
    transition: 0.5s;
    color: #666;
}
123
124 .contactform .inputbox input:focus ~ span,
125 .contactform .inputbox input:valid ~ span,
126 .contactform .inputbox textarea:focus ~ span,
127 .contactform .inputbox textarea:valid ~ span
128 {
    color: #e91e63;
    font-size: 12px;
    transform: translateY(-20px);
}
128
129 .contactform .inputbox input[type="submit"]
130 {
    width: 100px;
    background: #12ecf1;
    color: #fff;
    border:none;
    cursor: pointer;
    padding: 10px;
    font-size: 18px;
}
130
131 .contactform .inputbox input[type="submit"]:hover{
132     background: cyan;
}
```

Screen Reader Optimized Ln 1, Col 1 Spaces:4 UTF-8 CRLF CSS Go Live 11:33 PM 21-09-2021 23:33

File Edit Selection View Go Run Terminal Help contactus.css - Project 2 - Visual Studio Code

```
# contactus.css X # style.css # About Us.css 1
# contactus.css > ...
150 padding: 10px;
151 font-size: 18px;
}
152
153 .contactform .inputbox input[type="submit"]:hover{
154     background: cyan;
}
155
156 @media (max-width:991px)
157 {
    .contact
    {
        padding: 50px;
    }
    .container
    {
        flex-direction: column;
    }
    .container .contactinfo
    {
        margin-bottom: 40px;
    }
    .container .contactinfo,
    .contactform
    {
        width: 100%;
    }
}
157
158 @keyframes float{
159     0%{
        transform:translateY(-100px);
    }
159
160     100%{
        transform: translateY(0px);
    }
}
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
```

Screen Reader Optimized Ln 1, Col 1 Spaces:4 UTF-8 CRLF CSS Go Live 11:33 PM 21-09-2021 23:33

P3


The screenshot shows the Visual Studio Code interface with the contactus.css file open. The code includes keyframe definitions for floating elements and styles for a search bar.

```
177 }  
178 }  
179 @keyframes float{  
180 0%{  
181     transform:translateY(-100px);  
182 }  
183 100%{  
184     transform: translateY(0px);  
185 }  
186 }  
187 @keyframes float1{  
188 0%{  
189     transform: translateX(-150px);  
190 }  
191 100%{  
192     transform: translateX(0px);  
193 }  
194 }  
195 @keyframes float2{  
196 0%{  
197     transform: translateX(150px);  
198 }  
199 100%{  
200     transform: translateX(0px);  
201 }  
202 }  
203  
204 #sear{  
205     margin-top: 35px;  
206     padding: 5px;  
207     font-size: 17px;  
208     border:2px solid gray;  
209     border-radius:150px;  
210 }  
211 }  
212 }  
213 }  
214 }  
215 }  
216 }
```

The screenshot shows the Visual Studio Code interface with the contactus.css file open, displaying the same CSS code as the previous screenshot.

```
180 0%{  
181     transform:translateY(-100px);  
182 }  
183 100%{  
184     transform: translateY(0px);  
185 }  
186 }  
187 @keyframes float1{  
188 0%{  
189     transform: translateX(-150px);  
190 }  
191 100%{  
192     transform: translateX(0px);  
193 }  
194 }  
195 @keyframes float2{  
196 0%{  
197     transform: translateX(150px);  
198 }  
199 100%{  
200     transform: translateX(0px);  
201 }  
202 }  
203  
204 #sear{  
205     margin-top: 35px;  
206     padding: 5px;  
207     font-size: 17px;  
208     border:2px solid gray;  
209     border-radius:150px;  
210 }  
211 }  
212 }  
213 }  
214 }  
215 }  
216 }
```

Main Page



WELCOME



WELCOME

Sri Maruthi is a company, established under a mission of service to humanity, we provide a wide range of pharmaceuticals and we are building a reputation of quality and integrity known around the world. The products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the highest safety and quality criteria were met.




AboutUs

The screenshot shows a web browser window with the URL localhost/Project%202/About%20Us.html. The page has a green header with the company logo 'SMP' and the word 'About Us'. The main content area contains a paragraph about the company's mission and product quality, followed by a section titled 'Meet Our Team'.

Sri Maruthi Pharma is a company, established under a mission of service to humanity, we provide a wide range of pharmaceuticals and we are building a reputation of quality and integrity known around the world.

The products that we supply at SMP Meets the best safety and quality standards. We are being audited regularly by officials to ensure that the highest safety and quality criteria were met.

Meet Our Team



ContactUs Form



Contact us

- Address**
No.65, 1st Floor, 1st Main,
3rd Cross, Chamarajpet, Near Royan Circle
Bangalore - 560018
- Phone**
6200-XXXX-XX
- Email**
srimaruthi@gmail.com

Send Message

Full Name



Email

Type your Message



send




Demonstration of Contact Us Form with database



P3



Data Base



BIBLIOGRAPHY

- <https://www.w3schools.com>
- <https://www.geeksforgeeks.org>
- <https://fontawesome.com>