#### **CS 228 : Logic in Computer Science**

Krishna. S

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
  - ▶ Valid, if for any  $\tau$ -structure  $\mathcal{A}$  and any assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A}), \mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
  - ▶ Valid, if for any  $\tau$ -structure  $\mathcal{A}$  and any assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A}), \mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
- ▶ Assume we fix the type of the structure A, say words
- ► FO over words (why words?)

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
  - ▶ Valid, if for any  $\tau$ -structure  $\mathcal{A}$  and any assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A}), \mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
- $\blacktriangleright$  Assume we fix the type of the structure  $\mathcal{A}$ , say words
- FO over words (why words?)
- $\blacktriangleright$  Given an FO sentence  $\varphi$  over words, is it satisfiable/valid?
- Satisfiable (Valid) iff some word (all words) satisfies φ

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
  - ▶ Valid, if for any  $\tau$ -structure  $\mathcal{A}$  and any assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A}), \mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
- $\triangleright$  Assume we fix the type of the structure  $\mathcal{A}$ , say words
- FO over words (why words?)
- $\blacktriangleright$  Given an FO sentence  $\varphi$  over words, is it satisfiable/valid?
- Satisfiable (Valid) iff some word (all words) satisfies φ
- ▶ There could be infinitely many words w satisfying  $\varphi$
- ▶  $L(\varphi) = \{ \text{ words } w \mid w \models \varphi \}$  is called the language of  $\varphi$

- ▶ Given a FO formula  $\varphi(x_1, ..., x_n)$  over a signature  $\tau$ , is it satisfiable/valid?
  - ► Satisfiable, if there exists a  $\tau$ -structure  $\mathcal{A}$  and an assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A})$  such that  $\mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
  - ▶ Valid, if for any  $\tau$ -structure  $\mathcal{A}$  and any assignment  $\alpha$  for  $x_1, \ldots, x_n$  in  $u(\mathcal{A}), \mathcal{A} \models_{\alpha} \varphi(x_1, \ldots, x_n)$
- $\triangleright$  Assume we fix the type of the structure  $\mathcal{A}$ , say words
- FO over words (why words?)
- $\blacktriangleright$  Given an FO sentence  $\varphi$  over words, is it satisfiable/valid?
- Satisfiable (Valid) iff some word (all words) satisfies φ
- ▶ There could be infinitely many words w satisfying  $\varphi$
- ▶  $L(\varphi) = \{ \text{ words } w \mid w \models \varphi \}$  is called the language of  $\varphi$
- ▶ Given  $\varphi$ , write an algorithm to check  $L(\varphi) = \emptyset$ ?

#### First-Order Logic over Words

- ► Signature for words : <, S and Q<sub>a</sub> for finitely many symbols a
- Given a FO formula over words, the signature is fixed

- ▶ Signature for words : <, S and Q<sub>a</sub> for finitely many symbols a
- Given a FO formula over words, the signature is fixed
- Expressiveness
  - Given a set of words or a language L, can you write a FO formula  $\varphi$  such that  $L(\varphi) = L$

- ▶ Signature for words : <, S and Q<sub>a</sub> for finitely many symbols a
- Given a FO formula over words, the signature is fixed
- Expressiveness
  - Given a set of words or a language L, can you write a FO formula  $\varphi$  such that  $L(\varphi) = L$
  - If you can, FO is expressive enough to capture your language/specification/property

- ▶ Signature for words : <, S and Q<sub>a</sub> for finitely many symbols a
- Given a FO formula over words, the signature is fixed
- Expressiveness
  - Given a set of words or a language L, can you write a FO formula  $\varphi$  such that  $L(\varphi) = L$
  - If you can, FO is expressive enough to capture your language/specification/property
  - If you cannot, show that FO cannot capture your property.
- Satisfiability

- ▶ Signature for words : <, S and Q<sub>a</sub> for finitely many symbols a
- Given a FO formula over words, the signature is fixed
- Expressiveness
  - Given a set of words or a language L, can you write a FO formula  $\varphi$  such that  $L(\varphi) = L$
  - If you can, FO is expressive enough to capture your language/specification/property
  - If you cannot, show that FO cannot capture your property.
- Satisfiability
  - Given a FO formula  $\varphi$  over words, is  $L(\varphi)$  non-empty?

#### A Primer for Words

▶ An alphabet  $\Sigma$  is a finite set

- An alphabet Σ is a finite set
  - $\triangleright \Sigma = \{a, b, \dots, z\}$
  - ▶  $\Sigma = \{+, \alpha, 100, B\}$

An alphabet Σ is a finite set

```
 Σ = {a, b, ..., z}

 Σ = {+, α, 100, B}
```

Elements of Σ called letters or symbols

```
 Σ = {a, b, ..., z}

 Σ = {+, α, 100, B}
```

- ► Elements of Σ called letters or symbols
- ▶ A word or string over  $\Sigma$  is a finite sequence of symbols from  $\Sigma$

```
 Σ = {a, b, ..., z}

 Σ = {+, α, 100, B}
```

- Elements of Σ called letters or symbols
- ▶ A word or string over  $\Sigma$  is a finite sequence of symbols from  $\Sigma$
- ▶ If  $\Sigma = \{a, b\}$ , then *abababa* is a word of length 7

```
 Σ = {a, b, ..., z}

 Σ = {+, α, 100, B}
```

- Elements of Σ called letters or symbols
- ▶ A word or string over  $\Sigma$  is a finite sequence of symbols from  $\Sigma$
- ▶ If  $\Sigma = \{a, b\}$ , then abababa is a word of length 7
- ▶ The length of a word w is denoted |w|

```
► \Sigma = \{a, b, ..., z\}

► \Sigma = \{+, \alpha, 100, B\}
```

- Elements of Σ called letters or symbols
- ▶ A word or string over  $\Sigma$  is a finite sequence of symbols from  $\Sigma$
- ▶ If  $\Sigma = \{a, b\}$ , then abababa is a word of length 7
- ▶ The length of a word w is denoted |w|
- ▶ There is a unique word of length 0 denoted  $\epsilon$ , called the empty word

```
► \Sigma = \{a, b, ..., z\}

► \Sigma = \{+, \alpha, 100, B\}
```

- Elements of Σ called letters or symbols
- ▶ A word or string over  $\Sigma$  is a finite sequence of symbols from  $\Sigma$
- ▶ If  $\Sigma = \{a, b\}$ , then abababa is a word of length 7
- ▶ The length of a word w is denoted |w|
- ▶ There is a unique word of length 0 denoted  $\epsilon$ , called the empty word
- $|\epsilon| = 0$

► aaaaa denoted a<sup>5</sup>

- ► aaaaa denoted a<sup>5</sup>
- $ightharpoonup a^0 = \epsilon$

- ► aaaaa denoted a<sup>5</sup>
- ightharpoonup  $a^0 = \epsilon$
- $a^{n+1} = a^n \cdot a = a \cdot a^n$

- ► aaaaa denoted a<sup>5</sup>
- $\rightarrow a^0 = \epsilon$
- $a^{n+1} = a^n.a = a.a^n$
- ▶ The set of all words over  $\Sigma$  is denoted  $\Sigma^*$

- ▶ aaaaa denoted a<sup>5</sup>
- $\rightarrow a^0 = \epsilon$
- $a^{n+1} = a^n.a = a.a^n$
- ▶ The set of all words over  $\Sigma$  is denoted  $\Sigma^*$ 
  - $\{a,b\}^* = \{\epsilon, a, b, aa, ab, ba, bb, aaa, ...\}$
  - $\{a\}^* = \{\epsilon, a, aa, aaa, ...\} = \{a^n \mid n \geqslant 0\}$

- ▶ aaaaa denoted a<sup>5</sup>
- $\rightarrow a^0 = \epsilon$
- $a^{n+1} = a^n.a = a.a^n$
- ▶ The set of all words over  $\Sigma$  is denoted  $\Sigma^*$ 
  - $\{a,b\}^* = \{\epsilon, a, b, aa, ab, ba, bb, aaa, ...\}$
  - $\{a\}^* = \{\epsilon, a, aa, aaa, ...\} = \{a^n \mid n \geqslant 0\}$
- ▶ By convention,  $\{\}^* = \{\epsilon\}$

 $\triangleright$   $\Sigma$  is a finite set

- $\triangleright$   $\Sigma$  is a finite set
- ightharpoonup Σ\* is the set of all finite words over alphabet Σ

- Σ is a finite set
- ightharpoonup Σ\* is the set of all finite words over alphabet Σ
- $ightharpoonup \Sigma^*$  is an infinite set

- $\triangleright$   $\Sigma$  is a finite set
- $ightharpoonup \Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word

- $\triangleright$   $\Sigma$  is a finite set
- $ightharpoonup \Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word
  - $\{a,b\} = \{b,a\}$  but  $ab \neq ba$

- Σ is a finite set
- $ightharpoonup \Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word
  - $ightharpoonup \{a,b\} = \{b,a\} \text{ but } ab \neq ba$
  - $\{a, a, b\} = \{a, b\}$  but  $aab \neq ab$

- Σ is a finite set
- $\triangleright$   $\Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word
  - $\{a,b\} = \{b,a\}$  but  $ab \neq ba$
  - $\{a, a, b\} = \{a, b\}$  but  $aab \neq ab$
  - $\blacktriangleright$   $\emptyset$  is the set consisting of no words

- Σ is a finite set
- $\triangleright$   $\Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word
  - $\{a,b\} = \{b,a\}$  but  $ab \neq ba$
  - $\{a, a, b\} = \{a, b\}$  but  $aab \neq ab$
  - ▶ ∅ is the set consisting of no words
  - $\{\epsilon\}$  is a set having the single word  $\epsilon$

#### **Notations for Words**

- Σ is a finite set
- $\triangleright$   $\Sigma^*$  is the set of all finite words over alphabet  $\Sigma$
- Σ\* is an infinite set
- ▶ Each  $w \in \Sigma^*$  is a finite word
  - $\{a,b\} = \{b,a\}$  but  $ab \neq ba$
  - $\{a, a, b\} = \{a, b\}$  but  $aab \neq ab$
  - $\blacktriangleright$   $\emptyset$  is the set consisting of no words
  - $\{\epsilon\}$  is a set having the single word  $\epsilon$
  - $ightharpoonup \epsilon$  is a word

▶ Concatenation of words : x.y = xy

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ► Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ► Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|
- $\triangleright$   $x^n$ : catenating word x n times

- ► Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|
- $\triangleright$   $x^n$ : catenating word x n times
  - $(aab)^5 = aabaabaabaabaab$

- ► Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|
- $\triangleright$   $x^n$ : catenating word x n times
  - ightharpoonup (aab)<sup>5</sup> = aabaabaabaabaab
  - $(aab)^0 = \epsilon$

- ► Concatenation of words :  $x \cdot y = xy$ 
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|
- ➤ x<sup>n</sup>: catenating word x n times
  - $(aab)^5 = aabaabaabaabaab$
  - $(aab)^0 = \epsilon$
  - $(aab)^* = \{\epsilon, aab, aabaab, aabaabaab, \ldots\}$

- ▶ Concatenation of words : x.y = xy
  - ▶ Concatenation is associative : x.(yz) = (xy).z
  - ▶ Concatenation not commutative in general  $x.y \neq y.x$
  - $\epsilon$  is the identity for concatenation  $\epsilon . x = x . \epsilon = x$
  - |x.y| = |x| + |y|
- ➤ x<sup>n</sup>: catenating word x n times
  - $(aab)^5 = aabaabaabaabaab$
  - $(aab)^0 = \epsilon$
  - $(aab)^* = \{\epsilon, aab, aabaab, aabaabaab, ...\}$
  - $x^{n+1} \equiv x^n x$

▶ For  $a \in \Sigma$  and  $x \in \Sigma^*$ ,

▶ For  $a \in \Sigma$  and  $x \in \Sigma^*$ ,

- ▶  $|aabbaa|_a = 4, |aabbaa|_b = 2$
- $|\epsilon|_a=0$

▶ For  $a \in \Sigma$  and  $x \in \Sigma^*$ ,

- ▶  $|aabbaa|_a = 4$ ,  $|aabbaa|_b = 2$
- $|\epsilon|_a=0$
- ▶ Prefix of a word  $w \in \Sigma^*$  is an initial subword of w

$$Pref(w) = \{x \in \Sigma^* \mid \exists y \in \Sigma^*, w = x.y\}$$

▶ For  $a \in \Sigma$  and  $x \in \Sigma^*$ ,

- ▶  $|aabbaa|_a = 4$ ,  $|aabbaa|_b = 2$
- $|\epsilon|_a=0$
- ▶ Prefix of a word  $w \in \Sigma^*$  is an initial subword of w

$$Pref(w) = \{x \in \Sigma^* \mid \exists y \in \Sigma^*, w = x.y\}$$

- ▶  $Pref(aaba) = \{\epsilon, a, aa, aab, aaba\}$
- Proper prefixes = {a, aa, aab}
- $ightharpoonup \epsilon$ , aaba improper prefixes

Given a finite alphabet  $\Sigma$ , denote by  $A, B, C, \ldots$  subsets of  $\Sigma^*$ 

Subsets of Σ\* are called languages

11/1

- Subsets of Σ\* are called languages
- ▶  $A \cup B = \{x \in \Sigma^* \mid x \in A \text{ or } x \in B\}$ 
  - ▶  $A = a^*, B = \{b, bb\}, A \cup B = a^* \cup \{b, bb\}$

- Subsets of Σ\* are called languages
- ▶  $A \cup B = \{x \in \Sigma^* \mid x \in A \text{ or } x \in B\}$ 
  - ►  $A = a^*, B = \{b, bb\}, A \cup B = a^* \cup \{b, bb\}$
- ▶  $A \cap B = \{x \in \Sigma^* \mid x \in A \text{ and } x \in B\}$ 
  - $ightharpoonup A = (ab)^*, B = \{abab, \epsilon, bb\}, A \cap B = \{\epsilon, abab\}$

- Subsets of Σ\* are called languages
- ▶  $A \cup B = \{x \in \Sigma^* \mid x \in A \text{ or } x \in B\}$ 
  - ►  $A = a^*, B = \{b, bb\}, A \cup B = a^* \cup \{b, bb\}$
- ▶  $A \cap B = \{x \in \Sigma^* \mid x \in A \text{ and } x \in B\}$ 
  - $ightharpoonup A = (ab)^*, B = \{abab, \epsilon, bb\}, A \cap B = \{\epsilon, abab\}$
- $ightharpoonup \overline{A} = \{x \in \Sigma^* \mid x \notin A\}$ 
  - For  $\Sigma = \{a\}$  and  $A = (aa)^*, \overline{A} = \{a, a^3, a^5, \dots\}$

- Subsets of Σ\* are called languages
- ▶  $A \cup B = \{x \in \Sigma^* \mid x \in A \text{ or } x \in B\}$ 
  - ►  $A = a^*, B = \{b, bb\}, A \cup B = a^* \cup \{b, bb\}$
- ▶  $A \cap B = \{x \in \Sigma^* \mid x \in A \text{ and } x \in B\}$ 
  - $ightharpoonup A = (ab)^*, B = \{abab, \epsilon, bb\}, A \cap B = \{\epsilon, abab\}$
- $ightharpoonup \overline{A} = \{x \in \Sigma^* \mid x \notin A\}$ 
  - ► For  $\Sigma = \{a\}$  and  $A = (aa)^*, \overline{A} = \{a, a^3, a^5, \dots\}$
- $ightharpoonup AB = \{xy \mid x \in A, y \in B\}$ 
  - $A = \{a, ba\}, B = \{\epsilon, aa, bb\}$
  - $AB = \{a, a^3, abb, ba, ba^3, babb\}$
  - $\triangleright$  BA = {a, ba, a<sup>3</sup>, aaba, bba, bbba}

For a set  $A \subseteq \Sigma^*$ ,

 $\quad \blacktriangle^0 = \{\epsilon\}$ 

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$
- $A^* = A^0 \cup A \cup A^2 \cup \cdots = \bigcup_{i>0} A^i$

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$
- $A^* = A^0 \cup A \cup A^2 \cup \cdots = \bigcup_{i \geqslant 0} A^i$
- $A^+ = AA^* = A \cup A^2 \cup \cdots = \bigcup_{i>1} A^i$

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A.A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$
- $A^* = A^0 \cup A \cup A^2 \cup \cdots = \bigcup_{i \geqslant 0} A^i$
- $A^+ = AA^* = A \cup A^2 \cup \cdots = \bigcup_{i>1} A^i$
- Union : Associative, commutative
- Concatenation : Associative, Non commutative
- $A \cup \emptyset = \emptyset \cup A = A$

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A.A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$
- $A^* = A^0 \cup A \cup A^2 \cup \cdots = \bigcup_{i \ge 0} A^i$
- $A^+ = AA^* = A \cup A^2 \cup \cdots = \bigcup_{i>1} A^i$
- Union : Associative, commutative
- Concatenation : Associative, Non commutative
- $A \cup \emptyset = \emptyset \cup A = A$

- $A^0 = \{\epsilon\}$
- $A^{n+1} = A.A^n$ 
  - $\{a, ab\}^2 = \{a, ab\}.\{a, ab\} = \{aa, aab, aba, abab\}$
  - $\{a,b\}^n = \{x \in \{a,b\}^* \mid |x| = n\}$
- $A^* = A^0 \cup A \cup A^2 \cup \cdots = \bigcup_{i \ge 0} A^i$
- $A^+ = AA^* = A \cup A^2 \cup \cdots = \bigcup_{i>1} A^i$
- Union : Associative, commutative
- Concatenation : Associative, Non commutative
- $A \cup \emptyset = \emptyset \cup A = A$
- $\triangleright \emptyset A = A\emptyset = \emptyset$

- ▶ Union, Intersection distribute over union
  - $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$
  - $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$

- ▶ Union, Intersection distribute over union
  - $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$
  - $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$
- Concatenation distributes over union
  - $A(\cup_{i\in I}B_i)=\cup_{i\in I}AB_i$
  - $(\cup_{i \in I} B_i) A = \cup_{i \in I} B_i A$

- Union, Intersection distribute over union
  - $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$
  - $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$
- Concatenation distributes over union
  - $A(\cup_{i\in I}B_i) = \cup_{i\in I}AB_i$
  - $(\cup_{i \in I} B_i) A = \cup_{i \in I} B_i A$
- Concatenation does not distribute over interesection
  - $A = \{a, ab\}, B = \{b\}, C = \{\epsilon\}$
  - ▶  $A(B \cap C) \neq AB \cap AC$

## FO for Languages

Write FO formulae  $\varphi_i$  such that  $L(\varphi_i) = L_i$  for i = 1, ..., 5.

▶  $L_1$  = Words that have exactly one occurrence of the letter c

15/1

Write FO formulae  $\varphi_i$  such that  $L(\varphi_i) = L_i$  for i = 1, ..., 5.

- ▶  $L_1$  = Words that have exactly one occurrence of the letter c
- ► L<sub>2</sub> = Words that begin with a and end with b

15/16

Write FO formulae  $\varphi_i$  such that  $L(\varphi_i) = L_i$  for i = 1, ..., 5.

- ▶  $L_1$  = Words that have exactly one occurrence of the letter c
- ► L<sub>2</sub> = Words that begin with a and end with b
- ►  $L_3$  = Words that have no two consecutive *a*'s

Write FO formulae  $\varphi_i$  such that  $L(\varphi_i) = L_i$  for i = 1, ..., 5.

- ▶  $L_1$  = Words that have exactly one occurrence of the letter c
- ► L<sub>2</sub> = Words that begin with a and end with b
- ►  $L_3$  = Words that have no two consecutive *a*'s
- ►  $L_4$  = Words in which any a is followed immediately by a b

Write FO formulae  $\varphi_i$  such that  $L(\varphi_i) = L_i$  for i = 1, ..., 5.

- ▶  $L_1$  = Words that have exactly one occurrence of the letter c
- ► L<sub>2</sub> = Words that begin with a and end with b
- ►  $L_3$  = Words that have no two consecutive *a*'s
- ►  $L_4$  = Words in which any a is followed immediately by a b
- ▶  $L_5$  = Words in which whenever an a occurs, it is followed eventually by a b, and no c occurs in between the a and the b aabbabab,  $aabbcbccaab ∈ <math>L_5$ ,  $aacaab ∉ L_5$ .

## Satisfiability of FO over Words

▶ Recall : Given an FO sentence  $\varphi$  over words, is  $L(\varphi) = \emptyset$ ?

## Satisfiability of FO over Words

- ▶ Recall : Given an FO sentence  $\varphi$  over words, is  $L(\varphi) = \emptyset$ ?
- ► Algorithm?

## Satisfiability of FO over Words

- ▶ Recall : Given an FO sentence  $\varphi$  over words, is  $L(\varphi) = \emptyset$ ?
- ► Algorithm?
- ▶ Given  $\varphi$ , can we easily convert  $\varphi$  into some other mechanism M, which we know how to deal with?