

```
import React, { useState, useEffect, useMemo } from 'react';
import {
  Milk,
  Users,
  Calendar,
  IndianRupee,
  Phone,
  MapPin,
  Check,
  X,
  Plus,
  Search,
  Printer,
  Share2,
  Download,
  Receipt,
  CreditCard,
  Settings,
  Clock,
  Sparkles,
  ArrowRight,
  TrendingUp,
  AlertCircle,
  Sun,
  Moon,
  Send,
  Edit2,
  Trash2,
  ChevronRight,
  Filter,
  CheckCircle2,
  CalendarDays,
  Coins
} from 'lucide-react';

const BHARTI_DAIRY_PROFILE = {
  dairyName: "भारती डेयरी (Bharti Dairy)",
  ownerName: "सुरेश भारती (Suresh Bharti)",
  phone: "9876543210",
  upiId: "bhartidairy@upi",
  address: "दुकान नं. 4, मेन मार्केट, विकास नगर",
  tagline: "100% शुद्ध एवं ताजा दूध - आपके घर तक",
  footerMsg: "शुद्धता और विश्वास ही हमारी पहचान है। धन्यवाद!"
};

const INITIAL_CUSTOMERS = [
  {
    id: "cust-1",
    name: "राजेश शर्मा (Rajesh Sharma)",
    phone: "9812345670",
    address: "मकान नं 12, गली 3, विकास नगर",
  }
]
```

```
milkType: "buffalo", // buffalo, cow, mix
morningQty: 1.5,
eveningQty: 1.0,
rate: 70,
balance: 1450,
active: true
},
{
  id: "cust-2",
  name: "अमित कुमार वर्मा (Amit Verma)",
  phone: "9898765432",
  address: "फ्लैट 204, साई रेजीडेंसी",
  milkType: "cow",
  morningQty: 1.0,
  eveningQty: 0.0,
  rate: 55,
  balance: 825,
  active: true
},
{
  id: "cust-3",
  name: "श्रीमती सुनीता गुप्ता (Sunita Gupta)",
  phone: "9711223344",
  address: "एच-45, पटेल नगर",
  milkType: "buffalo",
  morningQty: 2.0,
  eveningQty: 1.5,
  rate: 72,
  balance: 3200,
  active: true
},
{
  id: "cust-4",
  name: "डॉ. विकास त्यागी (Dr. Tyagi)",
  phone: "9988776655",
  address: "क्लीनिक रोड, सेक्टर 5",
  milkType: "cow",
  morningQty: 2.0,
  eveningQty: 2.0,
  rate: 56,
  balance: 0,
  active: true
},
{
  id: "cust-5",
  name: "महेश चंद्र जोशी (M. C. Joshi)",
  phone: "9823456781",
  address: "प्लॉट 88, शिव शक्ति एन्क्लेव",
  milkType: "buffalo",
  morningQty: 1.0,
```

```

    eveningQty: 1.0,
    rate: 70,
    balance: 650,
    active: true
  }
];

const getTodayDate = () => {
  const d = new Date();
  return d.toISOString().split('T')[0];
};

const getMonthYear = (dateStr) => {
  const d = new Date(dateStr);
  return `${d.getFullYear()}-${String(d.getMonth() + 1).padStart(2, '0')}`;
};

export default function DudhDairyApp() {
  const [lang, setLang] = useState('hi'); // 'hi' or 'en'
  const [activeTab, setActiveTab] = useState('daily'); // 'daily' | 'customers' | 'billing' | 'payments' | 'settings'

  // Persistent States
  const [dairyInfo, setDairyInfo] = useState(() => {
    try {
      const s = localStorage.getItem('bharti_dairy_info');
      return s ? JSON.parse(s) : BHARTI_DAIRY_PROFILE;
    } catch {
      return BHARTI_DAIRY_PROFILE;
    }
  });

  const [customers, setCustomers] = useState(() => {
    try {
      const s = localStorage.getItem('bharti_customers');
      return s ? JSON.parse(s) : INITIAL_CUSTOMERS;
    } catch {
      return INITIAL_CUSTOMERS;
    }
  });

  // Delivery Records: { [date]: { [customerId]: { morning: 1.5, evening: 1.0, isHoliday: false, note: '' } } }
  const [deliveries, setDeliveries] = useState(() => {
    try {
      const s = localStorage.getItem('bharti_deliveries');
      if (s) return JSON.parse(s);

      // Auto prefill sample history for current month
      const initialMap = {};
      const today = new Date();
      for (let i = 1; i <= Math.min(today.getDate(), 12); i++) {
        const dStr = `${today.getFullYear()}-${String(today.getMonth() + 1).padStart(2, '0')}-${String(i).padStart(2, '0')}`;

```

```

    initialMap[dStr] = {};
    INITIAL_CUSTOMERS.forEach(c => {
      initialMap[dStr][c.id] = {
        morning: c.morningQty,
        evening: c.eveningQty,
        isHoliday: (i === 4 && c.id === 'cust-2'), // Sample absent day
        rate: c.rate,
        note: ''
      };
    });
  }
  return initialMap;
} catch {
  return {};
}
});

// Payment Logs: [ { id, customerId, date, amount, mode, note } ]
const [payments, setPayments] = useState(() => {
  try {
    const s = localStorage.getItem('bharti_payments');
    if (s) return JSON.parse(s);
    return [
      { id: "pay-1", customerId: "cust-1", date: getTodayDate(), amount: 1000, mode:
"PhonePe/UPI", note: "महीने की अग्रिम राशि" },
      { id: "pay-2", customerId: "cust-3", date: getTodayDate(), amount: 2000, mode: "Cash",
note: "नकद प्राप्त हुआ" }
    ];
  } catch {
    return [];
  }
});

// Save to LocalStorage
useEffect(() => {
  localStorage.setItem('bharti_dairy_info', JSON.stringify(dairyInfo));
}, [dairyInfo]);

useEffect(() => {
  localStorage.setItem('bharti_customers', JSON.stringify(customers));
}, [customers]);

useEffect(() => {
  localStorage.setItem('bharti_deliveries', JSON.stringify(deliveries));
}, [deliveries]);

useEffect(() => {
  localStorage.setItem('bharti_payments', JSON.stringify(payments));
}, [payments]);

// Operational Date Selector
const [selectedDate, setSelectedDate] = useState(getTodayDate());
const [selectedShift, setSelectedShift] = useState('both'); // 'morning' | 'evening' | 'both'

```

```

// Modals & Temp States
const [showAddCustomerModal, setShowAddCustomerModal] = useState(false);
const [editingCustomer, setEditingCustomer] = useState(null);
const [customerForm, setCustomerForm] = useState({
  name: '',
  phone: '',
  address: '',
  milkType: 'buffalo',
  morningQty: 1.0,
  eveningQty: 0.5,
  rate: 70,
  balance: 0
});

const [showPaymentModal, setShowPaymentModal] = useState(false);
const [paymentForm, setPaymentForm] = useState({
  customerId: customers[0]?.id || '',
  amount: '',
  mode: 'UPI',
  date: getTodayDate(),
  note: 'दूध बिल भुगतान'
});

const [selectedCustomerForHistory, setSelectedCustomerForHistory] = useState(null);
const [showBillModal, setShowBillModal] = useState(false);
const [billingCustomer, setBillingCustomer] = useState(null);
const [billingMonth, setBillingMonth] = useState(getMonthYear(getTodayDate()));
const [notification, setNotification] = useState('');
const [searchQuery, setSearchQuery] = useState('');

const showToast = (msg) => {
  setNotification(msg);
  setTimeout(() => setNotification(''), 3500);
};

// Ensure record exists for today/selectedDate
const getCustomerDelivery = (cId, date) => {
  const dayData = deliveries[date] || {};
  if (dayData[cId]) {
    return dayData[cId];
  }
  const cust = customers.find(c => c.id === cId);
  return {
    morning: cust ? cust.morningQty : 0,
    evening: cust ? cust.eveningQty : 0,
    isHoliday: false,
    rate: cust ? cust.rate : 70,
    note: ''
  };
};

// Update specific delivery quantity

```

```

const updateDelivery = (cId, updates) => {
  setDeliveries(prev => {
    const currentDay = prev[selectedDate] || {};
    const currentEntry = currentDay[cId] || getCustomerDelivery(cId, selectedDate);
    return {
      ...prev,
      [selectedDate]: {
        ...currentDay,
        [cId]: { ...currentEntry, ...updates }
      }
    };
  });
};

// One click mark all active customers as delivered their defaults
const markAllDefaults = () => {
  setDeliveries(prev => {
    const updatedDay = { ...(prev[selectedDate] || {}) };
    customers.filter(c => c.active).forEach(c => {
      updatedDay[c.id] = {
        morning: c.morningQty,
        evening: c.eveningQty,
        isHoliday: false,
        rate: c.rate,
        note: ''
      };
    });
    return { ...prev, [selectedDate]: updatedDay };
  });

  showToast(lang === 'hi' ? "सभी ग्राहकों का तय दूध दर्ज किया गया!" : "Default milk marked for all active customers!");
};

const todayMetrics = useMemo(() => {
  let morningLiters = 0;
  let eveningLiters = 0;
  let totalEstimatedRupees = 0;
  let absentCount = 0;

  customers.filter(c => c.active).forEach(c => {
    const d = getCustomerDelivery(c.id, selectedDate);
    if (d.isHoliday) {
      absentCount++;
    } else {
      const m = parseFloat(d.morning) || 0;
      const e = parseFloat(d.evening) || 0;
      morningLiters += m;
      eveningLiters += e;
      totalEstimatedRupees += (m + e) * (d.rate || c.rate);
    }
  });
});

const totalLiters = morningLiters + eveningLiters;

```

```

return {
  morningLiters: morningLiters.toFixed(1),
  eveningLiters: eveningLiters.toFixed(1),
  totalLiters: totalLiters.toFixed(1),
  totalEstimatedRupees: totalEstimatedRupees.toFixed(0),
  absentCount
};
}, [deliveries, customers, selectedDate]);

const calculateCustomerMonthSummary = (customerId, monthStr) => {
  const cust = customers.find(c => c.id === customerId);
  if (!cust) return null;

  let totalLiters = 0;
  let totalDaysSupplied = 0;
  let totalBillAmount = 0;
  let absentDays = 0;
  const records = [];

  // Filter deliveries belonging to selected month (YYYY-MM)
  Object.keys(deliiveries)
    .filter(date => date.startsWith(monthStr))
    .sort()
    .forEach(date => {
      const entry = deliveries[date][customerId];
      if (entry) {
        if (entry.isHoliday) {
          absentDays++;
          records.push({ date, isHoliday: true, morning: 0, evening: 0, total: 0, amount: 0 });
        } else {
          const m = parseFloat(entry.morning) || 0;
          const e = parseFloat(entry.evening) || 0;
          const dayLit = m + e;
          const rate = entry.rate || cust.rate;
          const dayCost = dayLit * rate;
          if (dayLit > 0) {
            totalDaysSupplied++;
            totalLiters += dayLit;
            totalBillAmount += dayCost;
          }
          records.push({ date, isHoliday: false, morning: m, evening: e, total: dayLit, rate,
amount: dayCost });
        }
      }
    });

  // Payments in this month
  const monthPayments = payments.filter(p => p.customerId === customerId &&
p.date.startsWith(monthStr));
  const totalPaidInMonth = monthPayments.reduce((sum, p) => sum + p.amount, 0);

  return {
    customer: cust,

```

```

    monthStr,
    totalDaysSupplied,
    absentDays,
    totalLiters: totalLiters.toFixed(1),
    rate: cust.rate,
    billAmount: totalBillAmount.toFixed(0),
    totalPaidInMonth: totalPaidInMonth.toFixed(0),
    currentBalance: cust.balance.toFixed(0),
    netDue: (parseFloat(cust.balance) + totalBillAmount - totalPaidInMonth).toFixed(0),
    records,
    payments: monthPayments
  };
};

const handleSaveCustomer = (e) => {
  e.preventDefault();
  if (!customerForm.name.trim() || !customerForm.phone.trim()) {
    showToast(lang === 'hi' ? "नाम और मोबाइल नंबर जरूरी है!" : "Name & Phone are required!");
    return;
  }

  if (editingCustomer) {
    // Edit existing
    setCustomers(prev => prev.map(c => c.id === editingCustomer.id ? {
      ...c,
      ...customerForm,
      morningQty: parseFloat(customerForm.morningQty) || 0,
      eveningQty: parseFloat(customerForm.eveningQty) || 0,
      rate: parseFloat(customerForm.rate) || 60,
      balance: parseFloat(customerForm.balance) || 0
    } : c));

    showToast(lang === 'hi' ? "ग्राहक की जानकारी अपडेट हुई!" : "Customer updated!");
  } else {
    // Create new
    const newCust = {
      id: `cust-${Date.now()}`,
      ...customerForm,
      morningQty: parseFloat(customerForm.morningQty) || 0,
      eveningQty: parseFloat(customerForm.eveningQty) || 0,
      rate: parseFloat(customerForm.rate) || 60,
      balance: parseFloat(customerForm.balance) || 0,
      active: true
    };
    setCustomers(prev => [...prev, newCust]);
    showToast(lang === 'hi' ? "नया ग्राहक सफलतापूर्वक जोड़ा गया!" : "New customer added!");
  }

  setShowAddCustomerModal(false);
  setEditingCustomer(null);
  setCustomerForm({
    name: '',
    phone: '',
    address: '',

```

```

    milkType: 'buffalo',
    morningQty: 1.0,
    eveningQty: 0.5,
    rate: 70,
    balance: 0
  });
};

const handleRecordPayment = (e) => {
  e.preventDefault();
  const amt = parseFloat(paymentForm.amount);
  if (!amt || amt <= 0) {
    showToast(lang === 'hi' ? "कृपया सही राशि भरें!" : "Enter valid amount!");
    return;
  }

  const newPay = {
    id: `pay-${Date.now()}`,
    customerId: paymentForm.customerId,
    amount: amt,
    mode: paymentForm.mode,
    date: paymentForm.date,
    note: paymentForm.note
  };

  setPayments(prev => [newPay, ...prev]);

  // Subtract from customer balance
  setCustomers(prev => prev.map(c => {
    if (c.id === paymentForm.customerId) {
      return { ...c, balance: +(c.balance - amt).toFixed(2) };
    }
    return c;
  }));

  setShowPaymentModal(false);
  setPaymentForm(prev => ({ ...prev, amount: '', note: 'दूध बिल भुगतान' }));
  showToast(lang === 'hi' ? `₹${amt} का भुगतान सफलतापूर्वक दर्ज हुआ!` : `Payment of ₹${amt} recorded!`);
};

const generateWhatsAppMessage = (billData) => {
  const cust = billData.customer;
  const phoneNum = cust.phone.replace(/[^0-9]/g, '');
  const cleanPhone = phoneNum.length === 10 ? `91${phoneNum}` : phoneNum;

  const message = `🧺 *${dairyInfo.dairyName}* 🧺
  📍 *${dairyInfo.address}*
  📞 संपर्क: ${dairyInfo.phone}

  नमस्ते *${cust.name}* जी,

```

आपका मासिक दूध बिल विवरण नीचे दिया गया है:

```
 *बिल महीना:* ${billData.monthStr}
 *कुल दूध सप्लाई:* ${billData.totalLiters} लीटर
 *कुल दिन:* ${billData.totalDaysSupplied} दिन (छुट्टी: ${billData.absentDays} दिन)
 *दूध दर (Rate):* ₹${cust.rate} / लीटर
-----
 *इस माह का बिल:* ₹${billData.billAmount}
 *पिछला बकाया:* ₹${cust.balance}
 *जमा किया गया:* ₹${billData.totalPaidInMonth}
-----
 *कुल देय राशि (Total Payable): ₹${billData.netDue}*
```

कृपया समय पर भुगतान करें।

UPI ID: \${dairyInfo.upiId}

\${dairyInfo.footerMsg}`;

```
return `https://wa.me/${cleanPhone}?text=${encodeURIComponent(message)}`;
};
```

```
const filteredCustomers = useMemo(() => {
  return customers.filter(c => {
    const q = searchQuery.toLowerCase();
    return (
      c.name.toLowerCase().includes(q) ||
      c.phone.includes(q) ||
      c.address.toLowerCase().includes(q)
    );
  });
}, [customers, searchQuery]);
```

```
return (
  <div className="min-h-screen bg-stone-100 text-stone-900 font-sans pb-16 antialiased">

    {/* App Header with Bharti Dairy Branding */}
    <header className="sticky top-0 z-40 bg-gradient-to-r from-emerald-900 via-teal-900 to-emerald-800 text-white shadow-lg border-b border-emerald-700/50">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 py-3">
        <div className="flex flex-wrap items-center justify-between gap-3">
          {/* Logo and Brand */}
          <div className="flex items-center space-x-3">
            <div className="h-11 w-11 rounded-2xl bg-amber-400 text-emerald-950 flex items-center justify-center font-black shadow-md border-2 border-amber-300">
              <Milk className="w-6 h-6" />
            </div>
            <div>
              <div className="flex items-center gap-2">
                <h1 className="text-xl sm:text-2xl font-black tracking-tight text-white">
```

```

        {dairyInfo.dairyName}
      </h1>
      <span className="bg-amber-400/20 text-amber-300 text-[10px] sm:text-xs font-
bold px-2 py-0.5 rounded-full border border-amber-400/30">
        Home Delivery Pro
      </span>
    </div>
    <p className="text-xs text-emerald-200 font-medium">
      {dairyInfo.ownerName} • 📞 {dairyInfo.phone}
    </p>
  </div>
</div>

{/* Quick Actions Header */}
<div className="flex items-center space-x-2">
  <button
    onClick={() => setLang(l => l === 'hi' ? 'en' : 'hi')}
    className="px-3 py-1.5 bg-white/10 hover:bg-white/20 rounded-xl text-xs sm:text-
sm font-bold border border-white/15 transition"
  >
    {lang === 'hi' ? 'English' : 'हिंदी'}
  </button>

  <button
    onClick={() => {
      setPaymentForm({
        customerId: customers[0]?.id || '',
        amount: '',
        mode: 'UPI',
        date: getTodayDate(),
        note: 'दूध बिल भुगतान'
      });
      setShowPaymentModal(true);
    }}
    className="px-3.5 py-1.5 bg-amber-400 hover:bg-amber-300 text-emerald-950
rounded-xl text-xs sm:text-sm font-black shadow transition flex items-center gap-1.5"
  >
    <CreditCard className="w-4 h-4" />
    <span>+ ₹ भुगतान दर्ज करें</span>
  </button>
</div>
</div>
</div>

{/* Tab Navigation Menu */}
<div className="max-w-7xl mx-auto px-4 sm:px-6 flex overflow-x-auto no-scrollbar border-t
border-emerald-800/60 bg-emerald-950/30">
  <nav className="flex space-x-1 py-1.5">
    {[
      { id: 'daily', label: lang === 'hi' ? 'दैनिक दूध वितरण (Daily)' : 'Daily Delivery',
icon: Milk },

```

```

        { id: 'customers', label: lang === 'hi' ? 'ग्राहक खाता (Customers)' : 'Customers
List', icon: Users },
        { id: 'billing', label: lang === 'hi' ? 'मासिक बिल व WhatsApp' : 'Monthly Bill &
WhatsApp', icon: Receipt },
        { id: 'payments', label: lang === 'hi' ? 'भुगतान बही (Payments)' : 'Payment
Register', icon: Coins },
        { id: 'settings', label: lang === 'hi' ? 'डेयरी सेटिंग्स' : 'Dairy Settings', icon:
Settings },
    ].map(tab => {
        const Icon = tab.icon;
        const isActive = activeTab === tab.id;
        return (
            <button
                key={tab.id}
                onClick={() => setActiveTab(tab.id)}
                className={`flex items-center gap-2 px-4 py-2 rounded-xl text-xs sm:text-sm
font-bold transition whitespace-nowrap ${
                    isActive
                        ? 'bg-white text-emerald-950 shadow-md font-black'
                        : 'text-emerald-100 hover:bg-white/10'
                }`}
            >
                <Icon className={`w-4 h-4 ${isActive ? 'text-emerald-700' : 'text-emerald-
300'}`} />
                {tab.label}
            </button>
        );
    })
</nav>
</div>
</header>

{/* Floating Notification */}
{notification && (
    <div className="fixed bottom-5 right-5 z-50 bg-stone-900/95 text-white px-5 py-3 rounded-
2xl shadow-2xl flex items-center gap-3 border border-stone-700 text-sm font-black animate-
bounce">
        <CheckCircle2 className="w-5 h-5 text-emerald-400" />
        <span>{notification}</span>
    </div>
)}

{/* Main App Workspace */}
<main className="max-w-7xl mx-auto px-3 sm:px-6 py-5 space-y-5">

    {}
    <section className="grid grid-cols-2 lg:grid-cols-4 gap-3">
        <div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-sm">
            <div className="flex justify-between items-start">
                <div>
                    <p className="text-[11px] font-bold text-stone-500 uppercase tracking-wider">
                        {lang === 'hi' ? 'आज का कुल दूध' : 'Total Milk Today'}

```

```

        </p>
        <h3 className="text-2xl sm:text-3xl font-black text-stone-900 mt-1">
            {todayMetrics.totalLiters} <span className="text-xs font-semibold text-stone-
500">Liters</span>
        </h3>
    </div>
    <div className="p-2.5 bg-emerald-50 text-emerald-700 rounded-2xl">
        <Milk className="w-5 h-5" />
    </div>
</div>
<div className="mt-2 text-xs font-bold text-stone-600 flex justify-between border-t
border-stone-100 pt-2">
    <span className="text-amber-700">☀️ सुबह: {todayMetrics.morningLiters}L</span>
    <span className="text-indigo-700">🌙 शाम: {todayMetrics.eveningLiters}L</span>
</div>
</div>

<div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-sm">
    <div className="flex justify-between items-start">
        <div>
            <p className="text-[11px] font-bold text-stone-500 uppercase tracking-wider">
                {lang === 'hi' ? 'आज का अनुमानित बिल' : 'Estimated Daily Sale'}
            </p>
            <h3 className="text-2xl sm:text-3xl font-black text-emerald-800 mt-1">
                ₹{todayMetrics.totalEstimatedRupees}
            </h3>
        </div>
        <div className="p-2.5 bg-emerald-50 text-emerald-700 rounded-2xl">
            <IndianRupee className="w-5 h-5" />
        </div>
    </div>
    <div className="mt-2 text-xs font-semibold text-stone-500 border-t border-stone-100
pt-2">
        कुल {customers.length} पंजीकृत कस्टमर
    </div>
</div>

<div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-sm">
    <div className="flex justify-between items-start">
        <div>
            <p className="text-[11px] font-bold text-stone-500 uppercase tracking-wider">
                {lang === 'hi' ? 'आज की छुट्टियां (Absent)' : 'Absents Today'}
            </p>
            <h3 className="text-2xl sm:text-3xl font-black text-amber-600 mt-1">
                {todayMetrics.absentCount}
            </h3>
        </div>
        <div className="p-2.5 bg-amber-50 text-amber-600 rounded-2xl">
            <AlertCircle className="w-5 h-5" />
        </div>
    </div>
</div>

```

```

pt-2">
    <div className="mt-2 text-xs font-semibold text-stone-500 border-t border-stone-100
    {customers.length - todayMetrics.absentCount} घरों में दूध गया
  </div>
</div>

<div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-sm">
  <div className="flex justify-between items-start">
    <div>
      <p className="text-[11px] font-bold text-stone-500 uppercase tracking-wider">
        {lang === 'hi' ? 'कुल मार्केट बकाया' : 'Total Due Balance'}
      </p>
      <h3 className="text-2xl sm:text-3xl font-black text-rose-600 mt-1">
        ₹{customers.reduce((sum, c) => sum + (c.balance || 0), 0).toFixed(0)}
      </h3>
    </div>
    <div className="p-2.5 bg-rose-50 text-rose-600 rounded-2xl">
      <Coins className="w-5 h-5" />
    </div>
  </div>
  <div className="mt-2 text-xs font-semibold text-stone-500 border-t border-stone-100
pt-2">
    ग्राहकों पर कुल उधारी
  </div>
</div>
</section>

{}
{activeTab === 'daily' && (
  <div className="space-y-4">
    {/* Control Bar: Date Selector & Quick Mark Defaults */}
    <div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-xs flex flex-
wrap items-center justify-between gap-3">
      <div className="flex items-center gap-3">
        <div className="flex items-center gap-2 bg-stone-50 border border-stone-300
rounded-2xl px-3 py-1.5">
          <Calendar className="w-4 h-4 text-emerald-800" />
          <input
            type="date"
            value={selectedDate}
            onChange={(e) => setSelectedDate(e.target.value)}
            className="text-xs sm:text-sm font-black bg-transparent text-stone-800
focus:outline-none"
          />
        </div>

        <div className="flex rounded-2xl bg-stone-100 p-1 border border-stone-200 text-xs
font-bold">
          <button
            onClick={() => setSelectedShift('both')}
            className={`px-3 py-1 rounded-xl transition ${selectedShift === 'both' ? 'bg-
white shadow text-emerald-900 font-black' : 'text-stone-600'}>`
            >

```

दोनों शिफ्ट (Both)

</button>

<button

onClick={() => setSelectedShift('morning')}

className={`px-3 py-1 rounded-xl transition \${selectedShift === 'morning' ?

'bg-amber-400 text-stone-950 font-black' : 'text-stone-600'}`}

>

☀️ सुबह

</button>

<button

onClick={() => setSelectedShift('evening')}

className={`px-3 py-1 rounded-xl transition \${selectedShift === 'evening' ?

'bg-indigo-700 text-white font-black' : 'text-stone-600'}`}

>

🌙 शाम

</button>

</div>

</div>

<div className="flex items-center gap-2">

<button

onClick={markAllDefaults}

className="px-4 py-2 bg-emerald-700 hover:bg-emerald-800 text-white rounded-2xl

text-xs sm:text-sm font-black shadow-sm transition flex items-center gap-1.5"

>

<CheckCircle2 className="w-4 h-4 text-amber-300" />

एक-क्लिक: सभी को रोज़ाना का दूध भरें

</button>

</div>

</div>

{/* Delivery Entry Cards Grid */}

<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-4">

{customers.map((customer) => {

const delivery = getCustomerDelivery(customer.id, selectedDate);

const morning = delivery.morning;

const evening = delivery.evening;

const isHoliday = delivery.isHoliday;

const totalToday = isHoliday ? 0 : (parseFloat(morning) + parseFloat(evening));

const costToday = totalToday * (delivery.rate || customer.rate);

return (

<div

key={customer.id}

className={`rounded-3xl border p-4 shadow-xs transition \${

isHoliday

? 'bg-rose-50/50 border-rose-200 opacity-80'

: 'bg-white border-stone-200 hover:shadow-md'

}`}

>

{/* Customer Info Header */}

<div className="flex justify-between items-start">

```

<div>
  <div className="flex items-center gap-2">
    <h4 className="font-black text-stone-900 text-base">
      {customer.name}
    </h4>
    <span className={`text-[10px] font-black px-2 py-0.5 rounded-full ${
      customer.milkType === 'cow' ? 'bg-amber-100 text-amber-900' : 'bg-
blue-100 text-blue-900'
    }}>
      {customer.milkType === 'cow' ? 'गाय (Cow)' : 'भैंस (Buffalo)'}
    </span>
  </div>
  <p className="text-xs text-stone-500 font-medium flex items-center gap-1
mt-0.5">
    <MapPin className="w-3 h-3 text-stone-400" />
    <span>{customer.address}</span>
  </p>
  <p className="text-xs text-stone-400 mt-0.5">
    📞 {customer.phone}
  </p>
</div>

{/* Absent / Holiday Toggle */}
<button
  onClick={() => updateDelivery(customer.id, { isHoliday: !isHoliday })}
  className={`text-[11px] font-black px-3 py-1 rounded-xl transition border
$ {
  isHoliday
    ? 'bg-rose-600 text-white border-rose-600 shadow'
    : 'bg-stone-100 text-stone-700 border-stone-200 hover:bg-rose-50
hover:text-rose-600'
  }}
>
  {isHoliday ? '❌ आज छुट्टी (No Milk)' : 'छुट्टी करें?'}
</button>
</div>

{/* Delivery Adjuster Inputs */}
{!isHoliday ? (
  <div className="mt-4 space-y-3">
    {/* Morning Shift Row */}
    {(selectedShift === 'both' || selectedShift === 'morning') && (
      <div className="bg-amber-50/70 border border-amber-200/80 rounded-2xl
p-2.5 flex items-center justify-between">
        <div className="flex items-center gap-1.5">
          <Sun className="w-4 h-4 text-amber-600" />
          <span className="text-xs font-black text-amber-950">सुबह
(Morning):</span>
        </div>
        <div className="flex items-center gap-2">
          <button

```

```

onClick={() => updateDelivery(customer.id, { morning: Math.max(0,
+ (morning - 0.5).toFixed(1)) })})
      className="w-7 h-7 rounded-xl bg-white border border-amber-300
font-black text-sm text-amber-900 flex items-center justify-center shadow-xs"
    >
      -
    </button>
    <span className="w-12 text-center text-sm font-black text-stone-
900">
      {morning} L
    </span>
    <button
      onClick={() => updateDelivery(customer.id, { morning: +(morning +
0.5).toFixed(1) })})
      className="w-7 h-7 rounded-xl bg-amber-400 font-black text-sm
text-amber-950 flex items-center justify-center shadow-xs"
    >
      +
    </button>
  </div>
</div>
  )}

  { /* Evening Shift Row */ }
  {(selectedShift === 'both' || selectedShift === 'evening') && (
    <div className="bg-indigo-50/70 border border-indigo-200/80 rounded-2xl
p-2.5 flex items-center justify-between">
      <div className="flex items-center gap-1.5">
        <Moon className="w-4 h-4 text-indigo-700" />
        <span className="text-xs font-black text-indigo-950">शाम
(Evening):</span>
      </div>

      <div className="flex items-center gap-2">
        <button
          onClick={() => updateDelivery(customer.id, { evening: Math.max(0,
+ (evening - 0.5).toFixed(1)) })})
          className="w-7 h-7 rounded-xl bg-white border border-indigo-300
font-black text-sm text-indigo-900 flex items-center justify-center shadow-xs"
        >
          -
        </button>
        <span className="w-12 text-center text-sm font-black text-stone-
900">
          {evening} L
        </span>
        <button
          onClick={() => updateDelivery(customer.id, { evening: +(evening +
0.5).toFixed(1) })})
          className="w-7 h-7 rounded-xl bg-indigo-600 font-black text-sm
text-white flex items-center justify-center shadow-xs"
        >
          +

```

```

        </button>
      </div>
    </div>
  )}

  { /* Total Litres and Bill Info */ }
  <div className="pt-2 border-t border-stone-100 flex items-center justify-
between text-xs">

    <span className="font-bold text-stone-600">
      कुल: <strong className="text-stone-900">{totalToday.toFixed(1)} L</strong>
      (₹{customer.rate}/L)
    </span>
    <span className="font-black text-emerald-800 text-sm">
      ₹{costToday.toFixed(0)}
    </span>
  </div>
</div>
) : (
  <div className="py-5 text-center text-xs font-bold text-rose-600">
    आज इस पते पर दूध नहीं दिया गया (Customer on Leave)
  </div>
)}

{ /* Bottom Quick Tools */ }
<div className="mt-3 pt-2 border-t border-stone-100 flex items-center
justify-between">

  <button
    onClick={() => {
      setSelectedCustomerForHistory(customer);
    }}
    className="text-xs font-bold text-emerald-800 hover:underline flex items-
center gap-1"
  >
    <CalendarDays className="w-3.5 h-3.5" />
    <span>खाता / कैलेंडर देखें</span>
  </button>

  <button
    onClick={() => {
      setBillingCustomer(customer);
      setShowBillModal(true);
    }}
    className="text-xs font-black text-teal-800 bg-teal-50 px-2.5 py-1
rounded-xl hover:bg-teal-100 transition flex items-center gap-1"
  >
    <Receipt className="w-3.5 h-3.5" />
    <span>बिल बनाएं</span>
  </button>
</div>
</div>
);
}}

```

```

        </div>
    </div>
  )}

  {}
  {activeTab === 'customers' && (
    <div className="space-y-4">
      {/* Search and Add Customer Bar */}
      <div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-xs flex flex-wrap items-center justify-between gap-3">
        <div className="relative">
          <Search className="w-4 h-4 text-stone-400 absolute left-3 top-3" />
          <input
            type="text"
            placeholder="ग्राहक का नाम, पता या मोबाइल खोजें..."
            value={searchQuery}
            onChange={(e) => setSearchQuery(e.target.value)}
            className="pl-9 pr-4 py-2 bg-stone-50 border border-stone-300 rounded-2xl text-xs sm:text-sm font-semibold focus:outline-none focus:ring-2 focus:ring-emerald-500 w-64 sm:w-80"
            />
        </div>

        <button
          onClick={() => {
            setEditingCustomer(null);
            setCustomerForm({
              name: '',
              phone: '',
              address: '',
              milkType: 'buffalo',
              morningQty: 1.0,
              eveningQty: 0.5,
              rate: 70,
              balance: 0
            });
            setShowAddCustomerModal(true);
          }}
          className="px-4 py-2 bg-emerald-700 hover:bg-emerald-800 text-white rounded-2xl text-xs sm:text-sm font-black shadow transition flex items-center gap-1.5"
          >
          <Plus className="w-4 h-4" />
          <span>+ नया ग्राहक जोड़ें (Add Customer)</span>
        </button>
      </div>

      {/* Customers Table List */}
      <div className="bg-white rounded-3xl border border-stone-200 shadow-xs overflow-hidden">
        <div className="overflow-x-auto">
          <table className="w-full text-left text-xs sm:text-sm">
            <thead className="bg-stone-50 border-b border-stone-200 text-stone-700 font-black">
              <tr>

```

```

<th className="p-3">ग्राहक का नाम</th>
<th className="p-3">मोबाइल व पता</th>
<th className="p-3">दूध का प्रकार</th>
<th className="p-3 text-right">तय मात्रा (सुबह / शाम)</th>
<th className="p-3 text-right">भाव (₹/L)</th>
<th className="p-3 text-right">कुल बकाया (Due ₹)</th>
<th className="p-3 text-center">कार्य (Actions)</th>
</tr>
</thead>
<tbody className="divide-y divide-stone-100 font-medium">
  {filteredCustomers.length === 0 ? (
    <tr>
      <td colspan={7} className="p-8 text-center text-stone-400 font-bold">
        कोई ग्राहक नहीं मिला।
      </td>
    </tr>
  ) : (
    filteredCustomers.map((c) => (
      <tr key={c.id} className="hover:bg-stone-50 transition">
        <td className="p-3">
          <div className="font-black text-stone-900">{c.name}</div>
          <span className="text-[11px] text-emerald-700 font-mono">
            {c.active ? '● सक्रिय (Active)' : '○ बंद'}
          </span>
        </td>
        <td className="p-3">
          <div className="font-bold text-stone-800">📞 {c.phone}</div>
          <div className="text-xs text-stone-500">{c.address}</div>
        </td>
        <td className="p-3">
          <span className={`px-2 py-0.5 rounded text-[11px] font-black ${
            c.milkType === 'cow' ? 'bg-amber-100 text-amber-900' : 'bg-blue-100
text-blue-900'
          }`} >
            {c.milkType === 'cow' ? 'गाय (Cow)' : 'भैंस (Buffalo)'}
          </span>
        </td>
        <td className="p-3 text-right font-black text-stone-800">
          🌻 {c.morningQty}L | 🌙 {c.eveningQty}L
        </td>
        <td className="p-3 text-right font-black text-stone-900">
          ₹{c.rate}
        </td>
        <td className="p-3 text-right font-black text-rose-600 text-base">
          ₹{c.balance.toFixed(0)}
        </td>
        <td className="p-3 text-center">
          <div className="flex items-center justify-center space-x-1.5">
            <button

```

```

onClick={() => setSelectedCustomerForHistory(c)}
title="कैलेंडर पासबुक"
className="p-1.5 bg-stone-100 hover:bg-emerald-100 text-emerald-800 rounded-xl transition"
>
  <CalendarDays className="w-4 h-4" />
</button>
<button
  onClick={() => {
    setBillingCustomer(c);
    setShowBillModal(true);
  }}
  title="बिल व WhatsApp"
  className="p-1.5 bg-emerald-50 hover:bg-emerald-200 text-emerald-900 rounded-xl transition"
>
  <Receipt className="w-4 h-4" />
</button>
<button
  onClick={() => {
    setEditingCustomer(c);
    setCustomerForm({ ...c });
    setShowAddCustomerModal(true);
  }}
  title="एडिट करें"
  className="p-1.5 bg-stone-100 hover:bg-stone-200 text-stone-700 rounded-xl transition"
>
  <Edit2 className="w-4 h-4" />
</button>
</div>
</td>
</tr>
))
)}
</tbody>
</table>
</div>
</div>
</div>
)}

{
  {activeTab === 'billing' && (
    <div className="space-y-4">
      {/* Header selection card */}
      <div className="bg-white p-5 rounded-3xl border border-stone-200 shadow-xs flex flex-wrap items-center justify-between gap-3">
        <div>
          <h3 className="text-base sm:text-lg font-black text-stone-900 flex items-center gap-2">
            <Receipt className="w-5 h-5 text-emerald-800" />

```

```

        <span>मासिक दूध बिलिंग व 1-क्लिक WhatsApp शेयरिंग</span>
    </h3>
    <p className="text-xs text-stone-500">
महीना चुनें और एक क्लिक में सभी ग्राहकों का बिल WhatsApp पर भेजें
    </p>
</div>

<div className="flex items-center gap-2">
    <span className="text-xs font-bold text-stone-600">बिल महीना:</span>
    <input
        type="month"
        value={billingMonth}
        onChange={(e) => setBillingMonth(e.target.value)}
        className="bg-stone-50 border border-stone-300 rounded-2xl px-3 py-1.5 text-xs
sm:text-sm font-black focus:outline-none"
    />
</div>
</div>

{/* List of customer bills with 1-Click WhatsApp Button */}
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-4">
    {customers.map((c) => {
        const summary = calculateCustomerMonthSummary(c.id, billingMonth);
        if (!summary) return null;
        const waLink = generateWhatsAppMessage(summary);

        return (
            <div key={c.id} className="bg-white rounded-3xl border border-stone-200 p-5
shadow-xs hover:shadow-md transition space-y-3">
                <div className="flex justify-between items-start">
                    <div>
                        <h4 className="font-black text-base text-stone-900">{c.name}</h4>
                        <p className="text-xs text-stone-500">{c.phone}</p>
                    </div>
                    <span className="text-[10px] font-black bg-stone-100 px-2 py-0.5 rounded-
full text-stone-700">
                        {summary.monthStr}
                    </span>
                </div>

                <div className="bg-stone-50 rounded-2xl p-3 space-y-1.5 text-xs">
                    <div className="flex justify-between text-stone-600">
                        <span>दूध सप्लाई के दिन:</span>
                        <span className="font-bold text-stone-900">{summary.totalDaysSupplied}
दिन</span>
                    </div>

                    <div className="flex justify-between text-stone-600">
                        <span>कुल दूध मात्रा:</span>
                        <span className="font-black text-stone-900">{summary.totalLiters}
L</span>
                    </div>
                </div>
            </div>
        )
    })}

```

```

<div className="flex justify-between text-stone-600">
  <span>भाव (Rate) :</span>
  <span className="font-bold">₹{c.rate}/L</span>
</div>
<div className="flex justify-between text-stone-600 border-t border-stone-
200 pt-1.5">

  <span>इस माह का बिल:</span>
  <span className="font-bold text-stone-900">₹{summary.billAmount}</span>
</div>
<div className="flex justify-between text-stone-600">
  <span>पिछला बकाया:</span>
  <span className="font-bold text-rose-600">₹{c.balance}</span>
</div>
<div className="flex justify-between text-stone-900 border-t border-stone-
200 pt-1.5 text-sm font-black">
  <span>कुल देय (Payable) :</span>
  <span className="text-emerald-800">₹{summary.netDue}</span>
</div>
</div>

<div className="flex gap-2 pt-1">
  {/* WhatsApp 1-Click direct URL */}
  <a
    href={waLink}
    target="_blank"
    rel="noreferrer"
    className="flex-1 bg-emerald-600 hover:bg-emerald-700 text-white rounded-
2xl py-2.5 px-3 text-xs font-black shadow flex items-center justify-center gap-1.5 transition"
  >
    <Send className="w-4 h-4 text-emerald-200" />
    <span>WhatsApp पर बिल भेजें</span>
  </a>

  <button
    onClick={() => {
      setBillingCustomer(c);
      setShowBillModal(true);
    }}
    className="p-2.5 bg-stone-100 hover:bg-stone-200 text-stone-700 rounded-
2xl text-xs font-bold transition"
    title="पर्ची प्रिंट / देखें"
  >
    <Printer className="w-4 h-4" />
  </button>
</div>
</div>

);
}}
</div>
</div>
)}

```

```

    {}
    {activeTab === 'payments' && (
      <div className="space-y-4">
        <div className="bg-white p-4 rounded-3xl border border-stone-200 shadow-xs flex flex-wrap items-center justify-between gap-3">
          <div>
            <h3 className="text-base font-black text-stone-900">भुगतान एवं जमा बही (Payment Register)</h3>
            <p className="text-xs text-stone-500">ग्राहकों से प्राप्त नकद व ऑनलाइन भुगतान का विवरण</p>
          </div>
          <button
            onClick={() => setShowPaymentModal(true)}
            className="px-4 py-2 bg-emerald-700 hover:bg-emerald-800 text-white rounded-2xl text-xs sm:text-sm font-black shadow transition flex items-center gap-1.5"
          >
            <Plus className="w-4 h-4" />
            <span>नया भुगतान दर्ज करें</span>
          </button>
        </div>
        <div className="bg-white rounded-3xl border border-stone-200 shadow-xs overflow-hidden">
          <table className="w-full text-left text-xs sm:text-sm">
            <thead className="bg-stone-50 border-b border-stone-200 text-stone-700 font-black">
              <tr>
                <th className="p-3">तारीख</th>
                <th className="p-3">ग्राहक का नाम</th>
                <th className="p-3">भुगतान माध्यम</th>
                <th className="p-3">टिप्पणी / नोट</th>
                <th className="p-3 text-right">प्राप्त राशि (₹)</th>
              </tr>
            </thead>
            <tbody className="divide-y divide-stone-100 font-medium">
              {payments.length === 0 ? (
                <tr>
                  <td colspan={5} className="p-8 text-center text-stone-400">
                    अभी कोई भुगतान दर्ज नहीं है।
                  </td>
                </tr>
              ) : (
                payments.map(p => {
                  const cust = customers.find(c => c.id === p.customerId);
                  return (
                    <tr key={p.id} className="hover:bg-stone-50 transition">
                      <td className="p-3 font-semibold text-stone-600">{p.date}</td>
                      <td className="p-3 font-black text-stone-900">{cust?.name || 'Customer'}</td>

```

```

        <td className="p-3">
            <span className="px-2 py-0.5 rounded text-xs font-bold bg-stone-100
text-stone-700">
                {p.mode}
            </span>
        </td>
        <td className="p-3 text-stone-600">{p.note || '-'}</td>
        <td className="p-3 text-right font-black text-emerald-700 text-base">
            + ₹{p.amount.toFixed(2)}
        </td>
    </tr>
    );
    })
    })
</tbody>
</table>
</div>
</div>
)}

{}
{activeTab === 'settings' && (
    <div className="max-w-2xl mx-auto bg-white rounded-3xl border border-stone-200 shadow-
xs p-6 space-y-4">
        <h3 className="text-lg font-black text-stone-900 border-b border-stone-100 pb-3 flex
items-center gap-2">
            <Settings className="w-5 h-5 text-emerald-800" />
            <span>भारती डेयरी प्रोफाइल व रसीद सेटिंग्स</span>
        </h3>

        <div className="space-y-3.5">
            <div>
                <label className="block text-xs font-black text-stone-600 mb-1">डेयरी का नाम
(Business Name)</label>
                <input
                    type="text"
                    value={dairyInfo.dairyName}
                    onChange={(e) => setDairyInfo({ ...dairyInfo, dairyName: e.target.value })}
                    className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-black"
                />
            </div>

            <div>
                <label className="block text-xs font-black text-stone-600 mb-1">संचालक का नाम
(Owner Name)</label>
                <input
                    type="text"
                    value={dairyInfo.ownerName}
                    onChange={(e) => setDairyInfo({ ...dairyInfo, ownerName: e.target.value })}
                    className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"

```

```
    />
  </div>

  <div className="grid grid-cols-2 gap-3">
    <div>
      <label className="block text-xs font-black text-stone-600 mb-1">संपर्क मोबाइल
नंबर</label>

      <input
        type="text"
        value={dairyInfo.phone}
        onChange={(e) => setDairyInfo({ ...dairyInfo, phone: e.target.value })}
        className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
      />
    </div>

    <div>
      <label className="block text-xs font-black text-stone-600 mb-1">UPI ID (पेमेंट QR
हेतु)</label>

      <input
        type="text"
        value={dairyInfo.upiId}
        onChange={(e) => setDairyInfo({ ...dairyInfo, upiId: e.target.value })}
        className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold text-emerald-800"
      />
    </div>
  </div>

  <div>
    <label className="block text-xs font-black text-stone-600 mb-1">डेयरी का पता (Dairy
Address)</label>
    <input
      type="text"
      value={dairyInfo.address}
      onChange={(e) => setDairyInfo({ ...dairyInfo, address: e.target.value })}
      className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm"
    />
  </div>

  <div>
    <label className="block text-xs font-black text-stone-600 mb-1">बिल के नीचे का संदेश
(Footer Message)</label>
    <input
      type="text"
      value={dairyInfo.footerMsg}
      onChange={(e) => setDairyInfo({ ...dairyInfo, footerMsg: e.target.value })}
      className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm"
    />
  </div>
```

```

    </div>

    <button
      type="button"
      onClick={() => showToast(lang === 'hi' ? "सेटिंग्स सफलतापूर्वक सुरक्षित हुई!" : "Settings
saved!") }
      className="w-full bg-emerald-700 hover:bg-emerald-800 text-white font-black py-3
rounded-2xl shadow transition"
    >
      सेटिंग्स सुरक्षित करें (Save Profile)
    </button>
  </div>
</div>
  ) }
</main>

  {}
  {showAddCustomerModal && (
    <div className="fixed inset-0 z-50 flex items-center justify-center bg-black/60 p-4
backdrop-blur-xs">
      <div className="bg-white rounded-3xl max-w-md w-full p-5 shadow-2xl animate-in fade-in
zoom-in-95">
        <div className="flex justify-between items-center mb-4">
          <h3 className="font-black text-base text-stone-900">
            {editingCustomer ? 'ग्राहक जानकारी सुधारें' : 'नया ग्राहक जोड़ें'}
          </h3>
          <button onClick={() => setShowAddCustomerModal(false)} className="text-stone-400
hover:text-stone-600">
            <X className="w-5 h-5" />
          </button>
        </div>

        <form onSubmit={handleSaveCustomer} className="space-y-3.5">
          <div>
            <label className="block text-xs font-black text-stone-600 mb-1">ग्राहक का पूरा नाम
*</label>

            <input
              type="text"
              placeholder="उदा. राजेश शर्मा"
              required
              value={customerForm.name}
              onChange={(e) => setCustomerForm({ ...customerForm, name: e.target.value })}
              className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
            />
          </div>

          <div>
            <label className="block text-xs font-black text-stone-600 mb-1">मोबाइल नंबर
(WhatsApp हेतु) *</label>

```

```
<input
  type="tel"
  placeholder="10 अंकों का नंबर (उदा. 9812345670)"
  required
  value={customerForm.phone}
  onChange={(e) => setCustomerForm({ ...customerForm, phone: e.target.value })}
  className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
  />
</div>

<div>
  <label className="block text-xs font-black text-stone-600 mb-1">मकान नं. व पूरा
पता</label>

  <input
    type="text"
    placeholder="उदा. मकान 12, गली 3, विकास नगर"
    value={customerForm.address}
    onChange={(e) => setCustomerForm({ ...customerForm, address: e.target.value })}
    className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm"
    />
  </div>

<div className="grid grid-cols-2 gap-3">
  <div>
    <label className="block text-xs font-black text-stone-600 mb-1">दूध का
प्रकार</label>

    <select
      value={customerForm.milkType}
      onChange={(e) => setCustomerForm({ ...customerForm, milkType: e.target.value
    })}

      className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
    >
      <option value="buffalo">भैंस (Buffalo)</option>
      <option value="cow">गाय (Cow)</option>
    </select>
  </div>

  <div>
    <label className="block text-xs font-black text-stone-600 mb-1">दूध भाव (₹ प्रति
लीटर)</label>

    <input
      type="number"
      value={customerForm.rate}
      onChange={(e) => setCustomerForm({ ...customerForm, rate: e.target.value })}
      className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold text-emerald-800"
```

```
        />
      </div>
    </div>

    <div className="grid grid-cols-2 gap-3">
      <div>
        <label className="block text-xs font-black text-stone-600 mb-1">तय सुबह मात्रा
(L) </label>

        <input
          type="number"
          step="0.5"
          value={customerForm.morningQty}
          onChange={(e) => setCustomerForm({ ...customerForm, morningQty:
e.target.value })}
          className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-black"
        />
      </div>

      <div>
        <label className="block text-xs font-black text-stone-600 mb-1">तय शाम मात्रा
(L) </label>

        <input
          type="number"
          step="0.5"
          value={customerForm.eveningQty}
          onChange={(e) => setCustomerForm({ ...customerForm, eveningQty:
e.target.value })}
          className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-black"
        />
      </div>
    </div>

    <div>
      <label className="block text-xs font-black text-stone-600 mb-1">शुरुआती पुराना बकाया
(₹) </label>

      <input
        type="number"
        value={customerForm.balance}
        onChange={(e) => setCustomerForm({ ...customerForm, balance: e.target.value })}
        className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
      />
    </div>

    <div className="pt-2 flex gap-2">
      <button
        type="submit"
        className="flex-1 bg-emerald-700 hover:bg-emerald-800 text-white font-black py-
2.5 rounded-2xl text-sm transition"
      >
```

```

    >
    सुरक्षित करें (Save Customer)
  </button>
  <button
    type="button"
    onClick={() => setShowAddCustomerModal(false)}
    className="px-4 py-2.5 bg-stone-100 text-stone-600 font-bold rounded-2xl text-
sm"
  >
    रद्द करें
  </button>
</div>
</form>
</div>
</div>
) }

{}
{showPaymentModal && (
  <div className="fixed inset-0 z-50 flex items-center justify-center bg-black/60 p-4
backdrop-blur-xs">
    <div className="bg-white rounded-3xl max-w-md w-full p-5 shadow-2xl animate-in fade-in
zoom-in-95">
      <div className="flex justify-between items-center mb-4">
        <h3 className="font-black text-base text-stone-900">भुगतान प्राप्त करें (Receive
Payment)</h3>
        <button onClick={() => setShowPaymentModal(false)} className="text-stone-400
hover:text-stone-600">
          <X className="w-5 h-5" />
        </button>
      </div>

      <form onSubmit={handleRecordPayment} className="space-y-3.5">
        <div>
          <label className="block text-xs font-black text-stone-600 mb-1">ग्राहक चुनें *</label>
          <select
            value={paymentForm.customerId}
            onChange={(e) => setPaymentForm({ ...paymentForm, customerId: e.target.value
}}}
            className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
          >
            {customers.map(c => (
              <option key={c.id} value={c.id}>
                {c.name} (बकाया: ₹{c.balance})
              </option>
            ))}
          </select>
        </div>

        <div className="grid grid-cols-2 gap-3">
          <div>

```

```

<label className="block text-xs font-black text-stone-600 mb-1">प्राप्त राशि (₹)
*</label>

<input
  type="number"
  placeholder="₹ 1500"
  required
  value={paymentForm.amount}
  onChange={(e) => setPaymentForm({ ...paymentForm, amount: e.target.value })}
  className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-black text-emerald-800"
/>
</div>

<div>
  <label className="block text-xs font-black text-stone-600 mb-1">भुगतान
माध्यम</label>

  <select
    value={paymentForm.mode}
    onChange={(e) => setPaymentForm({ ...paymentForm, mode: e.target.value })}
    className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
  >
    <option value="PhonePe/UPI">PhonePe / GPay (UPI)</option>
    <option value="Cash">नकद (Cash)</option>
    <option value="Bank">बैंक ट्रांसफर (NEFT)</option>
  </select>
</div>
</div>

<div>
  <label className="block text-xs font-black text-stone-600 mb-1">तारीख</label>
  <input
    type="date"
    value={paymentForm.date}
    onChange={(e) => setPaymentForm({ ...paymentForm, date: e.target.value })}
    className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm font-bold"
  />
</div>

<div>
  <label className="block text-xs font-black text-stone-600 mb-1">टिप्पणी /
नोट</label>

  <input
    type="text"
    placeholder="उदा. पूरे महीने का दूध बिल"
    value={paymentForm.note}
    onChange={(e) => setPaymentForm({ ...paymentForm, note: e.target.value })}

```

```

        className="w-full bg-stone-50 border border-stone-300 rounded-2xl px-3 py-2
text-sm"
    />
</div>

<div className="pt-2 flex gap-2">
    <button
        type="submit"
        className="flex-1 bg-amber-500 hover:bg-amber-600 text-stone-950 font-black py-
2.5 rounded-2xl text-sm transition"
    >
        जमा दर्ज करें (Save Payment)
    </button>
    <button
        type="button"
        onClick={() => setShowPaymentModal(false)}
        className="px-4 py-2.5 bg-stone-100 text-stone-600 font-bold rounded-2xl text-
sm"
    >
        रद्द करें
    </button>
</div>
</form>
</div>
</div>
)}

{}
{selectedCustomerForHistory && (
    <div className="fixed inset-0 z-50 flex items-center justify-center bg-black/60 p-4
backdrop-blur-xs">
        <div className="bg-white rounded-3xl max-w-2xl w-full max-h-[90vh] flex flex-col
shadow-2xl overflow-hidden animate-in fade-in zoom-in-95">
            <div className="p-4 bg-gradient-to-r from-emerald-900 to-teal-900 text-white flex
justify-between items-center">
                <div>
                    <h3 className="text-base sm:text-lg font-black flex items-center gap-2">
                        <CalendarDays className="w-5 h-5 text-amber-400" />
                        <span>{selectedCustomerForHistory.name} - दैनिक वितरण कैलेंडर</span>
                    </h3>
                    <p className="text-xs text-emerald-200">
                        📞 {selectedCustomerForHistory.phone} • {selectedCustomerForHistory.address}
                    </p>
                </div>
                <button
                    onClick={() => setSelectedCustomerForHistory(null)}
                    className="p-1.5 rounded-xl hover:bg-white/10 text-white transition"
                >
                    <X className="w-6 h-6" />
                </button>
            </div>
        </div>
    )
}

```

```

    { /* Sub-header with balance */ }
    <div className="bg-emerald-50 px-5 py-3 border-b border-emerald-100 flex items-center justify-between">
      <div>
        <span className="text-xs text-emerald-800 font-bold">वर्तमान कुल बकाया (Net Due) :</span>
        <span className="ml-2 text-xl font-black text-rose-600">
          ₹{selectedCustomerForHistory.balance.toFixed(0)}
        </span>
      </div>
      <span className="text-xs font-bold text-stone-600">
        दर: ₹{selectedCustomerForHistory.rate}/लीटर
      </span>
    </div>

    { /* Scrollable Date wise Table */ }
    <div className="p-4 overflow-y-auto flex-1">
      <table className="w-full text-left text-xs">
        <thead className="bg-stone-100 text-stone-700 font-black">
          <tr>
            <th className="p-2.5">तारीख (Date)</th>
            <th className="p-2.5 text-center">सुबह (L)</th>
            <th className="p-2.5 text-center">शाम (L)</th>
            <th className="p-2.5 text-right">कुल लीटर</th>
            <th className="p-2.5 text-right">दैनिक रकम (₹)</th>
          </tr>
        </thead>
        <tbody className="divide-y divide-stone-100 font-medium">
          {Object.keys(deliveries)
            .sort((a, b) => (b > a ? 1 : -1))
            .map(date => {
              const entry = deliveries[date][selectedCustomerForHistory.id];
              if (!entry) return null;
              const isHol = entry.isHoliday;
              const totalLit = isHol ? 0 : ((entry.morning || 0) + (entry.evening || 0));
              const amt = totalLit * (entry.rate || selectedCustomerForHistory.rate);

              return (
                <tr key={date} className={`hover:bg-stone-50 ${isHol ? 'bg-rose-50/60' : ''}}`>
                  <td className="p-2.5 font-bold text-stone-800">{date}</td>
                  <td className="p-2.5 text-center font-bold text-amber-900">
                    {isHol ? '-' : `${entry.morning} L`}
                  </td>
                  <td className="p-2.5 text-center font-bold text-indigo-900">
                    {isHol ? '-' : `${entry.evening} L`}
                  </td>
                  <td className="p-2.5 text-right font-black text-stone-900">
                    {isHol ? <span className="text-rose-600 font-bold">छुट्टी
(Absent)</span> : `${totalLit.toFixed(1)} L`}

```



```

</div>

<div className="border-t border-dashed border-stone-300 pt-2 space-y-1">
  <div className="flex justify-between">
    <span>कुल दूध डिलीवरी:</span>
    <span className="font-black">{summary.totalLiters} L</span>
  </div>
  <div className="flex justify-between">
    <span>सप्लाई दिन:</span>
    <span>{summary.totalDaysSupplied} दिन (छुट्टी: {summary.absentDays})</span>
  </div>
  <div className="flex justify-between">
    <span>भाव प्रति लीटर:</span>
    <span>₹{billingCustomer.rate}</span>
  </div>
  <div className="flex justify-between font-bold">
    <span>इस माह की राशि:</span>
    <span>₹{summary.billAmount}</span>
  </div>
  <div className="flex justify-between text-stone-600">
    <span>पिछला बकाया:</span>
    <span>₹{billingCustomer.balance}</span>
  </div>
  <div className="flex justify-between text-emerald-700">
    <span>प्राप्त भुगतान:</span>
    <span>- ₹{summary.totalPaidInMonth}</span>
  </div>
</div>

<div className="border-t-2 border-stone-900 pt-2 flex justify-between text-
base font-black text-emerald-950">
  <span>कुल देय (Total) :</span>
  <span>₹{summary.netDue}</span>
</div>

<div className="pt-2 text-center text-[9px] text-stone-500 font-sans">
  UPI ID: {dairyInfo.upiId} <br />
  {dairyInfo.footerMsg}
</div>
</div>

<div className="mt-4 space-y-2">
  <a
    href={waLink}
    target="_blank"
    rel="noreferer"
    className="w-full bg-emerald-600 hover:bg-emerald-700 text-white font-black
py-2.5 rounded-2xl text-xs flex items-center justify-center gap-1.5 shadow"
  >
    <Send className="w-4 h-4" />
  </a>
</div>

```

```
        <span>WhatsApp पर तुरंत भेजें</span>
    </a>

    <div className="flex gap-2">
        <button
            onClick={() => window.print()}
            className="flex-1 bg-stone-900 hover:bg-stone-800 text-white font-bold
py-2 rounded-2xl text-xs flex items-center justify-center gap-1"
        >
            <Printer className="w-3.5 h-3.5" />
            <span>प्रिंट पर्ची</span>
        </button>
        <button
            onClick={() => setShowBillModal(false)}
            className="px-4 py-2 bg-stone-100 hover:bg-stone-200 text-stone-800 font-
bold rounded-2xl text-xs"
        >
            बंद करें
        </button>
    </div>
</div>
</div>
    );
    })();
</div>
</div>
    )}

</div>
);
}
```