Indian Insititute of Technology Bombay

BTP Dissertation

Submitted by
Devesh Sahu
Roll No. 100100059

Guided By
Prof. S. Gopalakrishnan

Department of Mechanical Engineering

June 6, 2014

Abstract

With an aim to enforce error bound, German mathematicians C. Range and M. W. Kutta developed this method around the year 1900. These are a famous family of implicit and explicit iterative methods which can be used for time- discretization in ordinary differential equations. These are single step methods involving use of special coefficients obtained after enforcing error upto certain required extent to be zero. Based on the last order of the value of error, the methods are named as RK2, RK3, RK4, etc. RK methods do not require derivatives or f(x,y) and are motivated by the dependence of Taylor methods on initial value problems. John Butcher in 1960s developed them further describing a method to obtain the coefficients in a more lucid fashion. Hyperbolic partial differential equations generally define well-posed initial value which can be solved. Moreover, many problems in mechanics are hyperbolic in nature making the study of these quintessential. One of the most prominent occurence of the hyperbolic form is the wave equation given as $u_{tt} + u_{xx} = 0$. The equation has the property that if an initial data including u and its first derivative are specified with sufficient smoothness then there exist a solution for all time t. In the present work, we discuss the Runge Kutta time stepping schemes of order two, three and four. These schemes as mentioned provide a control over time accuracy with reduction in computational time. RK4 is one of the most used time integration schemes due its higher order of accuracy though it may be reduced to a single step making it computationally less intensive. For a better understanding of the scheme, the time integration would be carried over

Contents

Introduction

The present work revolves around the use of RK time integrators for solving 1-D wave equation and exploring the properties of the combined system of difference equations maintaining focus on time integration.

Consider the initial value problem described as:

$$\frac{du}{dt} = F(u,t)$$

with initial conditions $y(t=0) = y_0$ With appropriate boundary conditions, this problem is well posed and provides a unique solution. It can be further modified for use with the partial differential equation. Having discretized the equation, it is not guaranteed that the system would converge to a solution or more appropriately to a correct solution. Now as in our case of a 1-D wave equation which is a pde, there are two discretizations to be done, one in space the other in time. Thus the present work would involve two major analysis: stability and error. For a detailed study of the RK family of time integrators, we would use upwind and central difference spatial discretizations. We would look at the stability of the applied schemes using the von Neumann stability. Since the two spatial schemes have different truncation errors we would like to see how does spatial scheme affect the overall solution. Using error norms, we would be looking at the deviation of error from the actual results and the variation of the obtained error with time. Finally we would be discussing the results trying to understand the underlying reason behind it.

Chapter 1

Short Intro to Analysis

Any CFD problem is in the form of a governing equation representing the physics of the system in question. The first step towards solving the problem would then be discretizing the equation using appropriate schemes. The problem we are trying to solve here is the one dimensional wave equation which is basically a PDE or partial differential equation hence requiring two schemes to be applied at. Consequently an equation has been finally obtained to be solved numerically but what is the assurance that the approximations done during the this process would not succumb to the error which is another way of saying that desired accuracy will is over ruled by the error incured while approximating. Furthermore one has to be sure of the convergence of the solution meaning that the error should reduce with time. Conclusively we have two basic tests to perform: seek the stability of the schemes so that a solution is converged down to; and then ensure that the solution to which we have converged is finally the correct one by using a test case. A small intro has thus been included here which describes author's purview of stability and error analysis for numerical methods.

1.1 Stability Analysis

Von neumann method is a well known way to determine the stability of a numerical system. It not only tests the stability of set of schemes applied to a particular set of equation but also yields stability criteria. Since the stability of any numerical scheme is linked to the numerical error involved, it is desired to to check it by making sure that the error incured while computing one step does not result into increased error for the further steps. The von neumann method involves decomposition of errors into Fourier series comprising of two parts, gain and phase. For the error to decay and hence the solution to

converge, gain should decay with time. With further analysis, the method can be narrowed down to simply replacing the error related to each term by a fourier term. Consider a term given by u_{k+1}^{n+1} would be replaced by an equivalent term given by $\xi^{n+1}e^{j\chi(i+1)}$. The equation is then solved by enforcing the gain ratio of two consecutive time steps to be less than 1. So as the time progresses, the gain would keep on reducing which is essential for the solution to converge.

1.2   Error Analysis

The field was initialised with a sinusoidal pulse given by $sin(2\pi j/M)$ at t = 0. After one complete pulse has moved out, another similar pulse is expected to take its place. One can thus compare the two waves to determine the error in the result. But there can be multiple methods to do so with error norms being the most widely used. Norms can be used to quantitatively estimate the deviation from the actual result. There are many types of norms which can be used. Here we present L_1, L_2 and L_∞ norms.

1. L_1 norm : L_1 norm is defined as the mean absolute error at each node point.

$$||L||_1 = \sum_{k=1}^{M} |u_k^n - u_k^0|$$

2. L_2 norm: The L_2 norm is obtained by taking root mean square of the error at each node point.

$$||L||_2 = (\sum_{k=1}^{M} |u_k^n - u_k^0|^2)^{1/2}$$

3. L_∞ norm : Infinity norm is the maximum value of absolute error.

$$||L||_\infty = max|u_k^n - u_k^0|\forall k \in 1, 2, 3...$$

Chapter 2

Analysis

2.1 Central Difference in space

An easy way to reduce the error is to approximate the differential operator using central difference approximation.However it should be kept in mind that Central Difference approximation involves using the neighbouring elements to estimate the value of the cell in question which in turn increases the spatial dependency hence requiring greater information. Its order of accuracy is $O(\Delta x^2)$.

2.1.1 Range Kutta order 2

Range Kutta of order two are a family of methods in itself. This is because having enforced the error, a set of parametric equations is obtained in a variable alpha(α). Depending on the value of α many methods have been standardized like Heun's method $\alpha = \frac{1}{2}$, mid-point method $\alpha = 1$, Ralston's method $\alpha = \frac{2}{3}$. Here we would be using the Mid-point method. Given the equation

$$\frac{\partial u(x,t)}{\partial t} + c\frac{\partial u(x,t)}{\partial x} = 0$$

Discretizing the equation using the RK2-central difference scheme:

$$u_i^{n+1} = u_i^n - c\Delta t k_2 \tag{2.1}$$
$$where$$
$$k_1 = \frac{u_{i+1}^n - u_{i-1}^n}{2\Delta x}$$
$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x}$$

Here the values at half time step is evaluated using euler approximation with slope k_1 as illustrated by the following expression:

$$u_i^{n+\frac{1}{2}} = u_i^n - \frac{c\Delta t}{\Delta x} k_1$$

The next step is using the fourier term $\xi^n e^{j\chi i}$ for u_i^n in the discretized equation where j stands for $\sqrt{-1}$

$$\xi^{n+1} e^{j\chi i} = \xi^n e^{j\chi i} - \frac{c\Delta t}{2\Delta x}(\xi^{n+\frac{1}{2}}(e^{j\chi(i+1)} - e^{j\chi(i-1)})) \quad (2.2)$$

$$\xi = 1 - \frac{c\Delta t}{2\Delta x}(\xi^{\frac{1}{2}}(e^{j\chi} - e^{j\chi(-1)}))$$

Let $d = \frac{c\Delta t}{\Delta x}$. The equation (2.2) now becomes:

$$\xi + d\xi^{\frac{1}{2}}\frac{(\cos\chi + j\sin\chi - \cos-\chi + j\sin-\chi)}{2} = 1$$

$$\xi + d\xi^{\frac{1}{2}}\frac{(\cos\chi + j\sin\chi) - (\cos\chi - j\sin\chi)}{2} = 1$$

$$\xi + d\xi^{\frac{1}{2}}\frac{(\cos\chi + j\sin\chi - \cos\chi + j\sin\chi)}{2} = 1$$

$$\xi + d\xi^{\frac{1}{2}}\frac{2j\sin\chi}{2} - 1 = 0 \quad (2.3)$$

This is a quadratic equation in $G := \sqrt{\xi}$. Product of the roots is -1. $G_1 G_2 = -1$ or $|G_1||G_2| = 1$ Hence there arise two posibilities mentioned here under:

1. $|G_1| = |G_2| = 1$ in which case there is no gain and the solution would not converge.

2. $|G_1| < 1$ and $|G_2| > 1$ or $|G_1| < 1$ and $|G_2| > 1$. In either case it is evident that one of the gain factor would exceed 1. Hence the equation would not converge to a solution once again.

Hence it can be concluded from Von-Neumann Analysis that this scheme is **unconditionally unstable**.

2.1.2 Range Kutta order 3

Discretization of the equation would be:

$$u_i^{n+1} = u_i^n - c\Delta t\frac{(k_1 + 4k_2 + k_3)}{6} \quad (2.4)$$

with

$$k_1 = \frac{u_{i+1}^n - u_{i-1}^n}{2\Delta x}$$

$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x}$$

$$k_3 = \frac{u_{i+1}^{n+1} - u_{i-1}^{n+1}}{2\Delta x}$$

where $u_{i+1}^{n+\frac{1}{2}}$ and u_{i+1}^{n+1} are evaluated by linear approximation using u_i^n with a step of $\Delta t/2$ and Δt using slope k_1 and $2k_2 - k_1$ respectively. Substituting $\xi^n e^{j\chi i}$ into the equation we get the following equation in ξ

$$\xi = 1 - 2dj\sin\chi \frac{1 + 4\xi^{\frac{1}{2}} + \xi}{12}$$

which can be rearranged into

$$0 = A\xi + B\xi^{\frac{1}{2}} + C \tag{2.5}$$

$$\text{with } A = \frac{d}{6}j\sin\chi + 1$$

$$B = \frac{4d}{6}j\sin\chi$$

$$C = \frac{d}{6}j\sin\chi - 1$$

Evaluating $D = B^2 - AC$ we get $D = 1 - \frac{d^2\sin^2\chi}{3}$ Thus the root of equation (2.5) are found to be as follows:

$$|G_i|^2 := |\xi^{\frac{1}{2}}|^2 = |\frac{\frac{-4}{6}dj\sin\chi \pm \sqrt{D}}{2(\frac{1}{6}dj\sin\chi + 1)}|^2$$

$$= \frac{\frac{4}{36}d^2\sin^2\chi + 1}{4(\frac{1}{36}d^2\sin^2\chi + 1)} \tag{2.6}$$

$$< 1 \quad for \ i = 1 \ and \ 2$$

$$\Rightarrow 1 < 4$$

Equation (2.6) is always true $\forall \chi$. Therefore it can be concluded that this scheme is **unconditionally stable**.

2.1.3   Range Kutta order 4

Discretization for RK4 with central difference approximation would be as shown here:

$$u_i^{n+1} = u_i^n - c\Delta t \frac{(k_1 + 2k_2 + 2k_3 + k_4)}{6} \tag{2.7}$$

with

$$k_1 = \frac{u_{i+1}^n - u_{i-1}^n}{2\Delta x}$$

$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x} \tag{2.8}$$

$$k_3 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x} \tag{2.9}$$

$$k_4 = \frac{u_{i+1}^{n+1} - u_{i-1}^{n+1}}{2\Delta x}$$

where $u_{i+1}^{n+\frac{1}{2}}$ in equation (2.8) and (2.9) are evaluated by linear approximation using u_i^n with a step of $\Delta t/2$ using slope k_1 and $2k_2$ while u_{i+1}^{n+1} is linearly approximated from u_i^n with half time step and slope k_3 Substituting $\xi^n e^{j\chi i}$ into the equation we get the following equation in ξ

$$\xi = 1 - 2dj\sin\chi \frac{1 + 2\xi^{\frac{1}{2}} + 2\xi^{\frac{1}{2}} + \xi}{12}$$

$$\xi = 1 - 2dj\sin\chi \frac{1 + 4\xi^{\frac{1}{2}} + \xi}{12} \tag{2.10}$$

Equation (2.10) is exactly the same quadratic equation as obtained while doing the Von Neumann analysis of RK3 with central difference [refer equation (2.5). Therefore it can be concluded that this scheme is also **unconditionally stable**.

2.2 Upwind Scheme in Space

Based on direction of velocity, spatial discretization is varied. The truncation error in this scheme is much higher than what is observed for Central Difference. Thus deviation may occur.

2.2.1 Range Kutta order 2

Using RK2 time integration and discretizing the equation using the scheme (midpoint method $\alpha = \frac{1}{2}$):

$$u_i^{n+1} = u_i^n - c\Delta t k_2$$

where for $c > 0$

$$k_1 = \frac{u_i^n - u_{i-1}^n}{2\Delta x}$$

$$k_2 = \frac{u_i^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x}$$

and for $c < 0$

$$k_1 = \frac{u_{i+1}^n - u_i^n}{2\Delta x}$$

$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_i^{n+\frac{1}{2}}}{2\Delta x}$$

Here the values at half time step is evaluated in the same manner as done while solving for Central Difference Scheme.

$$u_i^{n+\frac{1}{2}} = u_i^n - \frac{c\Delta t}{\Delta x} k_1$$

Putting in the fourier term $\xi^n e^{j\chi i}$ for u_i^n in the discretized equation.

$$for\ c > 0 \tag{2.11}$$

$$\xi^{n+1} e^{j\chi i} = \xi^n e^{j\chi i} - \frac{c\Delta t}{\Delta x}(\xi^{n+\frac{1}{2}}(e^{j\chi(i)} - e^{j\chi(i-1)})) \tag{2.12}$$

$$\Rightarrow \xi = 1 - \frac{c\Delta t}{\Delta x}(\xi^{\frac{1}{2}}(1 - e^{j\chi(-1)}))$$

$$for\ c < 0 \tag{2.13}$$

$$\xi^{n+1} e^{j\chi i} = \xi^n e^{j\chi i} - \frac{c\Delta t}{\Delta x}(\xi^{n+\frac{1}{2}}(e^{j\chi(i+1)} - e^{j\chi(i)})) \tag{2.14}$$

$$\Rightarrow \xi = 1 - \frac{c\Delta t}{\Delta x}(\xi^{\frac{1}{2}}(e^{j\chi} - 1))$$

$$\tag{2.15}$$

Here c has been considered with sign. Let $d = \frac{c\Delta t}{\Delta x}$. Now equation (2.13) and (2.15) takes the form of a quadratic equation:

$$
\begin{aligned}
A\xi + B\sqrt{\xi} + C &= 0 \\
\text{with } A &= 1 \\
\text{for } d &> 0 \\
B &= |d|(1 - e^{-j\chi}) \\
\text{for } d &< 0 \\
B &= -|d|(e^{j\chi} - 1) \\
C &= -1
\end{aligned}
$$

This is a quadratic equation in $G := \sqrt{\xi}$. Product of the roots is -1.
$G_1 G_2 = -1$ or $|G_1||G_2| = 1$ With respect to their magnitude, again the same two cases arise :

1. $|G_1| = |G_2| = 1$

2. $|G_1| < 1$ and $|G_2| > 1$ or $|G_1| < 1$ and $|G_2| > 1$.

In either case it is evident that one of the gain factor would exceed 1. Using the same arguement as used while evaluating central differnce scheme with RK2, it can be concluded that this scheme is found to be **unconditionally unstable** through Von-Neumann analysis.

2.2.2 Range Kutta order 3

Discretization of the equation would be:

$$
u_i^{n+1} = u_i^n - c\Delta t \frac{(k_1 + 4k_2 + k_3)}{6} \tag{2.16}
$$

$$
\begin{aligned}
\text{with for } c &> 0 \\
k_1 &= \frac{u_i^n - u_{i-1}^n}{2\Delta x} \\
k_2 &= \frac{u_i^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x} \\
k_3 &= \frac{u_i^{n+1} - u_{i-1}^{n+1}}{2\Delta x} \\
\text{for } c &< 0 \\
k_1 &= \frac{u_{i+1}^n - u_i^n}{2\Delta x}
\end{aligned}
$$

$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_i^{n+\frac{1}{2}}}{2\Delta x}$$

$$k_3 = \frac{u_{i+1}^{n+1} - u_i^{n+1}}{2\Delta x}$$

where $u_{i+1}^{n+\frac{1}{2}}$ and u_{i+1}^{n+1} are evaluated by linear approximation using u_i^n with a step of $\Delta t/2$ and Δt using slope k_1 and $2k_2 - k_1$ respectively. Also here c has been considered with sign for appropriate direction Substituting $\xi^n e^{j\chi i}$ into the equation we get the following equation in ξ

$$\xi = 1 - \frac{1}{6}(1 - e^{-j\chi}(1 + 4\xi^{\frac{1}{2}} + \xi)$$

Rearranging into a quadratic

$$0 = A\xi + B\xi^{\frac{1}{2}} + C \qquad (2.17)$$

where for $c > 0$

$$A = \frac{1}{6}d(1 - e^{-j\chi}) + 1$$

$$B = \frac{4}{6}d(1 - e^{-j\chi})$$

$$C = \frac{1}{6}d(1 - e^{-j\chi}) - 1$$

and for $c < 0$

$$A = \frac{1}{6}d(e^{j\chi} + 1) + 1$$

$$B = \frac{4}{6}d(e^{-j\chi} + 1)$$

$$C = \frac{1}{6}d(e^{-j\chi} + 1) - 1$$

Evaluating the value of discriminant $D = B^2 - AC$ we get $D_1 = 4 + \frac{12}{36}d^2(1 - e^{-j\chi})^2$ when $c > 0$ and $D_2 = 4 + \frac{12}{36}d^2(e^{j\chi} + 1)^2$ when $c < 0$. But this itself is a complex number. Thus the root of equation (2.17) have the following magnitude:

$$|G_i|^2 := |\xi^{\frac{1}{2}}|^2 = |\frac{\frac{-4}{6}d(1 - e^{-j\chi}) \pm \sqrt{D}}{2(\frac{1}{6}d\sin\chi + 1)}|^2 \qquad (2.18)$$

$$(2.19)$$

Equation (2.18) could not be evaluated properly for the magnitude of root.

2.2.3 Range Kutta order 4

Discretization for RK4 with central difference approximation would be as shown here:

$$u_i^{n+1} = u_i^n - c\Delta t \frac{(k_1 + 2k_2 + 2k_3 + k_4)}{6} \quad (2.20)$$

with for $c > 0$

$$k_1 = \frac{u_i^n - u_{i-1}^n}{2\Delta x}$$

$$k_2 = \frac{u_i^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x} \quad (2.21)$$

$$k_3 = \frac{u_i^{n+\frac{1}{2}} - u_{i-1}^{n+\frac{1}{2}}}{2\Delta x} \quad (2.22)$$

$$k_4 = \frac{u_i^{n+1} - u_{i-1}^{n+1}}{2\Delta x}$$

for $c < 0$

$$k_1 = \frac{u_{i+1}^n - u_i^n}{2\Delta x}$$

$$k_2 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_i^{n+\frac{1}{2}}}{2\Delta x} \quad (2.23)$$

$$k_3 = \frac{u_{i+1}^{n+\frac{1}{2}} - u_i^{n+\frac{1}{2}}}{2\Delta x} \quad (2.24)$$

$$k_4 = \frac{u_{i+1}^{n+1} - u_i^{n+1}}{2\Delta x}$$

where $u_{i+1}^{n+\frac{1}{2}}$ in equation (2.21)/(2.22) and (2.23)/(2.24) are evaluated by linear approximation mentioned before. Substituting $\xi^n e^{j\chi i}$ into the equation we get the following equation in ξ

$$\xi = 1 - \frac{1}{6}(1 - e^{-j\chi}(1 + 2\xi^{\frac{1}{2}} + 2\xi^{\frac{1}{2}} + \xi)$$

Rearranging into a quadratic

$$0 = A\xi + B\xi^{\frac{1}{2}} + C \quad (2.25)$$

where for $c > 0$

$$A = \frac{1}{6}d(1 - e^{-j\chi}) + 1$$

$$B = \frac{4}{6}d(1 - e^{-j\chi})$$

$$C = \frac{1}{6}d(1 - e^{-j\chi}) - 1$$

12

and for $c < 0$

$$A = \frac{1}{6}d(e^{jx} + 1) + 1$$

$$B = \frac{4}{6}d(e^{-jx} + 1)$$

$$C = \frac{1}{6}d(e^{-jx} + 1) - 1$$

The quadratic equation (2.25) is the same as obtained before incase of RK3 with upwind scheme equation (2.17).

Chapter 3

Results

3.1 Stability Analysis

Von Neumann Stability analysis provides an idea of how efficient a particular method is in solving the 1-d wave equation and whether the solution would numerically converge or not. For a better understanding, these methods were coded and all the six cases were plotted.The graphs are as shown below.

Figure 3.1: Initial pulse

Figure 3.1 is how the pulse appears initially. Its a sinusoid travelling at a speed of 0.5 m/s having a wavelength is 1 m. The complete domain has been divided into 100 segments and time march is of 0.001 s. Figure 3.2 demonstrates the results obtained by using central difference approximation for spatial coordinate while RK time integrators of order 2, 3 and 4 have been employed. The results are very much similar. This can be attributed to more sensitivity towards spatial discretization rather than time discretization. The plots shown above (3.3) demonstrate the unstability of this scheme as opposed to central difference. Moreover, upwind is a dispersive scheme. It

14

(a) RK 2

(b) RK 3

(c) RK 4

Figure 3.2: RK in time and Central in space

relies on Δx *and* Δt for convergence. If these two parameters are fairly high then its implication is appearance of some undampened components which travel at a speed different than that of a wave.

3.2 Error analysis

Table 3.1 lists the values of error norms obtained by comparing the full sine pulse after one time period with the actual solution. Figure 3.4 illustrates the error norms for the central difference scheme while figure 3.5 shows the norms for upwind scheme. Upwind scheme being unstable undergoes an increase in error as the time proceeds. This is supported by higher values of error for Upwind scheme depicted in the table 3.1. Within the RK schemes, RK4 should definitely yield lower error values which is apparent form the $||L||_\infty$. But the values are very close to each other even at the point of difference.

Another striking property that one finds here is that the 1-d wave equation is not very responsive to the order of time stepping as compared to spatial stepping. For example for a grid of 100 points in space seperated by 0.01m each are subjected to a wave travelling at 0.001m/s should same error results

(a) RK 2

(b) RK 3

(c) RK 4

Figure 3.3: RK in time and Upwind in space

of 0.760332, 0.839371 and 1.1817 for L_1,L_2 and L_∞ respectively for both RK2 and RK4 solvers. This may be due to the dependence of the difference equation on Courant number. It is observed that the solution does not converge for higher courant numbers. Going by the symmetricity of the governing equation, the courant number decides the dominance. As it's value is lower than 1, the dominant error is the spatial one.

3.3 Discussion

3.3.1 Dispersion

Consider a half sinusoidal wave travelling at 0.5 m/s. With 0.001s as time step and the complete domain divided into grid points 0.01m apart RK methods were applied in conjunction with central difference and upwind schemes. Obtained solution after one time period (2000 time steps) was compared with the original wave [Figure 3.6]. Since there wasn't much variation with respect to order of RK method employed, the redundant shapes have not been shown in the figure. It is clearly visible that the distortion has spread beyond the region it belongs to in both the cases. Infact, the distortion is

16

(a) $||L||_1$ norm

(b) $||L||_2$ norm

(c) $||L||_\infty$ norm

Figure 3.4: Plot of norm versus nodes for Central Difference

more in case of Upwind scheme. Hence both the schemes in combination with RK method result in dispersion. This is generally attributed to the damped

(a) $||L||_1$ norm

(b) $||L||_2$ norm

(c) $||L||_\infty$ norm

Figure 3.5: Plot of norm versus nodes for Upwind

waves that decay exponential[1]. For $d < 1$ Fourier modes with some particular wavelength are not only damped but they also propagate at a higher

Space	Time	L_1 **norm**	L_2 **norm**	L_∞ **norm**
Upwind	RK2	0.114110	0.126605	0.178862
Upwind	RK3	0.117532	0.130404	0.184232
Upwind	RK4	0.114110	0.126605	0.178861
Central Difference	RK2	0.00063504	0.000798315	0.0029159
Central Difference	RK3	0.00065957	0.000846769	0.0037232
Central Difference	RK4	0.00063946	0.000802771	0.0029164

Table 3.1: Error Norm $\alpha = 0.05$

phase velocity. Even further if try integrating the discretized equation, it won't be surprising to find some extra terms. Take for example the central difference with Runge Kutta order 2 (Eq. 2.1) elaborated as under:

$$
\begin{aligned}
u_j^{n+1} &= u_j^n - \frac{c\Delta t}{2\Delta x}(u_{j+1}^{n+\frac{1}{2}} - u_{j-1}^{n+\frac{1}{2}}) \qquad (3.1)\\
&= u_j^n - \frac{c\Delta t}{2\Delta x}[u_{j+1}^n - \frac{c\Delta t}{2\Delta x}(u_{j+2}^n - u_j^n) - (u_{j-1}^n - \frac{c\Delta t}{2\Delta x}(u_j^n - u_{j-2}^n))]\\
\Rightarrow u_j^{n+1} - u_j^n &= -\frac{c\Delta t}{2\Delta x}(u_{j+1}^n) - u_{j-1}^n) + (\frac{c\Delta t}{2\Delta x})^2[u_{j+2}^n - 2u_j^n + u_{j-2}^n]\\
\Rightarrow \frac{\partial u}{\partial t} &= -c\frac{\partial u}{\partial x} + c^2\Delta t\frac{\partial^2 u}{\partial x^2} \qquad (3.2)
\end{aligned}
$$

Looking at Eq 3.2, an extra term $\frac{c^2\Delta}{2}t\frac{\partial^2 u}{\partial x^2}$ is also being solved with the discretization we have opted for. This extra term reduces to zeros as $\Delta t \to 0$

3.3.2   Case of a square wave

Square waves are said to be comprised of infinitely many frequencies. This makes their case a little more interesting to study. We have seen the response of the Runge Kutta, Upwind and Central Difference to a pulse having only one frequency. Extending it further we had a glimpse of the results obtained for a half sine wave. Now let's look into the behaviour of these schemes for a square wave. The input square is as shown in Figure 3.7a.
Using RK 4 time integrator combined with central difference scheme for spatial coordinates, a lot of ripples are observed in the obtained wave. At the edges the amplitude of the ripples shoots up with the lowest amplitude just after that. This reminds us of the Fourier series for a square wave. Such a square wave can be obtained with lesser error if large number of series

(a) Initial Pulse

(b) Central Difference

(c) Upwind

Figure 3.6: Dispersion

terms are included. At the edges similar ripples exist in that case too. Wave propagation for a square wave numerically is very challenging anyways. At the point of seperation, the ripples are found to start first travelling down the pulse making the complete pulse comprise of many other small ripples as shown in Figure 3.7b

(a) Square pulse

FT: Velocity Field at time t=1

(b) After 2 seconds

After One Time Period

(c) After 1 timeperiod

Figure 3.7: Effect on a Square Pulse: RK4 and Central Difference

21

Bibliography

[1] MIT Open Course Ware. *Finite Difference Discretization of Hyperbolic Equations Linear Problems* Lectures 8 9 and 10

[2] J.H. Ferziger, M. Peric. *Computational Method for Fluid Dynamics* Springer (third edition)

[3] Advection FTCS lax and laxWendroff

[4] Dr. Johnson. *Von Neumann Stability Analysis* Lecture slides MATH65241, Semester 1-2008

[5] Shasha Xie, Dept of Applied Mechanics, Chalmers University of Technology. *Studies of Ercoftac Centrifugal Pump with OpenFOAM* Master's Thesis

[6] Steven. C. Chapra, Raymond Canale. *Numerical methods for engineers* McGraw-Hill, 1988