Absolute Apparel API Guide (V2) – Confidential

CHANGES SINCE V1:

PostOrder now expects a back order mode, similar to how the web site processes your basket. It will return either a single or TWO orders in a JSON list.

New base url contains version number of API to use.

All APIs are secured using a bearer token. The bearer token should be submitted as a header – the following .NET code gives a guide to this:

```
Dim myclient As New HttpClient

myclient.BaseAddress = New Uri("https://www.absoluteapparel.co.uk/api/v2/")
myclient.DefaultRequestHeaders.Authorization = New AuthenticationHeaderValue("Bearer",
"1.233658de512947febef92117fabe46f0")

Dim Res As HttpResponseMessage = myclient.GetAsync("getdate”).Result
Dim ResStr = Res.Content.ReadAsStringAsync.Result
Dim Obj = Newtonsoft.Json.JsonConvert.DeserializeObject(ResStr)
```

Note that parameters in square brackets are optional

GetDate SECURED

A test endpoint to return the current time and date. This endpoint is secured using the token as shown in the example above. If you receive the date and time in JSON format, your authentication has succeeded.

Most other APIs are currently unsecured during testing and development. Passing the bearer token will have no detrimental effect, so once you’ve got the GetDate call working, it is wise to continue using that test token for all calls until you’re given a live one.

GetCategories SECURED

Return a full list of product categories as a string array

```
[ "Accessories\\Blankets", "Accessories\\Masks", "Accessories\\Rain Ponchos" ]
```

GetMasterProducts SECURED

Return a list of “master” or “style” products – with basic information to include IDs, description etc.

Fields:

ID	Internal ID – used in other API calls
StockCode	The range code of the master product

Description	The range basic description
KeyFeatures	A list of the product's main key points
Category	The category in which the master product resides


```
[ { "ID": "16531", "StockCode": "AA660", "Description": "AA Softshell Boreal", "Category":
"Softshell Jackets\\Softshell Jackets", "Manufacturer": "Absolute Apparel", "KeyFeatures": [
"Softshell Boreal", "Softshell Jacket", "Mens (Unisex)", "Regular Fit", "Three Layer,
Breathable Membrane, Fleece Bonded Polyester", "A Hard Wearing, Heavyweight 3-Layer Membrane
Softshell Jacket With A Quality That Far Outperforms Its Impressive Price Point. Designed To
Withstand The Elements, This Stylish Jacket Is Breathable, Wind Resistant With A Durable Water
Repellent Finish. Breathable & Wind Resistant", "Adjustable Shockcord Hem", "Durable Water
Repellent Finish", "Warm Backed Woven Stretch Softshell Fabric", "Adjustable Velcro Cuffs",
"Light Weight & Easy To Wear", "Quick Drying, Easy Care. Super Soft Handle", "2 Zipped Lower
Pockets", "S to 3XL", "94% Polyester, 6% Elastane", "330gsm", "AMFORI (BSCI), WRAP, OEKOTEX
100, SEDEX" ] }, { "ID": "35423", "StockCode": "RTRF532", "Description": "Regatta Thor Full
Zip Fleece", "Category": "Outdoor Fleece\\Fleece Full Zip", "Manufacturer": "Regatta
Professional", "KeyFeatures": [ "Thor Full Zip Fleece", "Outdoor Fleece With Full Zip", "Mens
(Unisex)", "Regular Fit", "Anti Pill Polyester Fleece", "This Anti-Pill Symmetry Fleece Is
Comfortable & Practical To Wear With A High Warmth Ratio Perfect For The Outdoors. Interactive
Zip Technology Allows This To Be Combined With Other Regatta Jacket Styles. 280 Series Anti-
Pill Symmetry Fleece", "Interactive Zip Compatible With Other Regatta Interactive Styles",
"Two Zipped Lower Pockets", "Fleece Cuffs", "Adjustable Shockcord Hem", "Fast Drying Fabric",
"Ideal For Decoration", "XS to 5XL", "100% Polyester", "280gsm", "ETI, SGS" ] }, { "ID":
"33965", "StockCode": "R937M", "Description": "Russell Poplin Easy Care Pure Cotton S/S Shirt
Mens", "Category": "Shirts\\Poplin Shirts", "Manufacturer": "Russell Collection",
"KeyFeatures": [ "Poplin Easy Care Pure Cotton Short Sleeve Shirt Mens", "Poplin Shirt", "Mens
(Unisex)", "Regular Fit", "Poplin", "An Elegant Short Sleeved Poplin Shirt With A Classic Fit,
Boned Kent Collar & Chest Pocket. Durable, Easy-Care & Made From 100% Cotton, It Combines The
Traditional Styling Details Of A Poplin Shirt With The Comfort Of Cotton. This Is An Elegant &
Very Durable Shirt With All The Comfort Of 100% Cotton.", "Easy Care", "Classic Kent Boned
Collar", "Back Yoke With 2 Side Pleats", "Straight Bottom Hem", "Left Chest Pocket", "The
Cotton Fabric Is A Reliable & Versatile All Rounder For A Wide Variety Of Decoration Methods",
"Suitable For 40 Degrees Machine Wash & Tumble Dry", "S to 4XL", "100% Cotton Poplin",
"125gsm", "WRAP, OEKOTEX 100" ] },]
```


GetMasterSpecification/ID SECURED

Return the full specification list for a specified master product. Three types of specification are returned, the most useful being StandardSpecification and ExtendedSpecification. The latter includes sub-sections for formatting.

Fields:

Section	Section Header Text (only for extended)
Header	The header text for the specification
Value	The value of the specification


```
{ "Specifications": [ { "Section": "", "Header": "Brand", "Value": "Stedman" } ],
"StandardSpecifications": [ { "Section": "", "Header": "Brand", "Value": "Stedman" }, {
"Section": "", "Header": "Description", "Value": "Green Urban Jamie Organic Kids T-Shirt" } ],
"ExtendedSpecifications": [ { "Section": "Size Specification", "Header": "To Fit Chest Approx
(inches)", "Value": "YS,YM,YL,YXL\r\n22-24,24-26,26-28,30-32" }, { "Section": "Size
Specification", "Header": "Width cm", "Value": "YS,YM,YL,YXL\r\n39,42,45,48" }, { "Section":
"Size Specification", "Header": "Length cm", "Value": "YS,YM,YL,YXL\r\n50,54,60,64" }, {
"Section": "Size Specification", "Header": "Carton Qty", "Value":
"YS,YM,YL,YXL\r\n24,24,24,24" } ] }
```

GetMasterImages/ID **SECURED**

Return a full list of images for a specific master product.

Fields:

ImageURL	A relative url for the image.
ColourCode	The middle section of the SKU, indicating the colour code
isMaster	Whether this is a "master" image for the range, rather than a specific colour


```
[ { "ImageURL": "/image?id=22712&quality=90", "ColourCode": "", "isMaster": true }, {
"ImageURL": "/image?id=17501&quality=90", "ColourCode": "NAV", "isMaster": false }, {
"ImageURL": "/image?id=17497&quality=90", "ColourCode": "DBY", "isMaster": false }]
```


Each image must be then downloaded from the relative URL returned – obviously prepended with **https://www.absoluteapparel.co.uk**

GetSKUs/[ID] **SECURED**

Return a list of all SKUs within a master product to include size, colour, stock levels and pricing. Omit the ID to return ALL SKUs available.

Fields:

ID	Internal ID – used in other API calls
StockCode	The full stock code of the product
Discontinued	Whether the specific SKU is discontinued
BarCode	The bar code in text format if available
Price	Your buy price (decimal)
VatCode	The VAT code at supplier – GB1 is 20% for example
LocalStock	Stock available directly today
TotalStock	All stock available
RRP	The standard buy price (decimal)
ColourName	The full name of the colour
SizeName	The full name of the size


```
[ { "ID": "31213", "StockCode": "RTRF565-38-14", "BarCode": null, "Price": 9.5500, "VatCode":
"GB1", "RRP": 9.5500, "LocalStock": 8, "TotalStock": 8, "ColourName": "14", "SizeName": "38"
}, { "ID": "11911", "StockCode": "RTRA642-520-L", "BarCode": null, "Price": 17.9500,
"VatCode": "GB1", "RRP": 17.9500, "LocalStock": 0, "TotalStock": 0, "ColourName": "L",
"SizeName": "520" }, { "ID": "35589", "StockCode": "RTRW297-OJV-S", "BarCode": null, "Price":
16.4500, "VatCode": "GB1", "RRP": 16.4500, "LocalStock": 6, "TotalStock": 6, "ColourName":
"S", "SizeName": "OJV" }, { "ID": "29547", "StockCode": "R155F-36-XS", "BarCode": null,
"Price": 2.3100, "VatCode": "GB1", "RRP": 2.3100, "LocalStock": 49, "TotalStock": 49,
"ColourName": "XS", "SizeName": "36" }, { "ID": "17638", "StockCode": "F61036-32-5XL",
```

```
"BarCode": null, "Price": 2.8400, "VatCode": "GB1", "RRP": 2.8400, "LocalStock": 0,
"TotalStock": 0, "ColourName": "5XL", "SizeName": "32" }, { "ID": "31212", "StockCode":
"RTRF565-38-12", "BarCode": null, "Price": 9.5500, "VatCode": "GB1", "RRP": 9.5500,
"LocalStock": 6, "TotalStock": 6, "ColourName": "12", "SizeName": "38" }, { "ID": "2424",
"StockCode": "AA24-32-3XL", "BarCode": null, "Price": 5.4500, "VatCode": "GB1", "RRP": 5.4500,
"LocalStock": 0, "TotalStock": 0, "ColourName": "3XL", "SizeName": "32" } ]
```


GetOrders?[startdate=yyyy-mm-dd]&[enddate]/[yyyy-mm-dd]&[status=<status>]&sonumber=<sonumber> **SECURED**

Return a list of orders – to contain delivery information and status, order lines and pricing.

Order lines [Lines] and delivery tracking [Tracking] are ONLY RETURNED when **sonumber** is passed in. You should minimise calls returning order lines to those necessary to avoid load on our servers.

StartDate is a required parameter, the others are optional. You must only request a maximum of 28 days of orders, and the API will return an error if you attempt more or the result returns more than 1000 orders.

PostOrder **SECURED**

Post a full order – which would be processed in the same way as if placed as an account customer on the web site.

Testing

If you wish to test the API, use the URL PostOrder/test – this will create real orders but with zero quantities. The quantity you pass will be added to the description so you can check it has been accepted. The pricing should however still reflect your accounts discounts etc.

Payload

You should post a JSON document in the following format, as the main body of the post.

```
{ "DeliveryAddress": "12 Broad Street\r\nWolverhampton", "DeliveryName": "Alan Tester",
"DeliveryPostCode": "WV11 1AA", "DeliveryCountry": "United Kingdom", "DeliveryTelephone":
"01920 123456", "DeliveryMobile": "07970 123456", "DeliveryEmail": "alan@mailbox.co.uk",
"PONumber": "Testing 123", "Lines": [ { "StockCode": "ST2700-BLO-XL", "Quantity": 100 } ] }
```

Notes:

The API will return the complete order(s) in a list of up to two orders as per the GetOrder call. DeliveryCode, BackOrderMode and PONumber are compulsory fields.

BackOrderMode may be sent in your JSON as a string – e.g. "BACKSOME"

- **BACKSOME – In stock items sent immediately, out of stock sent on backorder (2 orders will be created)**
- **WAITALL – Wait for all items to be in stock (1 order will be created)**
- **CANCELBACK – Only process items in stock (1 order will be created)**

VB.NET Object

The following is an example definition of a .NET object to convert to JSON

```
Class API_PostOrder
    Public Property DeliveryAddress As String = ""
    Public Property DeliveryName As String = ""
    Public Property DeliveryPostCode As String = ""
    Public Property DeliveryCountry As String = ""
    Public Property DeliveryTelephone As String = ""
    Public Property DeliveryMobile As String = ""
    Public Property DeliveryEmail As String = ""
    Public Property PlainLabel As Boolean = False
    Public Property PONumber As String = ""
    Public Property DeliveryCode As String = ""
    Public Property BackOrderMode As BackorderMode = BackorderMode.BACKSOME
    Public Property Lines As New List(Of API_PostOrderLine)
End Class

Class API_PostOrderLine
    Public Property StockCode As String = ""
    Public Property Quantity As Integer = 0
End Class


Enum BackorderMode
     BACKSOME = 1
     WAITALL = 2
     CANCELBACK = 3
End Enum
```

Sample Code

```
Dim myclient As New HttpClient
myclient.BaseAddress = New Uri("https://www.absoluteapparel.co.uk/aaapi/")
myclient.DefaultRequestHeaders.Authorization = New AuthenticationHeaderValue("Bearer",
"436.2da9658fad410daee3b8111a5ae89")
```

```
Dim o As New API_PostOrder
o.DeliveryCode = "DLV2"
o.BackorderMode = BackorderMode.CANCELBACK
o.PONumber = "NICK1"
o.DeliveryAddress = "Test " + Now.ToString + vbCrLf + "test 2"
Dim ol As New API_PostOrderLine
ol.StockCode = "G5000L-36-M"
ol.Quantity = "100"
o.Lines.Add(ol)

Dim c As New StringContent(Newtonsoft.Json.JsonConvert.SerializeObject(o))
c.Headers.Remove("Content-Type")
c.Headers.Add("Content-Type", "application/json")

Dim Res As HttpResponseMessage = myclient.PostAsync("postorder", c).Result
Dim ResStr = Res.Content.ReadAsStringAsync.Result
Dim Obj = Newtonsoft.Json.JsonConvert.DeserializeObject(ResStr)
```