

Cucumber Report

14-Aug-2023, 6:58:13 pm

Start : Aug 14, 6:57:35.017 pm

End : Aug 14, 6:58:09.664 pm

Duration : 34.647 s

Features







PASSED - 0
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 3
SKIPPED - 0


Steps

PASSED - 23
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>LogIn Test</u>	21.198 s	2	0	2	0	16	12	1	3
<u>Customer Management</u>	13.424 s	1	0	1	0	11	11	0	0

Tag	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@NonReg		3	0	3	0	2	0	2




#	Feature Name	T	P	F	S	Duration
1	<u>Login Test</u>	2	0	2	0	21.198 s
2	<u>Customer Management</u>	1	0	1	0	13.424 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Test</u>	<u>Successful login with Valid Credential</u>	8	8	0	0	14.846 s
2	<u>Login Test</u>	<u>Successful login with Valid Credential</u>	8	4	1	3	6.309 s
3	<u>Customer Management</u>	<u>Search existing Customers</u>	11	11	0	0	13.424 s

Login Test



Successful login with Valid Credential




#	Step / Hook Details	Status	Duration
1	Given User Launch Crome browser	PASSED	0.024 s
	AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)	PASSED	0.170 s
	Successful login with Valid Credential		
2	When User Navigate to URL "https://admin-demo.nopcommerce.com/login"	PASSED	1.588 s
	AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)	PASSED	0.174 s
	Successful login with Valid Credential		

#	Step / Hook Details	Status	Duration
3	And User enters email as "admin@yourstore.com" and password as "admin" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	0.529 s
4	And Click Login AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	4.503 s
5	Then Page title Should be "Dashboard / nopCommerce administration" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	0.021 s
6	When User clicks on LogOut Link AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	2.243 s
7	Then Page title should be "Your store. Login" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential	PASSED	0.010 s
			0.171 s

#	Step / Hook Details	Status	Duration
			
8	And Close browser	PASSED	0.118 s
	<p>AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7eec97abce26af7cc3dd91b8535f48b6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\anand\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56706}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56706/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7eec97abce26af7cc3dd91b8535f48b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.StepDefinitions.afterStepMethodScreenShot(StepDefinitions.java:298)</pre>	FAILED	0.053 s
	<p>AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethod(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7eec97abce26af7cc3dd91b8535f48b6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\anand\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56706}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56706/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 7eec97abce26af7cc3dd91b8535f48b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.StepDefinitions.afterStepMethod(StepDefinitions.java:282)		

Successful login with Valid Credential



#	Step / Hook Details	Status	Duration
1	Given User Launch Crome browser	PASSED	0.005 s
	AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)	PASSED	0.157 s
	Successful login with Valid Credential		


#	Step / Hook Details	Status	Duration
2	When User Navigate to URL "https://admin-demo.nopcommerce.com/login" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	1.435 s
3	And User enters email as "test@yourstore.com" and password as "admin" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	0.315 s
4	And Click Login AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Successful login with Valid Credential 	PASSED	1.270 s
5	Then Page title Should be "Dashboard / nopCommerce administration" java.lang.AssertionError: expected [Dashboard / nopCommerce administration] but found [Your store. Login] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinitions.StepDefinitions.page_title_should_be(StepDefinitions.java:119) at ?.Page title Should be "Dashboard / nopCommerce administration"(file:///D:/Cucumber/Proj1/PageFactoryModel/src/test/Features/Login.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.015 s
	AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)	PASSED	0.158 s

#	Step / Hook Details	Status	Duration
	<p>Successful login with Valid Credential</p>  <p>Admin area demo Login credentials: These credentials can be used to log in. Welcome, please sign in! Email: <input type="text" value="admin@prestashop.com"/> Password: <input type="password"/> <input checked="" type="checkbox"/> Remember me! <input type="button" value="Log in"/> Details for admin area Admin email: admin@prestashop.com</p>		
6	When User clicks on LogOut Link	SKIPPED	0.000 s
7	Then Page title should be "Your store. Login"	SKIPPED	0.000 s
8	And Close browser	SKIPPED	0.000 s


Customer Management








Search existing Customers



#	Step / Hook Details	Status	Duration
1	Given User Launch Crome browser	PASSED	0.004 s
	AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)	PASSED	0.149 s
	Search existing Customers		

#	Step / Hook Details	Status	Duration
2	When User Navigate to URL "https://admin-demo.nopcommerce.com/login" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	1.477 s
3	And User enters email as "admin@yourstore.com" and password as "admin" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	0.318 s
4	And Click Login AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	5.425 s
5	Then Page title Should be "Dashboard / nopCommerce administration" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	0.085 s

#	Step / Hook Details	Status	Duration
6	Then User clicks on Customer Menu AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	0.140 s
7	And User click on Customers menu item AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	1.192 s
8	And User enter emailID as "abc2@xyz.com" AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	0.145 s
9	When User hit on Search button AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers 	PASSED	0.102 s
10	Then User Email should be listed in the table AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario) Search existing Customers	PASSED	0.145 s

#	Step / Hook Details	Status	Duration
			
11	And Close browser	PASSED	0.102 s
	<p>AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethodScreenShot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69247ade49e7460ebbe921ef13b31d3f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\anand\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56763/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 69247ade49e7460ebbe921ef13b31d3f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.StepDefinitions.afterStepMethodScreenShot(StepDefinitions.java:298)</pre>	FAILED	0.052 s
	<p>AFTER_STEP - StepDefinitions.StepDefinitions.afterStepMethod(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69247ade49e7460ebbe921ef13b31d3f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\anand\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56763/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 69247ade49e7460ebbe921ef13b31d3f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at StepDefinitions.StepDefinitions.afterStepMethod(StepDefinitions.java:282)		