

Connecting Your AI Assistant to Aragon Control MCP

This guide walks you through connecting an AI assistant — Claude, ChatGPT, or another compatible app — to your Aragon Control MCP server, so you can control your home by typing or speaking to your assistant (“Turn on the living room lights,” “Close the office shutters”).

What you need before you start

- **Aragon Control MCP installed and running** on your Aragon Maestro device. If you haven’t set that up yet, see the installer instructions that came with your software.
- **Your server’s address (URL) and your owner password.** You’ll find both of these in the Aragon Control MCP section of your Aragon Maestro app — it shows your server’s address and lets you set the password you’ll use to sign in when an assistant asks to connect. This is not your Claude/ChatGPT/etc. account password.

The one rule that matters everywhere

Wherever a client asks for a **Server URL**, always add `/mcp` to the end of your address:

```
https://your-device-name.your-tailnet.ts.net/aragon-control/mcp
```

Leaving off `/mcp` is the single most common setup mistake — the assistant will report a connection or “not found” error that looks like something is broken, when really the address is just missing its last piece. Double-check this first if a connection ever fails.

Claude (claude.ai and Claude Desktop)

1. Open **Settings → Connectors → Add custom connector.**
2. **Server URL:** enter your address with `/mcp` on the end, as above.
3. **Authentication:** leave it as detected (“Always required” / “Sign in now”) — no need to change this.
4. **OAuth client:** choose **“No client ID — register one automatically”** (this may also be labeled “Register automatically”). Do **not** choose “Use Anthropic’s hosted client metadata,” even though it may be marked “Recommended” — that option doesn’t work with this server.
5. Leave **Additional request headers** empty.
6. Submit. You’ll be redirected to an **Aragon Maestro** sign-in page — enter your **owner password** there (this is not a Claude account login). After signing in, you’ll be sent back to Claude and connected.

Once connected, you can talk to your assistant in plain language — in English or, if your assistant supports it, in another language you speak, since the assistant translates your request before it reaches your Maestro system. Ask it to list your rooms, check a light’s status, or turn things on and off.

If a previously-working connection starts showing “Connection issue” or “Couldn’t connect”: don’t just click Reconnect — try removing the connector and adding it again from scratch if a couple of reconnect attempts don’t fix it.

Note: the sign-in page you’re redirected to is branded “Aragon Maestro,” while the connector itself is named “Aragon Control MCP” in your connectors list. That’s expected — the sign-in

page is about the home system you're granting access to, not the connector's name.

If you previously set this connector up in Claude Desktop using a manually-edited configuration file (an older, unofficial method): remove that old entry and fully restart Claude Desktop before adding the official connector as described above. Running both at once can cause problems.

ChatGPT

Custom connectors are available under ChatGPT's **Developer Mode** connector settings. Use the same server URL (with `/mcp`) and choose automatic/dynamic OAuth registration, same as above.

Plan requirement: on a personal ChatGPT Plus or Pro plan, custom MCP connectors may be limited to reading status (for example, listing devices) without being able to change anything — turning a light on or off may silently not work. Full control (read and write) requires a ChatGPT Business, Enterprise, or Edu plan. If commands seem to connect and read fine but don't actually control anything, check your plan before assuming something is wrong with the setup.

If creating the connector fails on the first attempt with an error like "doesn't support Dynamic Client Registration": delete the connector and add it again. This has been observed to fail once and then succeed immediately on a second attempt with no other change — it appears to be ChatGPT itself not completing its discovery process the first time, rather than anything wrong with your server or address.

If a command in your own language doesn't work at first ("Jag kunde inte tända lamporna just nu — anslutningen till hemstyrningen misslyckades" / "couldn't turn on the lights — the connection to the home system failed"), try the same request once in English, then try your own language again. This has been observed to fail on the first non-English command, then work immediately afterward — including for further commands in your own language — once one English command has gone through. If a command keeps failing after that, it's worth treating as a real issue rather than this warm-up effect.

Perplexity

Perplexity supports custom remote connectors using the same kind of connection as above (OAuth with automatic client registration).

Plan requirement: setting up a *custom* MCP connector in Perplexity requires a **paid Perplexity account** — it isn't available on the free tier.

Mistral Le Chat

At this time, connecting to Mistral Le Chat is **not supported** — adding the connector fails during setup with a "could not connect to server" error. This has been confirmed to be an issue on Mistral's side, not with your Aragon Control MCP server (the server works correctly with other assistants at the same time). If you use Mistral Le Chat, please check back after Mistral resolves this, or use one of the supported assistants above in the meantime.

Grok

According to xAI's own documentation, Grok's **Free** plan includes Connectors, and custom MCP connectors can be added by entering a server URL — so this may not require a paid SuperGrok plan, despite earlier assumptions. **This has not yet been tested end-to-end against Aragon Control MCP**, so treat it as unconfirmed rather than a guarantee. If you try it, the same steps should apply: enter your server URL with `/mcp` on the end and choose automatic/dynamic OAuth client registration. Please let us know what happens if you test this, so this section can be updated with a confirmed result.

Other assistants

If your assistant supports connecting to custom remote MCP servers with OAuth 2.0/2.1 and automatic (dynamic) client registration, the same steps should apply: enter your server URL with `/mcp` on the end, choose automatic OAuth client registration, and sign in with your Aragon Maestro owner password when prompted. If you run into trouble with an assistant not listed here, please get in touch and let us know what happened.