

An unhandled exception occurred while processing the request.

DirectoryNotFoundException: Could not find a part of the path 'C:\Users\Usuario\source\repos\OrcharCMSDemos\DemoTemplate\AppWeb\App_Data\Sites\Default\ContentDefinition.json'.

System.IO.FileStream.ValidateFileHandle(SafeFileHandle fileHandle)

- Stack
- Query
- Cookies
- Headers
- Routing

DirectoryNotFoundException: Could not find a part of the path 'C:\Users\Usuario\source\repos\OrcharCMSDemos\DemoTemplate\AppWeb\App_Data\Sites\Default\ContentDefinition.json'.

- System.IO.FileStream.ValidateFileHandle(SafeFileHandle fileHandle)
- System.IO.FileStream.CreateFileOpenHandle(FileMode mode, FileShare share, FileOptions options)
- System.IO.FileStream..ctor(string path, FileMode mode, FileAccess access, FileShare share, int bufferSize, FileOptions options)
- System.IO.StreamWriter.ValidateArgsAndOpenPath(string path, bool append, Encoding encoding, int bufferSize)
- System.IO.StreamWriter..ctor(string path, bool append)
- System.IO.File.CreateText(string path)
- OrchardCore.ContentManagement.FileContentDefinitionStore.SaveContentDefinitionAsync(ContentDefinitionRecord contentDefinitionRecord) in FileContentDefinitionStore.cs
 - +

```
68.         using (var file = File.CreateText(Filename))
```
- OrchardCore.ContentManagement.ContentDefinitionManager.UpdateContentDefinitionRecord() in ContentDefinitionManager.cs
 - +

```
348.         private void UpdateContentDefinitionRecord()
```
- OrchardCore.ContentManagement.ContentDefinitionManager.StoreTypeDefinition(ContentTypeDefinition contentTypeDefinition) in ContentDefinitionManager.cs
 - +

```
127.
```
- OrchardCore.ContentManagement.Metadata.ContentDefinitionManagerExtensions.AlterTypeDefinition(IContentDefinitionManager manager, string name, Action<ContentTypeDefinitionBuilder> alteration) in IContentDefinitionManager.cs
 - +

```
54.     }
```
- OrchardCore.ContentTypes.RecipeSteps.ContentDefinitionStep.UpdateContentType(ContentTypeDefinition type, ContentTypeDefinitionRecord record) in ContentDefinitionStep.cs
 - +

```
66.     }
```
- OrchardCore.ContentTypes.RecipeSteps.ContentDefinitionStep.ExecuteAsync(RecipeExecutionContext context) in ContentDefinitionStep.cs
 - +

```
37.         UpdateContentType(newType, contentType);
```
- OrchardCore.Recipes.Services.RecipeExecutor.MoveNext() in RecipeExecutor.cs
 - +

```
173.         await recipeStepHandler.ExecuteAsync(recipeStep);
```
- OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func<ShellScope, Task> execute) in ShellScope.cs
 - +

```
206.         await BeforeDisposeAsync();
```
- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteStepAsync(RecipeExecutionContext recipeStep) in RecipeExecutor.cs
 - +

```
154.         await shellScope.UsingAsync(async scope =>
```

- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken) in `RecipeExecutor.cs`
+

100. `stepResult.IsSuccessful = true;`
- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken) in `RecipeExecutor.cs`
+

117. `capturedException.Throw();`
- OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(string executionId, RecipeDescriptor recipeDescriptor, object environment, CancellationToken cancellationToken)
- OrchardCore.Setup.Services.SetupService.SetupInternalAsync(SetupContext context) in `SetupService.cs`
+

190. `await recipeExecutor.ExecuteAsync(executionId, context.Recipe, new`
- OrchardCore.Setup.Services.SetupService.SetupAsync(SetupContext context) in `SetupService.cs`
+

85. `var executionId = await SetupInternalAsync(context);`
- OrchardCore.Setup.Controllers.SetupController.IndexPOST(SetupViewModel model) in `SetupController.cs`
+

170. `var executionId = await _setupService.SetupAsync(setupContext);`
- lambda_method(Closure , object)
- Microsoft.Extensions.Internal.ObjectMethodExecutorAwaitable+Awaiter.GetResult()
- Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor+TaskOfActionResultExecutor.Execute(IActionResultTypeMapper mapper, ObjectMethodExecutor executor, object controller, object[] arguments)
- System.Threading.Tasks.ValueTask<TResult>.get_Result()
- System.Runtime.CompilerServices.ValueTaskAwaiter<TResult>.GetResult()
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeActionMethodAsync>g__Awaited|12_0(ControllerActionInvoker invoker, ValueTask<IActionResult> actionResultValueTask)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeNextActionFilterAsync>g__Awaited|10_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed context)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(ref State next, ref Scope scope, ref object state, ref bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeInnerFilterAsync>g__Awaited|13_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|24_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(ref State next, ref Scope scope, ref object state, ref bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeFilterPipelineAsync>g__Awaited|19_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, bool isCompleted)
- Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)
- Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|6_0(Endpoint endpoint, Task requestTask, ILogger logger)
- Microsoft.AspNetCore.Localization.RequestLocalizationMiddleware.Invoke(HttpContext context)
- Microsoft.AspNetCore.Authentication.AuthenticationMiddleware.Invoke(HttpContext context)
- OrchardCore.Modules.ModularTenantRouterMiddleware.Invoke(HttpContext httpContext) in `ModularTenantRouterMiddleware.cs`
+

63. `await shellContext.Pipeline.Invoke(httpContext);`
- OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func<ShellScope, Task> execute) in `ShellScope.cs`
+

206. `await BeforeDisposeAsync();`
- OrchardCore.Modules.ModularTenantContainerMiddleware.Invoke(HttpContext httpContext) in `ModularTenantContainerMiddleware.cs`
+

59. `await shellScope.UsingAsync(scope => _next.Invoke(httpContext));`
- Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddleware.Invoke(HttpContext context)

```
System.IO.DirectoryNotFoundException: Could not find a part of the path
'C:\Users\Usuario\source\repos\OrcharCMSDemos\DemoTemplate\AppWeb\App_Data\Sites\Default\ContentDef
inition.json'.
    at System.IO.FileStream.ValidateFileHandle(SafeFileHandle fileHandle)
    at System.IO.FileStream.CreateFileOpenHandle(FileMode mode, FileShare share, FileOptions
options)
    at System.IO.FileStream..ctor(String path, FileMode mode, FileAccess access, FileShare share,
Int32 bufferSize, FileOptions options)
    at System.IO.StreamWriter.ValidateArgsAndOpenPath(String path, Boolean append, Encoding
encoding, Int32 bufferSize)
    at System.IO.StreamWriter..ctor(String path, Boolean append)
    at System.IO.File.CreateText(String path)
    at
OrchardCore.ContentManagement.FileContentDefinitionStore.SaveContentDefinitionAsync(ContentDefiniti
onRecord contentDefinitionRecord) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.ContentManagement\FileContentDefinitionStore.cs
:line 68
    at OrchardCore.ContentManagement.ContentDefinitionManager.UpdateContentDefinitionRecord() in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.ContentManagement\ContentDefinitionManager.cs:l
ine 348
    at
OrchardCore.ContentManagement.ContentDefinitionManager.StoreTypeDefinition(ContentTypeDefinition
contentTypeDefinition) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.ContentManagement\ContentDefinitionManager.cs:l
ine 127
    at
OrchardCore.ContentManagement.Metadata.ContentDefinitionManagerExtensions.AlterTypeDefinition(ICont
entDefinitionManager manager, String name, Action`1 alteration) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.ContentManagement.Abstractions\IContentDefiniti
onManager.cs:line 54
    at
OrchardCore.ContentTypes.RecipeSteps.ContentDefinitionStep.UpdateContentType(ContentTypeDefinition
type, ContentTypeDefinitionRecord record) in
C:\projects\orchardcore\src\OrchardCore.Modules\OrchardCore.ContentTypes\RecipeSteps\ContentDefinit
ionStep.cs:line 66
    at
OrchardCore.ContentTypes.RecipeSteps.ContentDefinitionStep.ExecuteAsync(RecipeExecutionContext
context) in
C:\projects\orchardcore\src\OrchardCore.Modules\OrchardCore.ContentTypes\RecipeSteps\ContentDefinit
ionStep.cs:line 37
    at
OrchardCore.Recipes.Services.RecipeExecutor.<>c__DisplayClass9_0.<<ExecuteStepAsync>b__0>d.MoveNext
() in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line
173
--- End of stack trace from previous location where exception was thrown ---
    at OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func`2 execute) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Abstractions\Shell\Scope\ShellScope.cs:line 206
    at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteStepAsync(RecipeExecutionContext
recipeStep) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line
154
    at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor
recipeDescriptor, Object environment, CancellationTokens cancellationTokens) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line
100
    at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor
recipeDescriptor, Object environment, CancellationTokens cancellationTokens) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Recipes.Core\Services\RecipeExecutor.cs:line
117
    at OrchardCore.Recipes.Services.RecipeExecutor.ExecuteAsync(String executionId, RecipeDescriptor
recipeDescriptor, Object environment, CancellationTokens cancellationTokens)
    at OrchardCore.Setup.Services.SetupService.SetupInternalAsync(SetupContext context) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Setup.Core\SetupService.cs:line 190
    at OrchardCore.Setup.Services.SetupService.SetupAsync(SetupContext context) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Setup.Core\SetupService.cs:line 85
    at OrchardCore.Setup.Controllers.SetupController.IndexPOST(SetupViewModel model) in
C:\projects\orchardcore\src\OrchardCore.Modules\OrchardCore.Setup\Controllers\SetupController.cs:li
ne 170
    at lambda_method(Closure , Object )
    at Microsoft.Extensions.Internal.ObjectMethodExecutorAwaitable.Awaiter.GetResult()
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor.TaskOfActionResultExecutor.Execute(IAc
tionResultTypeMapper mapper, ObjectMethodExecutor executor, Object controller, Object[] arguments)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeActionMethodAsync>g__Awaited
|12_0(ControllerActionInvoker invoker, ValueTask`1 actionResultValueTask)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeNextActionFilterAsync>g__Awa
ited|10_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, Object state,
Boolean isCompleted)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed
context)
```

```
    at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(State& next, Scope&
scope, Object& state, Boolean& isCompleted)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeInnerFilterAsync>g__Awaited|
13_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean
isCompleted)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|24_0(R
esourceInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)
    at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed
context)
    at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(State& next, Scope& scope,
Object& state, Boolean& isCompleted)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeFilterPipelineAsync>g__Awaited|19_0(
ResourceInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)
    at
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoke
r invoker, Task task, IDisposable scope)
    at Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|6_0(Endpoint
endpoint, Task requestTask, ILogger logger)
    at Microsoft.AspNetCore.Localization.RequestLocalizationMiddleware.Invoke(HttpContext context)
    at Microsoft.AspNetCore.Authentication.AuthenticationMiddleware.Invoke(HttpContext context)
    at OrchardCore.Modules.ModularTenantRouterMiddleware.Invoke(HttpContext httpContext) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore\Modules\ModularTenantRouterMiddleware.cs:line
63
    at OrchardCore.Environment.Shell.Scope.ShellScope.UsingAsync(Func`2 execute) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore.Abstractions\Shell\Scope\ShellScope.cs:line 206
    at OrchardCore.Modules.ModularTenantContainerMiddleware.Invoke(HttpContext httpContext) in
C:\projects\orchardcore\src\OrchardCore\OrchardCore\Modules\ModularTenantContainerMiddleware.cs:lin
e 59
    at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddleware.Invoke(HttpContext context)
```